

Annual Stormwater Monitoring Report

for

Seattle-Tacoma International Airport

for the period July 1, 1998 through June 30, 1999



September 1999

Exhibit	139
Date	1/16/02
Witness	Fitzpatrick
Diana Miles, Court Reporter	

AR 018047

Table of Contents

1	Executive Summary.....	1
2	Introduction	3
3	Background.....	5
3.1	Sea-Tac International Airport	5
3.2	STIA Storm Drainage Subbasins	5
3.3	Sampling locations	6
3.4	Storm sampling procedures and analytes	7
4	Sampling Results.....	13
4.1	General	13
4.2	Method of Data Presentation and Comparisons	13
4.3	Storm events sampled.....	15
4.4	Grab Sample Results	16
4.4.1	Total Petroleum Hydrocarbons (TPH).....	16
4.4.2	Fecal Coliforms	18
4.5	Composite Sample Results	19
4.5.1	Suspended Solids and Turbidity	19
4.5.2	Biochemical Oxygen Demand (BOD ₅).....	21
4.5.3	Metals.....	22
4.6	Deicing Event Samples	26
4.6.1	Background.....	26
4.6.2	Results	27
4.7	Other Results.....	29
4.7.1	WET samples.....	29
4.7.2	Non-representative composites	31
4.7.3	Field Quality Control Samples.....	31
4.7.4	Metals During Ground Deicing Event Runoff.....	31
4.7.5	Source Tracing Studies.....	34
4.8	Accomplishments	37
4.9	Outfall Inspections	37
5	Conclusions	39
	References.....	41
	Appendices	43
	Appendix A Storm Event Hydrologic and Hydraulic Data.....	45
	Appendix B Tabular NPDES Sample Data Summaries.....	56
	Appendix C Tabular Deicing Event Sample Data Summaries.....	93
	Appendix D Whole Effluent Toxicity Sample Data Summaries	107

Appendix E Other Sample Data.....	111
Appendix F Source Tracing Sample Data Summaries.....	116
Appendix G Outfall Inspection Summary.....	121

List of Tables

Table 1 Outfall Nomenclature.....	7
Table 2 Offsite Influences in STIA Monitoring Locations(a).....	8
Table 3 Analytes, Methods and Detection Limits.....	9
Table 4 Stormwater Quality Comparators(a).....	14
Table 5 Corrections to Total Recoverable Copper Data Summaries in Past Reports.....	26
Table 6 WET Testing Summary.....	30
Table 7 Outfall Metals Samples During Ground Deicing Events.....	33
Table 8 Instream Metals Samples During Ground Deicing Events.....	33
Table 9 SDS1 Samples (mg/l).....	36

List of Figures

Figure 1 STIA Subbasin Map.....	11
Figure 2 TPH for current year.....	17
Figure 3 Fecal Coliforms for Current year.....	18
Figure 4 TSS for Current Year.....	20
Figure 5 Turbidity for Current Year.....	20
Figure 6 TSS and Turbidity peak and return for SDS3.....	21
Figure 7 BOD ₅ for Current Year.....	22
Figure 8 Total Recoverable Copper for Current Year.....	24
Figure 9 Total Recoverable Lead for Current Year.....	25
Figure 10 Total Recoverable Zinc for Current Year.....	25
Figure 11 Glycol results for Current Year.....	28
Figure 12 SDE4 Source Tracing.....	36

1 EXECUTIVE SUMMARY

This Annual Stormwater Monitoring Report has been prepared pursuant to the NPDES permit for the Port of Seattle's Seattle-Tacoma International Airport (STIA). The Port took a total of 96 grab and 66 composite stormwater samples in the past year, bringing the 5-year totals to over 300 samples. A total of 23 storms were sampled, about two thirds of the total number occurring that met monitoring criteria. The Port complied with all sampling and reporting requirements.

In summary, STIA stormwater quality, especially airfield runoff continues to have pollutant concentrations lower than comparable regional studies. Results continue to demonstrate that typical constituent concentrations in airfield outfall discharges are much lower than from the landside subbasin outfalls. This difference is most likely due to the runoff from high vehicular use areas, including public roadways in the landside subbasins. Nonetheless, overall STIA results are generally lower than results from other studies for roadways and commercial areas.

Whole effluent toxicity (WET) testing was performed at four outfalls. Toxic conditions were not found in the stormwater discharges sampled at outfalls SDE4, SDS3, and SDN4. These results met performance standards for WET according to Ecology guidelines. Results from outfall SDN1 indicated conditions that warranted further investigation. Testing revealed that uncoated, galvanized metal rooftops are the most likely source of toxicity. This problem will be rectified and follow-on monitoring will verify the effectiveness. The Port submitted the required WET testing reports to Ecology. The final summary report will be submitted by mid November 1999.

Several drainage system improvements included adding a berm to prevent track-out of the rental carwash water from entering SDE4 and covering three drain inlets with solid lids to eliminate a small area of ramp drainage to SDS3 near the C-Concourse. Investigations also led to the identification of drainage connections that may require improvements, including a loading dock drain in SDN1 and a clogged IWS drain inlet that may overflow to the SDS3 storm drainage system.

Based on sampling results the following suggestions are recommended.

1. Petition Ecology to eliminate sampling at outfalls SDS1 (003) and SDN2 (007) as allowed for in permit condition S2.B.4. The Port has satisfied the minimum number of sampling events at these two outfalls where the data verify the achievements of previous BMPs.
2. Continue to investigate possible sources of fecal coliforms in SDE4 discharges.
3. Investigate potential sources of stormwater contamination in subbasin SDS1.

4. **Modify the SWPPP to address appropriate resolution of the following items:**

- **an IWS drain inlet drainage backs up at structure IWS-563 near C-Concourse gate C8. Overflow from this inlet appears to drain to the next IWS slot drain, but may escape to the nearby and contiguous SDS3 subbasin, and**
- **a loading dock drain that connects to the SDN1 system.**

2 INTRODUCTION

The STIA stormwater monitoring program has been in place since 1993 pursuant to the National Pollutant Discharge Elimination System (NPDES) permit. The first permit was renewed and reissued on February 20, 1998, becoming effective March 1, 1998 (permit number WA-002465-1.) In early 1999, a major permit modification issued by Ecology reduced sampling frequency based upon a permit appeal settlement (WDOE 1999.)

The Port conducts the required monitoring activities according to the specific guidelines and criteria of the Procedure Manual for Stormwater Monitoring (POS, 1999a). This report summarizes and discusses results from the fifth year of sampling conducted in the past year (July 1998 through June 1999), the conclusions, and potential new initiatives to be undertaken. Results summarized in this report include data already submitted to Ecology in Discharge Monitoring Reports (DMRs) plus additional results from other samples unrelated to DMR reporting. The Port has previously submitted four Annual Reports (POS 1995, 1996, 1997a, 1998c.)

This report satisfies Special Condition S2.E of the National Pollutant Discharge Elimination System (NPDES) permit for the Port of Seattle's (Port) Sea-Tac International Airport (STIA). Special Condition S2.E of the permit states: "On or before October 1 of each year, the Permittee shall submit a report to the Department summarizing the results of the stormwater monitoring conducted pursuant to Special Condition S2.B or S3.E of this permit during the preceding twelve (12) month period from July 1 through June 30. The report shall present the analytical data, the Port's conclusions as to what is being learned from the data, and any new initiatives to be undertaken as part of the Stormwater Pollution Prevention Plan for Airport Operations required in Special Condition S12."

Additionally, the permit requires in Special Condition S2B that: "The permittee shall include the following data for each storm event in the Annual Stormwater Monitoring Summary Report...: date, duration, the number of dry hours preceding the storm event, total rainfall during the storm event (inches), maximum flow rate during the rain event (gallons per minute), and the total flow from the rain event (gallons). The permittee shall also include a monthly summary of daily rainfall..." This information appears in Appendix A.

3 BACKGROUND

3.1 Sea-Tac International Airport

Seattle-Tacoma International Airport (STIA) lies about mid way between the cities of Seattle and Tacoma, Washington. The airport was built in the 1940s and expanded throughout the years to become the 18th busiest airport in the U.S. The areas surrounding the airport urbanized as the airport grew and incorporated as the cities of Seatac, Des Moines, and Burien.

STIA storm drainage discharges through 14 individual outfalls, four that drain to Miller Creek, eight that drain to Des Moines Creek, and two that drain to a City of Seatac system. These outfalls drain a total of 963 acres which contain about 44% impervious surfaces. Another 370 acres, mostly the impervious surfaces of terminal gate and ramp areas, drain to the Industrial Waste System (IWS) and the Industrial Waste Treatment Plant (IWTP.) IWTP sampling results are not included in this report.

3.2 STIA Storm Drainage Subbasins

STIA storm drainage subbasin names are coded according to location, for example, "SDS1" means storm drain south number 1. The NPDES permit refers to outfalls by number; however, this report refers to subbasins and their outfalls by location names (see Table 2). The Port identifies all manholes according to an alphanumeric scheme, some of which are referred to in this report. For convenience and consistency, many of these locations will be renamed and renumbered next year. Drainage area estimates are included in Appendix A. Figure 1 shows the individual stormwater drainage subbasins and the STIA stormwater management boundaries.

STIA stormwater subbasins fall into the general categories listed in Table 2. These categories group subbasins together that have similar land use and other characteristics. These categories include "landside," "airfield," and other non-specific, low-activity areas. A previous report showed that sampling results were different for each of these categories (POS, 1997.)

Airfield subbasins SDS3, SDS4, SDN3, and SDN4 drain 626 acres (45% impervious) of the Aircraft Movement Area (AMA), which includes the airport runways, taxiways, and other open space of the "airfield." These four airfield subbasins represent approximately 65 percent of the total STIA storm drainage area. Previously an airfield outfall, SDN2 now discharges to the Industrial Waste System (IWS) via two pump stations constructed as BMPs in 1997.

Four subbasins (SDE4, SDN1, EY, and TY) compose the 165 acres (60% impervious) of "landside" areas of the airport, primarily public roads, parking, and passenger vehicle areas. Although 11 percent of the total impervious area of SDE4 drains portions of Taxiways A and B, the "landside" designation is appropriate because roads, parking, and other vehicle areas on the landside of the airport make up more than 50 percent of the total impervious area.

In previous reports, the SDS1 subbasin was included in the "terminal" category. However, several stormwater BMPs were undertaken in 1996-97 near the terminal, removing 1.5 acres of ramp areas from SDS1. Other BMPs disconnected yet more ramp area that occasionally drained to SDS1 when certain structures were surcharged during intense rainfall. As a result, SDS1 now drains mostly rooftops, plus a minor area of ramp. Therefore, the "terminal" category is no longer appropriate for SDS1. In addition, recently expanded drainage from South 188th Street was added to SDS1 in 1998-99, increasing the total offsite (non-Port) area to 5.1 acres, nearly 50% of the total SDS1 area.¹ Four other outfalls (SDS2, SDW3, B, and D) drain 110 acres, mostly open spaces (11% impervious) in the southwest portion of STIA.

3.3 Sampling locations

The Port monitors stormwater discharges at 14 locations, one for each subbasin within the boundary of the permit. Figure 1 shows the location of the outfalls and monitoring locations.

Four monitoring locations (subbasins SDE4, SDN1, EY, and TY) are upstream from the final discharge point. Runoff contributions from other, non-STIA sources enter these storm drains and therefore necessitate monitoring at the first location, often a manhole, upstream of the majority of offsite inputs. Table 3 lists these offsite influences. Eliminating all offsite runoff is not possible for sampling stations in SDE4, SDS1, SDS2, and SDS3.

To remove unfavorable biases from highway SR518 runoff, the sampling location for SDN1 was moved upstream to its current location in 1997. Therefore, outfall SDN1 has two datasets, one for the period prior to January 1997 that includes results influenced by SR518 runoff, and the other for "SDN1up" for the ensuing period.

¹ In 1998-99 the City of SeaTac added drainage area to SDS1 through the widening of about 800 linear feet of S. 188th Street, adding curb, gutter, piping and a number of storm drain inlets. This section of roadway previously drained sheetwise off the shoulder to grassed ditches. Prior to these improvements, only one inlet drained a much smaller portion of this public roadway outside the Port's jurisdiction.

3.4 Storm sampling procedures and analytes

The Port's Procedure Manual for Stormwater Monitoring (Port 1999) describes the criteria for sampling storm events, and describes all relevant sampling, programming, and handling necessary to comply with requirements of the permit. Table 4 lists required sampling frequencies, pollutant analytes, methods, and detection limits. Only results from storms and samples that meet representativeness criteria are reported in DMRs. Results from samples not meeting these criteria, or those taken for other purposes are also included in this report. Using automatic samplers, the Port generally takes a grab then a flow-weighted composite sample during rain storms of 0.20 inches or greater.

Table 1 Outfall Nomenclature

Outfall Number in Permit	Port Nomenclature	Category
002	SDE4	landside
003	SDS1	none
004	SDS2	none
005	SDS3	airfield
006	SDN1	landside
007	SDN2	Drains to IWS
008	SDN3	airfield
009	SDS4	airfield
010	SDW3	none
011	SDN4	airfield
012	EY	landside
013	TY	landside
014	B	none
015	D	none

Table 2 Offsite Influences in STIA Monitoring Locations(a)

Outfall (manhole)	Total Area (ac)	Offsite Area (ac)	Percent Offsite	Comment
SDE4 (SDE4-47)	149	0.6	<1%	Offsite area of SR99.
SDS1 (outfall)	10.7	5.1	47%	Offsite area of S. 188th St. includes area added by City in Fall 1998
SDS2 (outfall)	13.2	2.9+	21%	Offsite 16th Ave S., S. 188th St, and possible non-Port commercial area.
SDS3 (outfall)	462	3	<1%	Approximate offsite area of S. 188th St.
SDN1 (manhole SDN1-27)	24+	9.9+	>40%	Former SDN1 location includes public road runoff. Additional 49 acres enters below this point.
SDN1up (SDN1-22)	13.8	0	0%	Air cargo road is about 1/2 of SDN1.

(a) All area estimates are as of 27 October 1998 and subject to change.

Table 3 Analytes, Methods and Detection Limits


Analyte	Method ^(a)	Detection limit (MDL) mg/l	Subbasins			
			SDE4, SDS3, SDN1, SDN4	EY TY, SDN2	SDS1, SDN2	SDS1, SDS2,SDN3, SDS4, SDW3, B, D
pH	150.1	0.10	X	X	X	
FOG (Oil and Grease)	413.1	1.0	n/a	n/a	n/a	n/a
TPH (IR)	418.1 mod ^(b)	1.0	n/a	n/a	n/a	n/a
TPH (GC)	NWTPH-Dx	0.15	X	X	X	X
Fecal coliforms (MPN)	9221 E	2	X			X
TSS (total suspended solids)	160.2	0.50	X	X	X	X
Turbidity	180.1	0.10	X		X	X
BOD ₅	405.1	4.0	X		X	
Total Ammonia	350.2S	0.010	n/a	n/a	n/a	n/a
Total Glycols ^(c)	GC FID	4	X		X	X
Total Recoverable copper, lead, zinc ^(d)	200	Varies	X			
Surfactants	425.1	0.10	X*	X		

(a) Method refers to EPA-600/4-79-020, March 1979. Fecal coliform method refers to 18th edition of Standard Methods for the Examination of Water and Wastewater (APHA, 1995), or as revised.


(b) Washington State Department of Ecology method WTPH-418.1 Modified.

(c) Analyzed by Gas Chromatograph, Flame Ionization Detector.

(d) Lead by atomic absorption (AA) furnace, copper and zinc by ICP.



- MANHOLE
- CATCH BASIN
- C.O.
- CLEANOUT
- STORM WATER CONVEYANCE
- DIRECTION OF FLOW
- PP PERFORATED PIPE
- SDC-20 STORM WATER SYSTEM STRUCTURE IDENTIFICATION
- PROPERTY BOUNDARY
- POST PROPERTY ACQUISITION BOUNDARY



PORT OF SEATTLE

SEA-TAC INTERNATIONAL AIRPORT
 COMPREHENSIVE STORM DRAINAGE SYSTEM PLAN AND DESIGN
 PROJECT NO. 976079.23
 SHEET NO. FIGURE 1

NO.	DATE	DESCRIPTION
1	11/98/K	UPDATE FIGURE
2	10/98/K	UPDATE FIGURE
3	7/98/K	UPDATE FIGURE
4	12/97/K	UPDATE FIGURE
5	7/97	RELOCATED AND ADDED OUTFALL LOCATIONS

STOP WATER DRAINAGE BASIN COLOR CODES:

SDM1	SDS1	SDW3	IWS
SDN3	SDS3	B	
SDN4	SDS4	D	
SDN4	SDE4	SDS2	

OUTFALL LOCATION PUMPSTATION

PROJECT ENGINEER/ARCHITECT: P8SK002
 DESIGNER: P8SK002
 SCALE: P8SK002
 DATE: P8SK002

4 SAMPLING RESULTS

4.1 General

Data are discussed separately for results from grab samples, composite samples, and deicing event (glycol) samples because of the differences in sampling protocols (i.e., grab samples versus composite samples) and because some rainfall events sampled did not meet the "storm" criteria.

The required hydraulic and hydrologic data are included in Appendix A. Samples were validated according to the representativeness criteria described in the Port's Procedure Manual for Stormwater Monitoring (Port 1998a). Analytical results are tabulated and summarized for each outfall in Appendix B. Data previously submitted to Ecology in the monthly discharge monitoring reports (DMRs) represent samples collected from strictly those storms and sampling routines that fully met the criteria of the Procedure Manual. This report summarizes all data collected at storm drain outfalls.

4.2 Method of Data Presentation and Comparisons

This report compares the Port's stormwater data to others' stormwater data listed as reference comparators in Table 5. In general, the reference comparator used was selected as the more conservative (1995) of two City of Bellevue studies because they were comprehensive, local studies, and had similar sampling protocols. However, the samples in the 1995 Bellevue study were taken at instream stations and therefore reflect receiving water conditions, as opposed to outfall discharges. Nonetheless, contrasting STIA *outfall* discharges to this *instream* comparator should result in more conservative conclusions. The Portland NPDES data for copper better represents commercial and industrial outfall discharges before mixing with receiving waters.

These comparators and outfall sampling results appear on box plots that illustrate the central tendency, spread, and skew of the Port's data. The bold line within a box represents the median value, while the bottom and top of a box show the 25th and 75th percentiles, respectively. In other words, the interquartile range (central 50 percent) of the data fall within values highlighted by the box. SPSS software was used to generate the box plots (SPSS 1999).

When summarizing data to compare typical values, outliers usually represent unusual conditions, atypical of what one could expect under usual circumstances. In a box plot, the "whiskers" show the largest values that are not considered outliers. SPSS box plots show two types of outliers:

those more than 1.5 box-lengths from the 75th percentile plotted with the symbol "o", and those more than 3.0 boxlengths with a star symbol ("*").

Table 4 Stormwater Quality Comparators(a)

Pollutant Units		Study					WA State Standard ^(e)	
		NURP, 1983	BURP, 1984	Metro, 1982	Bellevue, 1995 ^(b)	Highway Runoff ^(c) 1981		Portland NPDES ^(d) 1993
pH	std units		5.2 - 7.4		7.2 - 7.8			6.5 - 8.5
TPH	mg/l						6.5	<i>no standard</i>
Fecal coliforms	mpn per 100 ml	1000 to 21000	980					100
BOD ₅	mg/l	9					20	<i>no standard</i>
TSS	mg/l	100			82.3	106	119	<i>no standard</i>
Turb	mg/l		19					based on background
glycols	mg/l	<i>not analyzed in any of these studies</i>						<i>no standard</i>
Cu (TR) ^(f)	µg/l	34		20	10.4	43		5.3 ^(f)
Pb (TR) ^(f)	µg/l	144	170	210		466	36	16 ^(f)
Zn (TR) ^(f)	µg/l	160	120	110		638	253	40 ^(f)
statistic reported:		median	mean ^(g) , <i>median</i>	mean	log-normal median	mean	mean	metals standards ^(f) at hardness =28 mg/l

- (a) Comparative Values in bold. Blank space means no data available, reported, or applicable.
- (b) Bellevue, 1995 data are for instream samples from the "Sturtevant Creek, downstream" site.
- (c) Highway runoff from an I5 location in Seattle with 57,000 ADT, 43 to 54 storm samples in 1980-81 (Chui, Mar, and Homer, 1982).
- (d) City of Portland 1993 NPDES Part 2 Municipal Application, data from NW Yeon Blvd.
- (e) Standards are for class A waters, see WAC 173-201A.
- (f) Total recoverable metals. WA State acute standards expressed as total recoverable, calculated at 28 mg/l hardness using Ecology's "TSDCALC6.XLW" spreadsheet. The hardness value is the 10th percentile for the streams sampled in the Stormwater Receiving Environment Study (POS, 1997c.)
- (g) For Turb, Cu, Pb, and Zn, BURP 1984 data was mean of grab samples, therefore Bellevue, 1995 data are more representative comparators because they represent median of composite samples.

4.3 Storm events sampled

The 1998-99 sampling season began in July 1998 during the "El Nino" dry weather pattern and progressed into the very wet "La Nina" pattern from October 1998-March 1999. During this unusually wet period, about 40 inches of rain fell at STIA, which is a typical *total annual* amount, and was 12 inches more than typical in just this 6 month wet season. Rainfall in November 1998 set a new monthly record at 11.6 inches, breaking a previous record by almost an inch.

In the past 12 months ending June 1999, rainfall meeting "storm" criteria² occurred on 33 occasions. The Port sampled 23 (two thirds) of these "storms" where rainfall ranged from 0.2 to over 3 inches preceded by up to 33 days of dry weather. In August, September, and December 1998, only one event met criteria existing at the time³. One month, July 1998, had no rainfall that qualified as a storm. Extra samples were taken in October 1998 to make up for those taken, but which failed to meet sample criteria during the single "storm" sampling opportunity in September 1998 (POS 1998a.) Appendix A summarizes daily rainfall on a monthly basis graphically and in tabular form.

In the past year, there were four storm events generally associated with higher than typical sample results experienced at several outfalls. Two of these were due to late summer thunderstorms on August 16 and September 24, 1998 where intense rainfall of greater than 0.25 inches per hour fell after protracted dry periods of up to more than a month. These factors resulted in the unusual condition of a lengthy accumulation period combined with high scour potential from the intense rainfall. Two other storms on November 3 and December 24, 1998 had similar characteristics. The product of maximum rainfall intensity and length of the antecedent dry period, termed the "load factor", was much higher for these four events than for the 25 other events sampled (See Appendix A.) These facts are important to take into account when examining the sample results in the following sections.

The change in the criterion for the duration of the antecedent dry period provided, as intended, two to three more sampling opportunities per month³. Yet because total rainfall from a particular event can be highly unpredictable, six potential sampling events failed to fruit to the 0.20-inch

² A "storm" event is defined as having total rainfall of at least 0.20 inch, separated by more than 12 hours of dry weather from past or subsequent events, and preceded by a period of 24 hours with no more than 0.10 inch rainfall from discrete events.

³ A minor permit modification became effective in 1999 allowing the Port to reduce the criteria for the duration of the antecedent dry period from 48 hours to 24 hours. This change was intended to allow more storm events for sampling than the prior definition.

minimum rainfall, and hence resulted in false starts, or "non-storm" samples. Despite the incomplete and therefore non-representative composite samples that resulted (which were usually discarded), the grab samples were still considered representative and comparable⁴ to those taken from "storms." The Procedure Manual was revised in 1998 to allow for this comparability (POS, 1998b). Data from all such grab samples were included on DMRs beginning in January 1999.

4.4 Grab Sample Results

The following discussion includes results from 96 grab samples collected in the past year. The entire five-year data set for grab sample results comprises 322 samples from "storms", plus 26 samples from other rainfall events (non-storms) that did not reach the minimum rainfall criterion of 0.20 inches.

4.4.1 Total Petroleum Hydrocarbons (TPH)

The results from the current year presented in Figures 2 and 3 continue to demonstrate that concentrations of petroleum-type pollutants in STIA stormwater are consistently less than in stormwater from other urban areas. The following bulleted items present a discussion of these results.

The TPH method was changed from an infrared absorbance (IR) method (WTPH 418.1) to a gas-chromatographic (GC) method (NWTPH-Dx.) in 1998. Only results from the new method are discussed below. The previous Annual Report (POS, 1998c) demonstrated that data from the old and new methods were comparable however.

- STIA stormwater overall continues to have less petroleum-type pollutants than typical urban runoff. During the past year, more than 90 percent of the 93 STIA results were less than the Bellevue, 1995 median (instream samples) of 3.7 milligrams per liter (mg/l). The overall STIA TPH median is 0.4 mg/l, and was 0.27 mg/l for the past year. On the whole, TPH was not detected above 0.15 mg/l in 44 (36%) of a total of 121 samples taken since March 1998.

⁴ These "non-storm" grab samples were collected on the same basis as grab samples taken from true "storms". Therefore, given the consistent sampling protocol, all grab sample results can be aggregated regardless of total rainfall.

- Airfield stormwater (SDS3, SDS4, SDN3, and SDN4) contains far less TPH concentrations than runoff from the landside subbasins (SDE4, SDN1, and TY.) TPH was not detected in 31 (67 percent) of the 46 airfield outfall samples analyzed by the new method in the past two years. The maximum TPH value of these 46 airfield outfall samples was 0.5 mg/l. Current results are similar. See Figure 2.
- Most of the TPH detected in landside runoff is likely attributable to cars and trucks. Figure 2 shows that motor oil represents the majority of the TPH at these outfalls (SDE4, SDN1, and TY.)
- The IWS effectively isolates aviation-related fuel spills and drips from the storm drains. TPH concentrations are generally low in stormwater from subbasin SDE4 and are generally not detectable in SDS3 samples. More than 85% of the 24 samples from SDE4 had TPH less than the 3.7 mg/l comparative value for urban areas. These 2 subbasins are contiguous with aircraft service (IWS) areas.




Figure 2 TPH for current year

4.4.2. Fecal Coliforms

Overall, the median value for fecal coliforms in 268 samples to date is 50 per 100 ml, with two thirds of the results less than 200 per 100 ml. Relative to the comparative values (Table 4), these overall results indicate that STIA stormwater contains fewer fecal coliforms than typical urban stormwater. More than 79 percent of the airfield subbasin samples showed fecal coliforms less than the comparative value of 201 per 100 ml (Bellevue, 1995.) See Figure 3.

There are numerous sources of fecal coliforms: birds and all mammals. Small animals and birds inhabit many of the respective drainage areas and are believed to be the sources of these infrequent findings. Urban stormwater often contains fecal coliforms in elevated numbers, and sanitary sewage is not always implicated.

In past reports, the Port showed that fecal coliforms were found principally in the landside subbasin SDE4. Current results for six of 16 SDE4 samples showed elevated results greater than 500 per 100 ml. However, another six of the 16 samples showed fecal coliforms less than 240 per 100 ml. Nonetheless, the Port is continuing to conduct a source tracing study intended to identify potential sources of contamination. Preliminary results, included in Section 4.6, do not indicate sanitary sewage as a source in storm or baseflows. Uncontaminated baseflow samples indicate that there is no continuous source of fecal coliform bacteria. Investigations are ongoing and results will be presented in subsequent Annual Stormwater Monitoring Reports.




Figure 3 Fecal Coliforms for Current year

4.5 Composite Sample Results

In the past year, the Port took a total of 66 flow-weighted composite samples, bringing the five year total to 317. The discussion of these composite sample results are segregated from grab samples because the latter represent only instantaneous values. Composite sample results, especially those from samples that comprise the entire hydrograph, represent an average value over a longer time period.

4.5.1 Suspended Solids and Turbidity

STIA outfalls continue to discharge typically less total suspended solids (TSS) and turbidity than urban areas. In the 5 year sampling history at STIA, more than 80 percent of the 293 TSS samples and 250 turbidity samples were below the comparative values of 50 mg/l, and 29 NTUs, respectively. As shown in Figure 4 and Figure 5 the majority of results for the past year continue to be consistently low.

The four airfield outfalls (SDS3, SDS4, SDN3, and SDN4) continue to produce less TSS and turbidity than the two principal landside subbasins (SDE4 and SDN1). In the past 5 years, 95 percent of the 97 TSS results from the airfield outfalls were less than one-half the regional comparative median value⁵. Because these airfield outfalls represent about 61 percent of the total SDS area, the data show that the majority of STIA runoff is much lower in suspended material than runoff from comparable regional urban areas.

In the past year, there were 4 storm events generally associated with higher than typical TSS and turbidity experienced at several outfalls. These results are considered outliers because they were new maxima and atypical based on the abundance of data for the particular outfalls. Samples from these storms were associated with the unusual condition of a lengthy dry period prior to the event combined with high scour potential of intense rainfall. As a result, samples from these storms that coincided with certain construction activity showed higher TSS and turbidity in late summer and fall of 1998. See Figure 6. A number of construction BMPs became effective after these first storms of the wet season. In the late fall as work ceased and sites stabilized, TSS and turbidity rapidly returned to typical values at outfalls SDS3, SDN4, and SDN1. See Figure 6 which illustrates typical results for these three outfalls. Outlying TSS and turbidity results for SDE4 and SDN1 for the December 24, 1998 storm were associated with sand applied to

⁵ This is the case where 9 results considered outliers or from unusual storm conditions are trimmed from the dataset.

roadways during a snow event. Trimming these outliers reduces the maximum, 95th and 75th percentile values, but has little effect on median values⁶. Appendix B lists these trimmed statistics.




Figure 4 TSS for Current Year




Figure 5 Turbidity for Current Year

⁶ Trimming is a statistical approach that deals with the influence of outlying data that are not representative or otherwise not comparable with other data. Trimming outliers yields summary statistics that better represent typical results.




Figure 6 TSS and Turbidity peak and return for SDS3

4.5.2 Biochemical Oxygen Demand (BOD₅)

Results for the past year continue to indicate overall low levels of BOD₅ in STIA stormwater. In 55 samples analyzed in the past year, the median BOD₅ was 5.5 mg/l, and 60 percent were below the 6.6 mg/l regional urban comparator (BURP, 1984, see Table 4). Excluding 7 samples where the BOD₅ was attributable to runway deicing events, the 95 percent of the 48 sample results in the last year were less than 18 mg/l. See Figure 7. Trimming these outliers reduces the maximum, 95th and 75th percentile values, but has little effect on median values. Appendix B lists these trimmed statistics.

Principal sources of elevated BOD₅ concentrations in the past were associated primarily with major winter weather episodes and the accompanying deicing events. Acetate-based ground surface deicers were the primary sources of BOD₅, with isolated indications of aircraft deicing glycols. All known direct sources of glycols have been eliminated from the storm drains.

In the past year, two limited periods of winter weather (December 24-25, 1998 and February 8, 1999) occurred where the Port applied chemicals to ground surfaces (primarily runways and taxiways.) Storms following both events were sampled at various outfalls. Compared to past years, snowfall and chemical usage, including aircraft glycols, was less (POS 1998c, POS 1997b.) During the December event, BOD₅ results ranged from 116 to 450 mg/l at the five

outfalls sampled. Because glycol concentrations were generally low (15 to 44 mg/l) in these samples, the elevated BOD₅ concentrations were attributable to the acetate-based runway (ground) deicing chemicals. There were no discharges from outfall SDN2 during these events⁷.




Figure 7 BOD₅ for Current Year

4.5.3 Metals

All data reported below are for total recoverable metals. It is important to note that Washington State Water Quality Standards (WAC 173-201A) apply to the receiving waters, not to the discharges from a particular outfall. Stormwater discharges are mixed in receiving waters. Therefore, it is inappropriate to compare outfall sample results directly with Ecology or other receiving water standards without accounting for mixing.

The Washington water quality standards for copper, lead, and zinc are based on the dissolved fraction of the metal. The dissolved fraction is generally used to determine potential toxicity, an

⁷ The entire drainage area of outfall SDN2 was re-routed to the IWS in 1997 as a result of two BMPs.

approximation of what is actually available (i.e., the bioavailable fraction for uptake by aquatic organisms). Limited results for dissolved metals analyzed in source tracing studies appear in Appendix F.

General Results.

Samples from airfield outfalls continue to contain less lead and zinc concentrations than typical urban sources. In the five-year permit sampling history, over 97 percent of the results for lead and zinc in airfield outfalls were below the median for comparable regional data for commercial areas. This is important given that the commercial/industrial comparators cited (see Table 4) are the most conservative and, these reflect *instream* sample concentrations after outfall discharges mixed with receiving waters. Current results continue these patterns, See Figure 9 and Figure 10.

Much of the airfield outfall lead and zinc data are below water quality standards. Nearly all lead results in the past five years are below the standard calculated at the very low hardness listed in Table 4. In fact, lead was not detected in 42% of the total of these 104 samples. Airfield zinc was similar in that more than half the results are less than the standard. And when the total zinc standard is calculated as 0.071 mg/l at 56 mg/l hardness⁸, more than 70% of the STIA airfield results are less.

It should also be noted that lead and zinc concentrations measured in airfield outfall samples were far lower in lead and zinc than the landside outfall samples. The overall median lead and zinc values for landside outfalls SDE4 and SDN1 were nearly 5 times or more those from the airfield samples. See Figure 9 and Figure 10. This difference is likely due to the amount of passenger vehicle usage in the landside areas, much of which is beyond the Port's jurisdiction. The landside subbasins experience considerable vehicle traffic where tire wear is a likely source of zinc (EPA 1993). Roads and parking areas constitute more than 50 percent of the impervious surfaces draining to SDE4 and SDN1.

Overall, in 225 samples in the past five years the median copper value was 0.027 mg/l. Airfield and landside outfall data in this case are similar, with medians ranging from 0.023 to 0.038 mg/l. See Figure 8. This similarity is likely related to the considerable vehicle activity within SDE4 and SDN1. Nonetheless, STIA data are generally less than, but comparable to the 0.039 mg/l median

⁸ In two storms in 1999, hardness values in seven Miller and Des Moines Creek instream composite samples ranged from 41 to 74 mg/l with a median of 56 mg/l.

for copper from the City of Portland's sampling results (City of Portland, 1993.) This comparison is more representative of outfall discharges than the Bellevue, 1995 median of 0.01 mg/l for *instream* stormwater samples.

As indicated for TSS and turbidity, there were several outliers for primarily copper and zinc results obtained in the past year. Again, the causes are attributable to unusual storm events that coincided with certain construction projects in subbasins SDS3 and SDN1. The outlying metals results were correlated to outlying TSS and/or turbidity results and were new maxima. Subsequent samples showed a rapid return to typical ranges as discussed under section 4.5.1. Trimming these outliers reduces the maximum, 95th and 75th percentile values, but has little effect on median values. Appendix B lists these trimmed statistics.

A prior data entry error for a copper value for an SDS3 sample was discovered and corrected in the fall of 1998 (POS 1998e.) The correct value of 0.0388 mg/l for the November 23, 1996 sample was erroneously entered as 0.388 mg/l, an order of magnitude higher. The error did not effect DMRs because the data was transcribed correctly during DMR preparation. The error occurred only during data entry into the Port's database. In the past two annual reports, only the 75th and 95th percentile statistics reported are affected, but not the medians. Boxplots are affected only slightly. Table 5 below shows the pertinent changes required to correct the error.




Figure 8 Total Recoverable Copper for Current Year




Figure 9 Total Recoverable Lead for Current Year




Figure 10 Total Recoverable Zinc for Current Year

Table 5 Corrections to Total Recoverable Copper Data Summaries in Past Reports*

	1997 Annual Report		1998 Annual Report	
	Change From	Change To	Change From	Change To
"All Data"				
95 th percentile	<i>No change</i>	<i>No change</i>	0.115	0.102
75 th percentile	0.042	0.041	0.045	0.042
"SDS3"				
95 th percentile	0.170	0.093	0.109	0.086
75 th percentile	0.053	0.046	0.068	0.054
"All Airfield"				
95 th percentile	<i>n/a</i>	<i>n/a</i>	0.101	0.089
75 th percentile	<i>n/a</i>	<i>n/a</i>	<i>No change</i>	<i>No change</i>

*all values in mg/l

Copper and zinc in SDN1 samples continue to show lower values attributable to removing the bias imparted by SR 518 runoff that was inextricably combined in samples from the previous location⁹. Therefore, the current station provides results more representative of STIA discharges, and prior data must be considered to contain a high bias. Data for the two stations have been segregated and discussed separately in this report and the past two Annual Reports (POS 1998c, 1997a.)

4.6 Deicing Event Samples

4.6.1 Background.

The permit requires sampling and analysis for glycols during "deicing events" The Port conducts this sampling according to the Procedure Manual (POS, 1999a.) The glycol data discussed below encompass mostly composite samples collected during periods of aircraft deicing, representing average values during a storm event discharge.

⁹ In October 1996, the Port changed the sampling location for SDN1 from manhole SDN1-27 to manhole SDN1-22, upgradient from public road runoff. Past annual reports compare data from both locations.

As of June 1997, all ramp areas where aircraft are routinely deiced drain to the IWS. Prior to this date, drainage from several aircraft service areas of limited extent flowed to the SDS. As a result, the Port completed necessary Stormwater Pollution Prevention Plan (SWPPP, POS 1998f) actions by implementing seven BMPs that rerouted this drainage to the IWS from the four affected SDS subbasins (SDE4, SDS1, SDS3, and SDN2.)

The Port's Annual Glycol Reports (Port 1996, 1997c, 1998b) detail the history of glycol application airport-wide. These reports summarize data reported by the airlines for the volumes of both ethylene and propylene glycol applied and number of aircraft treated each day. The Federal Aviation Administration (FAA) authorizes only ethylene and propylene glycols for aircraft deicing and anti-icing. Port tenants perform all glycol application at STIA (applied by airlines or their ground service providers). However, to ensure public safety, aircraft pilots make the ultimate decision on whether to apply glycols or not.

4.6.2 Results

In the past year, glycols were analyzed in a total of 54 samples from eight outfalls. The majority of samples were collected at the regular sampling locations (SDE4, SDS3, and SDN4.) Total glycol concentrations ranged from non-detectable to a maximum of 158 mg/l. The majority of these results (72 percent) were below the detection limits. The total number of aircraft deiced in the dry period before sampling events ranged from 2 to 373, with a median of 15. Data appear in Figure 11 and are summarized in tabular form in Appendix C.

In the past year, two limited periods of winter weather occurred: December 24-25, 1998 and February 8, 1999. During the December event, the minor snowfall of 2 to 3 inches did not require plowing because it melted rapidly with the ensuing rainfall. During the February event, no snowfall accumulated, yet the melted precipitation froze on ground surface during clear night skies. These were the only periods where the Port applied chemicals to ground surfaces (primarily runways and taxiways.) Storms following both events were sampled at various outfalls. In addition to this NPDES sampling, both of these events were also monitored for the Dissolved Oxygen Study (POS, 1999b.) Because of the limited snowfall, the snow storage areas were not used.

Compared to past years, snowfall and chemical usage, including aircraft glycols, was less (POS 1998d, POS 1997cb) During the December event, glycol results ranged from 15 to 113 mg/l at the five outfalls sampled (SDE4, SDS3, SDN1, SDN3, and SDN4.) Because glycol concentrations were generally low in these samples, the elevated BOD₅ concentrations were

attributable to the acetate-based runway (ground) deicing chemicals. There were no discharges from outfall SDN2 during either of these events¹⁰.

Results for samples from SDS3 and SDS1 may warrant further investigation to determine if direct glycol sources can be further stemmed. An IWS drain structure (IWS-563) at a slot drain terminus near Concourse C, gate C8 seems to be capable of overflowing to the SDS3 drainage area, yet most of any overflow would probably run to the next IWS slot drain in the series. The cause of the overflow should be investigated to determine if a repair is appropriate. Several SDS3 drain inlets under the C- Concourse overhang were covered with solid lids in early 1999, therefore these possible source areas were eliminated. Because of several drainage re-route BMPs in SDS1, there should be little or no glycol detected in SDS1 samples. However, the source of the March 12, 1999 glycol result of 49 mg/l should be investigated.




Figure 11 Glycol results for Current Year

The Port has completed sampling of at least four deicing events at outfalls SDS1 (003) and SDN2 (007) since the permit became effective on March 1, 1998. According to permit condition S2.B.4, footnote (a), the Port is eligible to petition Ecology for elimination of further monitoring at these two outfalls. Sampling results demonstrate effective abatement of glycol attributable to several

¹⁰ The entire drainage area of outfall SDN2 was re-routed to the IWS in 1997 as a result of two BMPs.

BMPs implemented in the past few years in these two subbasins. In the 5 deicing event samples taken at SDS1, glycols were not detected in 3 samples, and minor amounts (7 and 49 mg/l) were detected in two samples. These samples were taken from runoff preceded by dry periods during which up to 154 aircraft were deiced. In the past, as little as a single aircraft deicing could result in much higher glycols in SDS1 runoff. Glycols were not detected in four samples of the limited duration discharges to SDN2 caused by storms that exceeded operating designs for the two IWS pump stations built as BMPs in 1997. Therefore, the data indicate that the BMPs have been effective and the intent of this monitoring requirement is satisfied.

4.7 Other Results

The following results were obtained from samples taken for purposes other than to satisfy permit condition S2B.

4.7.1 WET samples

As required by permit condition S10, The Port completed two rounds of whole effluent toxicity (WET) testing at the four principal outfalls in the past year. Two outfalls were sampled on additional occasions to corroborate results from the first two tests. The Port submitted the required WET testing reports to Ecology within 60 days of each sampling date. The final summary report summarizing all results will be submitted by mid November 1999.

WET testing bioassays used the two required aquatic test species: *Daphnia pulex* (a daphnid or waterflea), and *Pimephales promelas* (fathead minnow.) Results did not indicate toxic conditions in the stormwater discharges sampled at outfalls SDE4, SDS3, and SDN4. Furthermore these results exceeded the performance standards for WET according to Ecology guidelines¹¹. In contrast, results from outfall SDN1 exhibited toxicity that appears to be attributable to metals leaching from uncoated galvanized metal rooftops. The Port is currently verifying the source of toxicity so that this problem can be rectified in a timely manner.

Table 6 summarizes WET testing results and Appendix D lists all accompanying data. Analyses for supplemental parameters indicated that these samples were representative of typical conditions based upon past sampling history. The average percent rank value for each parameter shows these results were within the ranges of historical data for each outfall.

¹¹ Performance standards for acute WET tests: the average survival in 100% effluent must be at least 80%, and no single sample must have less than 65% survival (WAC 173-205)

Table 6 WET Testing Summary

Outfall	Sample date	avg rank*	WET, % survival		Comment
			daphnid	fathead	
SDE4	11/19/98	71%	90	100	
(002)	1/20/99	58%	100	98	1
	2/22/99	39%	95	63	
	3/24/99	43%	95	98	
	7/2/99	50%	100	70	2
SDS3	11/13/98	79%	90	98	
(005)	1/13/99	58%	80	95	
SDN1	11/13/98	67%	80	40	
(006)	1/13/99	61%	30	78	
	3/24/99	52%	10	63	
	5/11/99	56%	5	not tested	4
	7/2/99	59%	not tested	33	2, 3
SDN4	11/13/98	65%	75	100	
(007)	1/13/99	41%	100	100	

* Average rank is average of percent ranks for each supplemental parameter analyzed relative to the data history for the particular outfall.

comments:

1. SDE4 Jan 20, 1999 sample: lab error on fathead test: was 48-hr instead of 96-hr
2. July 2, 1999 samples: control failed at 72.5% survival (performance standard is >90%)
3. July 2, 1999 SDN1 sample: insufficient # of organisms to start daphnid test.
4. May 11, 1999 SDN1 sample taken for source tracing (was a non-storm) only, not to explicitly satisfy permit condition S10

shaded results indicate exceedance of single value and/or average standard for survival

The Port conducted additional rounds of WET testing for SDN1 to verify results from the first two tests. Upstream sub-area drainage was also tested to determine where and under what conditions the problems occurred. Because stormwater from SDN1 exhibits historically higher zinc than other outfalls (see Figure 10), this metal was suspected as a potential source of toxicity. After removing metals in these samples with two different chelating agents test organisms had much higher survival. Based on the methods of Hockett and Mount (1996), this pattern of toxicity

reduction following chelation confirmed that zinc was indeed the most likely source of toxicity¹². Additional samples indicated that zinc originated from uncoated, galvanized metal rooftops on two cargo building rooftops (a total of 2.2 acres, 25% of the SDN1 subbasin impervious area). Other parameters analyzed, such as surfactants and ammonia were not correlated with survival. A final round of source tracing will be conducted this fall to verify these findings. The Port is currently investigating how to remedy this source of zinc.

4.7.2 Non-representative composites

As discussed in Section 4.3, some composite samples failed to meet representativeness criteria for the storm event itself, or for the resultant sampling routine. In addition, several samples were taken for other purposes, such as source tracing, where the compliance sampling criteria are not necessary. Because the Port strives for representative results for reporting and comparability to past NPDES reporting data, these 9 composite sample results are segregated and reported in Appendix E.

4.7.3 Field Quality Control Samples

The Port routinely collects duplicate and equipment blank samples during NPDES sampling events according to the Procedure Manual. Appendix E summarizes these results which continue to generally indicate effective sampling techniques.

4.7.4 Metals During Ground Deicing Event Runoff

As requested by Ecology, the Port analyzed metals in samples taken during the two ground deicing events in the past year. Cancilla (1998) suggested that glycols used for aircraft deicing can mobilize metals resulting in higher concentrations than might be expected during non-deicing event runoff. Airlines typically apply the most aircraft deicing glycol during these ground deicing/anti-icing events. Glycols are not used for ground surface deicing. Ecology also had a concern based upon what turned out to be an erroneous copper value incorrectly reported from the November 1996 deicing event and concurrent NPDES storm sample (see Section 4.5.3.)

¹² These tests use EDTA (ethylenediaminetetraacetic acid) and sodium thiosulphate (STS) as chelating agents. EDTA and STS remove heavy metals from solution by binding them through the chelation reaction. Comparing bioassay results before and after adding these agents indicates if and to what degree metals influence toxicity. According to the method, strong toxicity removal by EDTA coupled with weak removal by STS indicates zinc as a likely source.

During both events monitored this past winter the Port analyzed metals in flow-weighted composite samples taken at four outfalls and in composite and discrete samples taken at select instream sampling stations. These samples were taken concurrently with those for the Dissolved Oxygen (DO) Study (POS, 1999b), where instream DO was monitored continuously *in situ* to determine if and to what extent ground deicing chemicals affect the streams. The tables below outline the samples and locations where they were taken. Because the December 1998 event also coincided with the only storm qualifying for monthly sampling for NPDES permit compliance (POS, 1999a), other outfalls (SDE4 and SDN1) were also sampled in addition to those targeted specifically for this study. Both storm events sampled met compliance sampling and reporting criteria (POS, 1999a). All flow-weighted composite samples taken by automatic sampler also met these criteria. Therefore, data from the two deicing events sampled are comparable to other NPDES samples in the Port's extensive stormwater database.

Overall, metal concentrations in outfall samples were within ranges typically measured during non-deicing events sampled during the past 4 or more years. Table 7 summarizes metals data for outfall samples and compares the data to the overall NPDES sampling history for each outfall. Only one value for total recoverable lead in the February 1999 SDN3 sample exceeded the historical maximum for this outfall. The result of 0.010 mg/l for this sample is less than one third of the water quality standard for total recoverable lead of 0.032 mg/l at 56 mg/l total hardness.

Table 8 summarizes total recoverable metals data for instream samples and compares results to water quality standards calculated at average hardness values measured during this study. In this table, "MC" stands for Miller Creek, and "NWP" stands for Northwest Ponds stations in Des Moines Creek. Metal concentrations were below standards at all locations sampled downstream of Port outfalls. In two cases, concentrations were lower downstream than up, indicating STIA runoff was cleaner than upstream samples.

Because virtually all metals data were within ranges recorded for non-deicing events, the Port believes that the metals measured during ground deicing events monitored this year are not atypical. Therefore, the theory that higher metals occur during these events was not manifested during the two events monitored.

Table 7 Outfall Metals Samples During Ground Deicing Events

outfall	event	total recoverable metals, mg/l						hard, mg/l
		Cu	rank,%	Pb	rank,%	Zn	rank,%	
SDS3	Dec-98	0.047	65%	0.002	29%	0.134	91%	
SDS3 calc*	Dec-98	0.044	61%	0.004	62%	0.093	82%	51.3
SDS3	Feb-99	0.049	66%	0.001	0%	0.074	76%	53.6
SDS4	Dec-98	only discrete samples taken/analyzed, results calculated below						
SDS4 calc*	Dec-98	0.016	5%	0.001	26%	0.063	95%	58.1
SDS4	Feb-99	0.006	0%	0.001	26%	0.036	77%	94.2
SDN3	Dec-98	0.017	68%	0.001	28%	0.089	72%	
SDN3 calc*	Dec-98	0.012	45%	0.002	61%	0.056	52%	57.2
SDN3	Feb-99	0.020	84%	0.010	max	0.060	54%	33.5
SDN4	Dec-98	0.023	11%	0.001	32%	0.075	95%	
SDN4 calc*	Dec-98	0.018	0%	0.001	32%	0.034	75%	34.2
SDN4	Feb-99	0.036	48%	0.001	32%	0.026	61%	55.8
SDE4	Dec-98	0.005	4%	0.006	11%	0.151	43%	
SDN1	Dec-98	0.003	0%	0.004	14%	0.122	12%	

*flow-weighted average of multiple discrete grab samples, others are automatic flow-weighted composites.

Table 8 Instream Metals Samples During Ground Deicing Events

instream location	event	total recoverable metals, mg/l			
		Cu	Pb	Zn	hard, mg/l
NWP in	Feb-99	0.003	0.001	0.035	58.7
NWP out	Feb-99	0.007	0.001	0.057	58.3
MC up	Feb-99	0.003	0.001	0.070	41.4
MC down	Feb-99	0.003	0.001	0.062	64.3
Acute*		0.011	0.032	0.071	55.7
NWP in	Dec-98	0.002	0.002	0.059	40.9
NWP out	Dec-98	0.005	0.001	0.032	74.5
MC up	Dec-98	0.008	0.017	0.147	46.9
MC down	Dec-98	sampling error			
Acute*		0.010	0.037	0.070	54.1

Shaded results are <MDL, value shown is 1/2 MDL

*total metals standards calculated (using Ecology's TSDCALC6.xls) at average of hardness values for each event

4.7.5 Source Tracing Studies

Because certain sampling results have indicated the possibility of contamination, the Port has conducted source tracing studies aimed at identifying and characterizing potential sources. Through past efforts, the Port has already discovered and eliminated several other sources of stormwater contamination in subbasins SDE4, SDN1, and SDS4 discussed in previous Annual Reports¹³

As discussed in the WET testing section above, during the past year, the Port investigated and found the likely source of toxicity exhibited in SDN1 samples. These results from SDN1 are included in Appendix D, and will be elaborated further in the final WET characterization report expected to be submitted to Ecology this fall. Other source tracing investigations are summarized below.

SDE4 Source Tracing

The Port began studying fecal coliforms in SDE4 discharges in 1998 and continues to investigate causes of sporadic elevated results. Approximately 60% of the 31 NPDES grab samples to date were less than 600 per 100 ml, yet 24% were greater than 1600. Though, it is not unusual for stormwater to contain such elevated numbers. The BURP (1984) study found a fecal coliform median of 980 per 100 ml in 326 stormwater samples. Fecal coliforms were often several thousand or more in the 200 stormwater samples taken at instream and outfall locations during the comprehensive Bellevue (1995) study, which concluded that the high concentrations were probably due to animal wastes. Preliminary STIA findings summarized below do not implicate sanitary sewage or other domestic wastewater as a cause.

No obvious inappropriate drainage connections were found after reviewing site plans and inspecting field conditions in August 1998. Sanitary sewer lines run parallel to SDE4 drain lines in several areas, but in most cases are at lower grades. The field review identified a minor source of wash water from the rental car wash attributable to track-out by vehicles. This source was corrected by an asphalt berm added by POS maintenance.

The Port conducted two detailed sampling routines in November 1998, collecting grab samples at up to 11 branches of the SDE4 drainage system upstream from the NPDES monitoring location

¹³ See POS 1997, 1998. Inappropriate connections to the stormdrains were found and eliminated in subbasins SDE4, SDN1, and SDS4.

(SDE4-47.) These samples indicated elevated fecal coliforms stemming from several locations. Nonetheless, results for other parameters analyzed did not indicate domestic wastewater contamination. The consistency of these findings is limited by the two rainfall events sampled, the first of which ceased before all samples could be collected.

Samples were analyzed for fecal coliforms by two methods that yield the number of colonies per 100 milliliters: 1) the routine NPDES testing method or multiple tube fermentation process (9221E) that yields the most probable number or "MPN" metric, and 2) the membrane filter (MF) method (9221D). The latter method was used because it has a higher endpoint without sample dilution. Field QC blanks verified sterile sampling conditions were achieved using the specially developed device used to collect samples remotely in the deep pipes. Sample results are summarized in Appendix F.

According to Lalor, Pitt and Field (1993), surfactants, fluoride, potassium, ammonia and conductivity can be highly effective indicators to determine if and to what degree a variety of domestic wastewaters, including sanitary sewage may contaminate stormwater. When the ratio of ammonia to potassium exceeds 0.9, the presence of sanitary sewage or septage is indicated. In the two November 1998 upstream source tracing sequences, this ratio ranged from 0.01 to 0.46. Ongoing NPDES grab samples taken from manhole SDE4-47 since these two events show ratios ranging from 0.04 to 0.79. Figure 12 shows that the elevated fecal coliform results are not correlated with these ammonia to potassium ratios. Surfactants, fluoride and ammonia were generally low, near detection limits in nearly all samples. Therefore, these results do not appear to implicate the presence of sanitary sewage. Furthermore, given the sporadic nature of the elevated results and the fact that several baseflow samples showed no contamination, a direct cross connection is unlikely. Nonetheless, the Port is proceeding with other diagnostic tools (similar to Trial, 1993 and King County, 1995) to determine the source of the elevated fecal coliforms.




Figure 12 SDE4 Source Tracing

Observations in SDS1 discharges

Several SDS1 grab samples and observations in 1999 indicated potential contamination. Foam was observed below the outfall during initial runoff from storms sampled on March 12 and June 20. Surfactants and phosphates were analyzed and may indicate contaminants in these samples. Table 9 below summarizes sampling results. Potential sources and areas to investigate include several small area drain inlets under the South Satellite overhang.

Table 9 SDS1 Samples (mg/l)

Sample ID	event	ph	Fecals (MPN)	TPH (Dx)	BOD5	NH3	Surf	total glycols	TDP	SRP	comments
SDS1 031299	12-Mar-99				123	0.012	3.92	48.7			quarterly deice grab sample
SDS1 062099 #1	20-Jun-99	6.7	>1600	1.56			0.470	<4.0	0.145	0.075	Foam observed below outfall
SDS1 062099 #2	20-Jun-99						0.689	<4.0	0.175	0.085	Foam observed below outfall

Inappropriate connection in SDN1

During the source tracing study conducted relative to the WET testing results, the Port also found an inappropriate connection in the SDN1 subbasin. A slot drain that drains several loading docks in the Avia building number 2 connects to manhole SDN1-19 via a 6" PVC pipe. Instead, this drain should be connected to the nearby IWS drain system. The Port will investigate re-routing this drainage.

4.8 Accomplishments

In the past year, monitoring activities led to several noteworthy accomplishments, some of which have been discussed above. In addition to completing the required routine sampling work, these actions were:

1. Identification of a drainage connection from a loading dock drain to the SDN1 storm drainage system.
2. Identification of a clogged IWS drain inlet that may overflow to the SDS3 storm drainage system.
3. Addition of a berm to prevent the limited water tracked-out of the rental carwash from entering the SDE4 storm drainage system.
4. Identification of the likely source of toxicity exhibited in SDN1 WET tests.
5. Completion of the WET testing characterization requirements.
6. Covering of three SDS3 drain inlets with solid lids, eliminating a limited area of ramp drainage near the C- Concourse.

4.9 Outfall Inspections

Appendix G summarizes the visual observations made at outfalls during the past year. The number of instances exceeds inspection requirements of the Stormwater Pollution Prevention Plan (SWPPP, POS 1998f.) The annual dry-weather inspection was conducted during August 1998. Visual observations and samples taken did not indicate problems associated with baseflows or other dry-weather flow.

5 CONCLUSIONS

Storm sample results from the past year continue to support the conclusions reached in previous reports that STIA stormwater compares favorably to other comparable regional data, even with instream stormwater data. Constituents and concentrations of concern at STIA have been generally associated with specific activities or locations, and usually not routine runoff. The Port has alleviated many concerns by implementing various BMPs and data generally indicate that these BMPs have been effective. Still, the Port continues to investigate other issues to resolve problems indicated by the data.

In addition to completing all required routine stormwater sampling, the Port accomplished the following actions in the past year.

1. Discovered an inappropriate drainage connection from a loading dock drain to the SDN1 storm drainage system.
2. Identified a clogged IWS drain inlet that may overflow to the SDS3 storm drainage system.
3. Added a berm to prevent the limited water tracked-out of the rental carwash from entering the SDE4 storm drainage system.
4. Identified the likely source of toxicity exhibited in SDN1 WET tests.
5. Completed the WET testing characterization requirements.
6. Eliminated a limited area of ramp drainage to SDS3 near the C- Concourse by covering three drain inlets with solid lids.

Below are suggestions for further work indicated by the past year's monitoring efforts:

1. petition Ecology to eliminate sampling at outfalls SDS1 (003) and SDN2 (007) as allowed for in permit condition S2.B.4. The Port has satisfied the minimum number of sampling events at these two outfalls. The data show that BMPs have been effective,
2. continue to investigate possible sources of fecal coliforms in SDE4 discharges,
3. investigate the IWS drain inlet drainage backup at structure IWS-563 near C-Concourse gate C8. Overflow from this inlet appears to drain to the next IWS slot drain, but may escape to the nearby and contiguous SDS3 subbasin,
4. investigate potential sources of stormwater contamination in subbasin SDS1, and
5. investigate alternatives for connection of a loading dock drain that connects to the SDN1 system.

REFERENCES

1. APHA, 1995. Standard Methods for the Examination of Water and Wastewater. 19th Edition. American Public Health Association, WA DC, 1995.
2. Bellevue, 1995. Characterization and Source Control of Urban Stormwater Quality. Utilities Department, City of Bellevue, Bellevue, WA March 1995.
3. BURP, 1984 (Pitt, R. and Bissonnette, P, 1984). Bellevue Urban Runoff Program, Summary Report. City of Bellevue, Storm and Surface Water Utility, Bellevue, WA. June 25, 1984.
4. Cancilla, 1998. Personal Communication 7/9/98 during NPDES Permit Appeal Negotiations, Scott Tobiason, Port of Seattle.
5. Chui, T.W., Mar, B.W., and Horner, R.R, 1982. Pollutant Loading Model for Highway Runoff. Journal of the Environmental Engineering Division, Proceedings of the American Society of Civil Engineers, Vol 108, No. EE6, December, 1982.
6. EPA, 1993. Stormwater discharges potentially addressed by Phase II of the NPDES program. Draft report to Congress. October, 1993.
7. King County, 1995. Little Soos Creek Microbial Source Tracking: A Survey. Prepared by Dr. Mansour Samadpour and Naomi Checkowitz of the University of Washington for King County Department of Public Works, Surface Water Management Division. August, 1995
8. Lalor, M.M.; Pitt, R.E., and Field, R. 1993. Analysis of NPDES Stormwater Permit Field Screening Data to Identify Inappropriate Discharge Sources in Residential and Commercial Land Use Areas. Water Environment Federation, AC93-042-004. 66th Annual Conference and Exposition, October 1993.
9. METRO, 1982 (Galvin, D. and Moore, R.). Toxicants in Urban Runoff, METRO Toxicant Program, Report #2, U.S. EPA Grab #P-000161-01, Lacey, WA, December, 1982.
10. NURP 1983. Results of the Nationwide Urban Runoff Program. Vol 1, final Report. U.S. Environmental Protection Agency, Water Planning Division, WA DC, December 1983
11. Portland, 1993. City of Portland, Multnomah Drainage Region #1, Peninsula Drainage Region #1, Peninsula Drainage Resion #2, Part 2 NPDES Municipal Stormwater Permit Application. May 1993.
12. POS, 1995. Annual Stormwater Monitoring Summary Report: Water Quality Data of the Discharges from the Storm Drainage System. Sea-Tac International Airport, Seattle WA. Prepared by Resource Planning Associates for the Port of Seattle, August 30, 1995
13. POS, 1996. Annual Stormwater Monitoring Report for the period July 1, 1995 through June 30, 1996. Scott Tobiason, Port of Seattle, November 18, 1996.
14. POS, 1997a. Annual Stormwater Monitoring Report for Seattle Tacoma International Airport for the period July 1, 1996 through May 31, 1997. Scott Tobiason, Port of Seattle, September 29, 1997.

15. POS, 1997b. Annual Glycol Report. Attached to Letter to WDOE (Lisa Zinner) from Port of Seattle (Michael Feldman), April 30, 1997
16. POS, 1997c. Stormwater Receiving Environment Monitoring Report for NPDES Permit No. WA-002465-1. Port of Seattle, June 1997.
17. POS, 1998a. Letter to Ecology from Port of Seattle, re: Discharge Monitoring Reports for October 1998. dated November 24, 1998.
18. POS, 1998b. Procedure Manual for Stormwater Monitoring, Sea-Tac International Airport, Seattle, WA. Revision 5. December 18, 1998.
19. POS, 1998c. Annual Stormwater Monitoring Report for Seattle Tacoma International Airport for the Peirod June 1, 1997 through June 30, 1998. Port of Seattle, November 1998.
20. POS, 1998d. Annual Glycol Report. Attached to letter to WDOE (Lisa Zinner) from Port of Seattle (Michael Feldman), May 22, 1998.
21. POS, 1998e. Internal memo from Scott Tobiason to Tom Hubbard, re: SDS3 total copper data entry error. Dated December 7, 1998.
22. POS 1998f. Stormwater Pollution Prevention Plan (SWPPP) for Seattle-Tacoma International Aiport. November 1998.
23. POS, 1999a. Procedure Manual for Stormwater Monitoring, Sea-Tac International Airport, Seattle, WA. Revision 6 April 22, 1999.
24. POS, 1999b. Dissolved Oxygen Deicing Study. Agency Review Draft by Cosmopolitan Engineering Group, August 1999.
25. SPSS, 1999. SPSS for Windows, Base System User's Guide. Release 9.0 SPSS Inc., Chicago IL, © 1999.
26. Trial et al., 1993. Bacterial Source Tracking: Studies in an Urban Seattle Watershed. Puget Sound Notes, No. 30, April 1993.
27. WDOE 1999 National Pollutant Discharge Elimination System permit No. WA-002465-1, effective March 1, 1998. Modification date January 25, 1999 by Washington Department of Ecology, Olympia, WA
28. WDOE, 1991 . Supplement S-6 to Statistical Guidance for Ecology Site Managers.

APPENDICES

APPENDIX A STORM EVENT HYDROLOGIC AND HYDRAULIC DATA

storms

Summary of Storms Sampled July 1998-June 1999

stormdate	depth, in.	dur, hr	max int, in/hr	24hrant, in.	48hrant, in.	dryant, hr	dryant, days	load factor	event type*	comment
6/24/99	1.12	24	0.35	0.03	0.08	10	0.4	3.5	NPDES	grabs only due to more rain than forecast
6/20/99	0.21	38	0.03	0	0	48	2.0	1.4	NPDES	
5/11/99	0.14	10	0.08	0	0	50	2.1	4.0	non-storm	WET & source trace at SDN1 only
5/7/99	0.25	22	0.06	0	0	79	3.3	4.7	NPDES	annual samples
3/27/99	0.24	9	0.07	0	0.09	26	1.1	1.8	NPDES	
3/24/99	0.28	19	0.08	0	0.15	40	1.7	3.2	NPDES	WET @ SDE4, SDN1 & monthlies
3/12/99	0.83	23	0.07	0	0	71	3.0	5.0	NPDES	
3/8/99	0.28	15	0.05	0	0	96	4.0	4.8	NPDES	
2/22/99	0.56	34	0.14	0.02	0.04	9	0.4	1.3	NPDES	WET @ SDE4
2/18/99	0.6	32	0.06	0.01	0.35	20	0.8	1.2	NPDES	
2/15/99	0.45	28	0.08	0	0	59	2.5	4.7	NPDES	
2/3/99	0.28	19	0.07	0	0.61	27	1.1	1.9	NPDES	
1/28/99	1.16	33	0.1	0	0.02	33	1.4	3.3	NPDES	SDN2 bypass (maintenance related)
1/20/99	0.42	28	0.09	0.01	0.95	22	0.9	2.0	NPDES	WET @ SDE4
1/13/99	1.07	22	0.16	0	0	85	3.5	13.6	NPDES	WET @ SDS3, SDN1, SDN4 + WER (SDS3)
1/9/99	0.27	21	0.05	0	0	54	2.3	2.7	NPDES	
12/24/98	1.19	39	0.16	0	0	153	6.4	24.5	NPDES	Snow & runway deicing event
12/17/98	0.11	4	0.03	0	0.02	33	1.4	1.0	non-storm	
12/10/98	0.14	4	0.03	0	0	49	2.0	1.5	non-storm	
11/25/98	3.45	52	0.32	0.28	0.31	8	0.3	2.6	non-storm	pump station bypass to SDN2
11/19/98	2.34	66	0.18	0	0	73	3	13	NPDES	
11/11/98	0.98	62	0.15	0	0.05	31	1.3	4.7	NPDES	WET @ SDS3, SDN1, SDN4
11/3/98	1.62	39	0.48	0	0.08	35	1.5	16.8	NPDES	very intense storm, 0.48 & 0.49 in/hr consec.
10/27/98	0.64	9	0.19	0	0	72	3	14	NPDES	
10/3/98	0.4	3	0.22	0	0.07	36	1.5	7.9	NPDES	short, intense storm
9/24/98	0.47	23	0.26	0	0	148	6.2	38.5	NPDES	
9/18/98	0.19	20	0.16	0	0	456	19	73	non-storm	thunderstorm
8/16/98	0.31	10	0.25	0	0	792	33	198	NPDES	thunderstorm
7/14/98	0.13	16	0.04	0	0	284	11	11	non-storm	
count		29	29	29	29	29	29	29		
median	0.42	22	0.09	0	0	49	2.0	4.7		
average	0.69	25	0.14	0.01	0.10	99	4.1	16.0		
load factor = max(int in/hr)*dryant (hrs)										

* see criteria in Procedure Manual for Stormwater Monitoring (POS 1999a)

"dur" is rainfall duration in hours

"24hrant" and "48hrant" is the total rainfall in the 24 and 48 hours preceding the event respectively

"dryant" is the duration of the antecedent dry period to the last measurable (0.01") rainfall

AR 018089

1998-99 Rainfall at Sea-Tac Airport

1998-99 Daily Rainfall

day	Jul-98	Aug-98	Sep-98	Oct-98	Nov-98	Dec-98	Jan-99	Feb-99	Mar-99	Apr-99	May-99	Jun-99
1	0	0	0	0.06	0.08	0.69	0	0.41	0.32	0	0.05	0
2	0.02	0	0	0.01	0.05	0.2	0	0.27	0.15	0.14	0.2	0
3	0.09	0	0	0.35	0.16	0	0	0.27	0.2	0.12	0.18	0
4	0.06	0	0	0	1.5	0.01	0	0.04	0.09	0.05	0	0.06
5	0	0	0	0	0.08	0.1	0	0.12	0	0.01	0	0
6	0	0	0	0	0	0	0.12	0.48	0	0	0.1	0
7	0	0	0	0	0	0.34	0.01	0.52	0	0.1	0.19	0.08
8	0	0	0	0.54	0.02	0.02	0	0.26	0.27	0.04	0	0.01
9	0	0	0	0.1	0.06	0	0.14	0.01	0	0	0.09	0
10	0.02	0	0	0.09	0.03	0.16	0.16	0.01	0	0.08	0	0
11	0.04	0	0	0	0.22	0.91	0	0	0	0	0.19	0
12	0	0	0	0.7	0.68	0.96	0.01	0	0.67	0.02	0.2	0
13	0	0	0	0.28	0.31	1.02	0.26	0.26	0.56	0	0.04	0
14	0.05	0	0	0.41	0.45	0	0.92	0	0.21	0	0	0
15	0.11	0.14	0	0	0.22	0.02	0.25	0.03	0.06	0	0	0
16	0	0.20	0	0	0.08	0	0.16	0.3	0	0	0.06	0
17	0	0	0.02	0.14	0	0.11	0.81	0.07	0.02	0	0.65	0
18	0	0	0.14	0	0	0	0.65	0.54	0.02	0	0.04	0.02
19	0	0	0	0	0.5	0	0.45	0.09	0	0.21	0	0
20	0	0	0	0	1.3	0	0.18	0.02	0	0.16	0	0.19
21	0	0	0	0	0.78	0	0.19	0.03	0.1	0	0	0.06
22	0	0	0	0	0.15	0	0.44	0.44	0.15	0	0	0.05
23	0	0.01	0	0	0.22	0	0.18	0.61	0	0	0	1.27
24	0	0	0.10	0.03	0.49	0.43	0	0.74	0.27	0	0.11	0.02
25	0	0	0.48	0.01	2.96	1.06	0	0.01	0.08	0.18	0	0
26	0	0	0	0	0.58	0.07	0.02	m	0.02	0.01	0	0
27	0	0	0	0.55	0.04	1.53	0.38	0.85	0.04	0.27	0	0
28	0	0	0	0	0.05	0.11	0.78	0.47	0.28	0	0	0.04
29	0	0	0	0	0.35	0.97	0.16		0.17	0	0	0.02
30	0.01	0	0	0	0.25	0	0.2		0	0.09	0	0.01
31	0	0		0.19		0.18	0.37		0			
daily max	0.11	0.2	0.46	0.7	2.96	1.53	0.92	0.85	0.67	0.27	0.65	1.27
total	0.4	0.35	0.72	3.48	11.61	8.89	6.84	6.85	3.66	1.48	2.10	1.85
% avg*	27%	46%	63%	185%	359%	152%	115%	127%	92%	42%	90%	109%
ytd	0.4	0.75	1.47	4.95	16.56	25.45	32.29	39.14	42.8	44.28	46.38	48.23
%avg*	27%	33%	43%	94%	195%	177%	159%	152%	144%	133%	130%	129%
avg*	1.5	0.76	1.14	1.88	3.23	5.83	5.97	5.38	3.99	3.54	2.33	1.7
avg cum*	1.5	2.26	3.4	5.28	8.51	14.34	20.31	25.69	29.68	33.22	35.55	37.25
# "storms"	0	1	1	4	4	1	6	6	4	2	2	1
# sampled	0	1	1	2	3	1	4	4	4	0	1	1
month max*	3.82	2.39	4.59	5.95	8.95	10.71	11.85	12.92	9.11	8.4	6.53	4.76
month min*	0.13	T	0.01	T	0.31	0.74	1.37	0.58	0.35	0.57	0.33	0.12

*Source: National Weather Service (<http://161.55.224.1/smith/climate/search.html>)




32 possible "storm" events

22 Sampled events in bold in table. Totals are for 24-hr period and not necessarily an entire "event"




6 non-"storms" sampled (grabs only)

Nov 98 total is new monthly max record (previous 10.71)

1998-99 Rainfall at Sea-Tac Airport






1998-99 Rainfall at Sea-Tac Airport



Estimated Peak Runoff Rates for Storm Events Monitored July 1998 through June 1999															
Monitored Event Date	Peak Runoff Rate (cfs)	Peak Runoff Rate (gpm)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)	Peak Runoff Rate (mgd)
6/24/99	0.35	15880	1370	630	41300	1580	5550	4650	1270	1880	182	111	2090	1670	
6/20/99	0.03	1360	120	50	3500	140	480	400	110	170	16	10	180	140	
5/11/99	0.08	3630	310	140	9400	360	1270	1060	290	450	42	25	480	380	
5/7/99	0.06	2720	230	110	7100	270	950	800	220	340	31	19	360	290	
3/27/99	0.07	3180	270	130	8300	320	1110	930	260	400	36	22	420	330	
3/24/99	0.08	3630	310	140	9400	360	1270	1060	290	450	42	25	480	380	
3/12/99	0.07	3180	270	130	8300	320	1110	930	260	400	36	22	420	330	
3/8/99	0.05	2270	200	90	5900	230	790	660	180	280	26	16	300	240	
2/22/99	0.14	6350	550	250	16500	630	2220	1860	510	790	73	45	840	670	
2/18/99	0.06	2720	230	110	7100	270	950	800	220	340	31	19	360	290	
2/15/99	0.08	3630	310	140	9400	360	1270	1060	290	450	42	25	480	380	
2/3/99	0.07	3180	270	130	8300	320	1110	930	260	400	36	22	420	330	
1/28/99	0.10	4540	390	180	11800	450	1590	1330	360	570	52	32	600	480	
1/20/99	0.09	4080	350	160	10600	410	1430	1200	330	510	47	29	540	430	
1/13/99	0.16	7260	630	290	16900	720	2540	2130	580	900	83	51	960	760	
1/9/99	0.05	2270	200	90	5900	230	790	660	180	280	26	16	300	240	
12/24/98	0.16	7260	630	290	16900	720	2540	2130	580	900	83	51	960	760	
12/17/98	0.03	1360	120	50	3500	140	480	400	110	170	16	10	180	140	
12/10/98	0.03	1360	120	50	3500	140	480	400	110	170	16	10	180	140	
11/25/98	0.32	14520	1250	570	37800	1450	5070	4250	1170	1810	167	102	1910	1530	
11/19/98	0.18	8170	700	320	21300	810	2850	2390	660	1020	94	57	1080	860	
11/11/98	0.16	6810	590	270	17700	680	2380	1990	550	860	78	48	900	720	
11/3/98	0.48	21780	1880	860	56700	2170	7610	6380	1760	2710	250	152	2870	2290	
10/27/98	0.19	8620	740	340	22400	860	3010	2620	690	1070	99	60	1140	910	
10/3/98	0.22	9980	860	390	26000	1000	3490	2920	800	1240	115	70	1320	1050	
9/24/98	0.26	11800	1020	460	30700	1180	4120	3460	950	1470	135	83	1550	1240	
9/18/98	0.16	7260	630	290	16900	720	2540	2130	580	900	83	51	960	760	
8/16/98	0.25	11340	980	450	29500	1130	3960	3320	910	1410	130	79	1500	1190	
7/14/98	0.04	1820	160	70	4700	180	630	530	150	230	21	13	240	190	

AR 018094



APPENDIX B TABULAR NPDES SAMPLE DATA SUMMARIES

All Composite Sample Data				Storm Characteristics				ground				concentration, mg/l				comments					
order	outlet	POS ID	reported month	depth, ft.	duration, hr	in/hr	48hr total, in	purpose	type	ground detect?	TSS	MTU	Temp	BOOD	E-gycol	P-gycol	total physcol	Cu	Pb	Zn	
1	SDE4	SDE4 111394	1995	11	11/11/94	0.28	14	48 NPDES	no	no	58	48	7	2.5	2.5	2.5	6	0.021	0.008	0.185	
2	SDE4	SDE4 111904	1995	11	11/19/94	0.42	24	82 NPDES	no	no	16	27	26	2.6	2.6	2.6	6	0.031	0.014	0.337	
3	SDE4	SDE4 010795	1995	1	1/7/95	0.21	82	262 NPDES	no	no	16	27	26	2.6	2.6	2.6	6	0.013	0.004	0.132	
4	SDE4	SDE4 030895	1995	3	3/6/95	0.29	114	68 other	no	no	16	19	8	2.5	2.5	2.5	7.9	0.028	0.011	0.263	
5	SDE4	SDE4 041095	1995	4	4/10/95	0.29	114	68 NPDES	no	no	41	30	26	2.5	2.5	2.5	7.9	0.021	0.023	0.176	
6	SDE4	SDE4 072695	1995	7	7/26/95	0.41	36	68 NPDES	no	no	14	27	27	2.5	2.5	2.5	7.9	0.033	0.021	0.204	
7	SDE4	SDE4 061795	1995	6	6/16/95	1.34	12	NPDES	no	no	210	160	74	14	14	12	28	0.054	0.104	0.279	
8	SDE4	SDE4 102695	1995	2	10/26/95	0.28	6	NPDES	yes	yes	44	19	12	2.5	2.5	2.5	28	0.057	0.026	0.361	
9	SDE4	SDE4 020396	1996	2	2/3/96	1.9	8	Sapag	no	no	63	11	64	2.5	2.5	2.5	5	0.078	0.096	0.320	
10	SDE4	SDE4 032296	1996	3	3/22/96	0.21	16	NPDES	no	no	8	8	22	2.5	2.5	2.5	0.027	0.011	0.110	has metals results only	
11	SDE4	SDE4 041896	1996	4	4/18/96	0.40	16	NPDES	no	no	8	8	22	2.5	2.5	2.5	0.045	0.016	0.243		
12	SDE4	SDE4 051796	1996	5	5/17/96	0.24	16	NPDES	no	no	40	19	700	2.5	2.5	2.5	5	0.053	0.025	0.136	
13	SDE4	SDE4 052296	1996	5	5/22/96	0.31	30	NPDES	no	no	42	24	11.7	2.5	2.5	2.5	8	0.030	0.029	0.171	
14	SDE4	SDE4 060396	1996	6	6/3/96	0.29	1.2	NPDES	no	no	140	1.8	12.0	2.5	2.5	2.5	2.8	0.042	0.076	0.100	
15	SDE4	SDE4 121196	1997	12	12/11/96	0.36	37	NPDES	no	no	48	20	2	2.5	2.5	2.5	48.4	0.031	0.049	0.148	
16	SDE4	SDE4 011897	1997	1	1/18/97	1.21	23	NPDES	no	no	30	14	4.35	2.5	2.5	2.5	2.8	0.023	0.023	0.096	
17	SDE4	SDE4 012797	1997	1	1/27/97	0.41	26	NPDES	no	no	78	19	6.24	1	1	1	2	0.035	0.033	0.122	
18	SDE4	SDE4 030697	1997	3	3/6/97	0.36	20	NPDES	no	no	34	41	4.02	1	1	1	2	0.024	0.031	0.106	
19	SDE4	SDE4 060397	1997	6	6/3/97	0.20	16	NPDES	no	no	66	30	2	1	1	1	2	0.024	0.031	0.162	
20	SDE4	SDE4 102697	1997	10	10/26/97	0.47	10.8	NPDES	no	no	253	78	6.4	1	1	1	2	0.003	0.005	0.166	
21	SDE4	SDE4 121897	1997	12	12/18/97	0.47	10.8	NPDES	no	no	253	78	6.4	1	1	1	2	0.003	0.005	0.166	
22	SDE4	SDE4 030198	1998	3	3/1/98	0.98	86	NPDES	no	no	64	27	20.9	2.5	2.5	2.5	2	0.076	0.042	0.312	
23	SDE4	SDE4 030998	1998	3	3/9/98	0.96	27	NPDES	no	no	80	21	11.1	1	1	1	2	0.082	0.036	0.269	
24	SDE4	SDE4 042398	1998	4	4/23/98	0.40	20	NPDES	no	no	33	29	4.96	1	1	1	10	0.024	0.013	0.065	
25	SDE4	SDE4 051498	1998	5	5/14/98	0.21	6	NPDES	no	no	87	20	8.48	2	2	2	2	0.037	0.029	0.094	
26	SDE4	SDE4 062498	1998	6	6/24/98	0.43	4	NPDES	no	no	67	20	8.48	2	2	2	2	0.048	0.039	0.276	
27	SDE4	SDE4 092598	1998	9	9/24/98	0.47	23	NPDES	no	no	66	82	8.8	1	1	1	2	0.008	0.001	0.041	
28	SDE4	SDE4 100398	1998	10	10/3/98	0.4	3	NPDES	no	no	250	148	3.65	13.4	13.4	30.9	44	0.005	0.006	0.151	concurrent WET sample
29	SDE4	SDE4 102798	1998	10	10/27/98	0.84	9	NPDES	no	no	92	82	8.2	1	1	1	2	0.022	0.013	0.166	concurrent WET sample
30	SDE4	SDE4 111998	1998	11	11/19/98	2.34	66	NPDES	no	no	53	44	2.6	1	1	1	2	0.018	0.022	0.106	concurrent WET sample
31	SDE4	SDE4 122498	1998	12	12/24/98	1.19	39	NPDES	no	no	48	31	9.72	1	1	1	8.78	0.016	0.016	0.116	concurrent WET sample
32	SDE4	SDE4 012799	1999	1	1/20/99	0.42	28	NPDES	no	no	52	51	5.18	1	1	1	2	0.018	0.023	0.113	concurrent WET sample
33	SDE4	SDE4 021899	1999	2	2/18/99	0.6	34	NPDES	no	no	41	32	6.68	1	1	1	2	0.020	0.017	0.134	concurrent WET sample
34	SDE4	SDE4 022399	1999	2	2/23/99	0.56	34	NPDES	no	no	2.9	7.9	2	1	1	1	2	0.012	0.001	0.106	concurrent WET sample
35	SDE4	SDE4 030899	1999	3	3/8/99	0.28	15	NPDES	no	no	11	12	12	1	1	1	0.084	0.008	0.234		
36	SDE4	SDE4 031399	1999	3	3/13/99	0.83	23	NPDES	no	no	6.7	40	48	14	14	2.8	14	0.084	0.008	0.234	
37	SDE4	SDE4 032499	1999	3	3/24/99	0.83	23	NPDES	no	no	34	25	2	280	280	16	278	0.016	0.008	0.125	
38	SDE4	SDE4 032699	1999	3	3/27/99	0.24	6	NPDES	no	no	14	36	15	2	2	2	0.119	0.045	0.304		
39	SDE4	SDE4 101694	1995	10	10/16/94	0.2	32	NPDES	no	no	28	8	13	13	13	0.066	0.019	0.211			
40	SDE4	SDE4 111994	1995	11	11/19/94	0.42	24	NPDES	no	no	8	6	6	6	6	0.042	0.005	0.116			
41	SDE4	SDE4 121695	1995	12	12/16/95	0.2	6	NPDES	no	no	3.2	4	18	2.5	2.5	2.5	8	0.019	0.006	0.04	
42	SDE4	SDE4 011995	1996	1	1/13/96	0.37	20	NPDES	no	no	74	16	23.0	2.5	2.5	2.5	8	0.117	0.086	0.265	
43	SDE4	SDE4 060795	1996	6	6/7/95	2.83	6	NPDES	no	no	17	6.3	28	2.5	2.5	2.5	6	0.012	0.008	0.082	
44	SDE4	SDE4 101695	1996	10	10/16/95	0.36	12	NPDES	no	no	1.6	1.6	26	2.5	2.5	2.5	0.035	0.010	0.108		
45	SDE4	SDE4 011496	1996	1	1/13/96	0.37	20	NPDES	no	no	15	15	11.2	2.8	2.8	2.8	6	0.036	0.013	0.166	
46	SDE4	SDE4 011996	1996	1	1/19/96	0.49	18	NPDES	no	no	15	7.2	12.5	2.8	2.8	2.8	29	0.028	0.015	0.209	
47	SDE4	SDE4 042296	1996	4	4/22/96	2.83	6	NPDES	no	no	22	21	48.8	2.8	2.8	2.8	33	0.041	0.027	0.112	
48	SDE4	SDE4 062296	1996	6	6/22/96	0.31	30	NPDES	no	no	37	17	79	2.8	2.8	2.8	33	0.041	0.041	0.253	
49	SDE4	SDE4 070496	1997	7	7/3/96	0.23	12	NPDES	no	no	25	16	4.6	1	1	1	2	0.030	0.027	0.119	
50	SDE4	SDE4 080296	1997	8	8/2/96	1.01	27	NPDES	no	no	12	46	7.18	1	1	1	2	0.013	0.003	0.082	
51	SDE4	SDE4 120496	1997	12	12/4/96	0.82	7.5	NPDES	no	no	1.8	6.2	8.44	1	1	1	7	0.022	0.005	0.075	FUL FILLS ANNUAL SAMPLE RQMT
52	SDE4	SDE4 011897	1997	1	1/18/97	1.21	23	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
53	SDE4	SDE4 041397	1997	4	4/13/97	0.31	12	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
54	SDE4	SDE4 081797	1997	8	8/16/97	0.36	28	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
55	SDE4	SDE4 102697	1997	10	10/26/97	0.47	10.8	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
56	SDE4	SDE4 121697	1997	12	12/16/97	0.66	39	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
57	SDE4	SDE4 012697	1998	1	1/16/97	0.47	10.8	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
58	SDE4	SDE4 020998	1998	2	2/9/98	0.86	27	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
59	SDE4	SDE4 121697	1998	12	12/16/97	0.66	39	NPDES	no	no	11	13	6.3	1	1	1	2	0.028	0.001	0.118	
60	SDE4	SDE4 030698	1999	3	3/6/98	0.86	27	NPDES	no	no											

All Composite Sample Data												concentration, mg/l					comments						
order	outlet	POS ID	reported	month	storm	depth, in.	storm Characteristics	48hrnt	12hrnt	24hrnt	48hrnt	TSS	Temp, RTU	DOES	E-ppool	P-ppool	total	Cu	Pb	Zn			
					dur, hr	in.	in.	in.	in.	in.	in.						ppm	ppm	ppm				
177	SDN1	SDN1 000360	1997	9	0.0300	0.29	1.2	0	0	0	0	15	18	0.86	2.8	2.8	6						
178	SDN1	SDN1 001486	1997	9	0.1300	0.72	4.8	0	0	0	60	22	10.3	2.8	2.8	6	0.039	0.343	0.343			paired up/down sample	
179	SDN1	SDN1 001906	1997	9	0.1900	0.36	20	0.02	0	0	3.6	7	2	2.8	2.8	6						downstream location at SDN1-27	
180	SDN1	SDN1 011697	1997	1	0.1900	1.21	23	0.04	0	0	66	30	23.8				0.042	0.113	0.433			paired up/down sample	
181	SDN1	SDN1 041397	1997	4	0.1300	0.31	12	0.04	0	0	34	19	17				0.025	0.116	0.218			paired up/down sample	
182	SDN1up	SDN1up 102486	1997	10	0.0400	0.29	6	0.06	0	0	31	8.7	7				0.030	0.046	0.361			paired up/down sample	
183	SDN1up	SDN1up 011697	1997	1	0.1900	1.21	23	0.06	0	0	62	20	9.4				0.019	0.017	0.222			paired up/down sample	
184	SDN1up	SDN1 000367	1997	6	0.2300	0.28	10	0.06	0	0	71	20	17.9				0.010	0.007	0.064				
185	SDN1up	SDN1 102697	1998	10	0.0200	0.47	10.8	0.07	0	0	19	28	4				0.082	0.005	0.401				
186	SDN1up	SDN1 030196	1998	3	3.1600	0.96	86	0.01	0	0	104	36	4.62				0.056	0.009	0.300				
187	SDN1up	SDN1 030196	1998	3	3.1600	0.96	86	0.01	0	0	28	12	12.8				0.083	0.010	0.540				
188	SDN1up	SDN1 042368	1998	4	4.2300	0.46	20	0.01	0	0	43	21	8.6				0.063	0.030	0.596			hundredform, 0.25 m/hr	
189	SDN1up	SDN1 051498	1998	5	5.1400	0.21	6	0	0	0	34	71	8.4				0.008	0.001	0.066				
190	SDN1up	SDN1 051098	1998	6	6.1000	0.28	10	0	0	0	102	83	28.9				0.024	0.025	0.487			concurrent WET sample	
191	SDN1up	SDN1 051098	1998	6	6.1000	0.31	10	0	0	0	86	44	6.2				0.024	0.025	0.487			concurrent WET sample	
192	SDN1up	SDN1 100390	1999	10	10.0300	0.4	3	0.22	0	0	32	17	2				0.024	0.025	0.487			concurrent WET sample	
193	SDN1up	SDN1 102798	1999	10	10.2700	0.64	9	0.19	0	0	63	46	2				0.024	0.025	0.487			concurrent WET sample	
194	SDN1up	SDN1 110498	1999	11	11.0300	1.82	36	0.06	0	0	108	96	119				0.024	0.025	0.487			concurrent WET sample	
195	SDN1up	SDN1 111398	1999	11	11.1300	0.96	62	0.15	0	0	78	31	2				0.024	0.025	0.487			concurrent WET sample	
196	SDN1up	SDN1 122698	1999	12	12.2400	1.19	39	0.16	0	0	48	24	8.4				0.018	0.006	0.170			concurrent WET sample	
197	SDN1up	SDN1 011498	1999	1	1.1400	1.07	22	0.07	0	0	61	4	4.8				0.012	0.003	0.026				
198	SDN1up	SDN1 020498	1999	2	2.0400	0.26	16	0.06	0	0	48	24	8.4				0.018	0.006	0.170			concurrent WET sample	
199	SDN1up	SDN1 030698	1999	3	3.0600	0.26	16	0.06	0	0	61	4	4.8				0.012	0.003	0.026			concurrent WET sample	
200	SDN1up	SDN1 032498	1999	3	3.2400	0.26	16	0.06	0	0	48	24	8.4				0.012	0.003	0.026			concurrent WET sample	
201	SDN1up	SDN1 032498	1999	3	3.2400	0.26	16	0.06	0	0	61	4	4.8				0.012	0.003	0.026			concurrent WET sample	
202	SDN2	SDN2 000894	1995	8	0.0600	0.69	22	0.06	0	0	3.2	4.1	11				0.028	0.007	0.022				
203	SDN2	SDN2 101394	1995	10	10.1300	0.32	14	0	0	0	8.8	9.1	96				0.069	0.005	0.067				
204	SDN2	SDN2 111394	1995	11	11.1300	0.29	14	0	0	0	8.4	7					0.013	0.004	0.030				
205	SDN2	SDN2 111994	1995	11	11.1900	0.42	24	0.06	0	0	7.8	14	4				0.035	0.022	0.076				
206	SDN2	SDN2 011295	1995	1	1.1200	0.3	60	0.04	0	0	2.4	2.1	11.8				0.012	0.003	0.026				
207	SDN2	SDN2 030595	1995	3	3.0500	0.19	24	0	0	0	7.2	4.8	15				0.028	0.010	0.049				
208	SDN2	SDN2 040795	1995	4	4.0700	0.61	28	0.04	0	0	6.8	4.8	30				0.018	0.002	0.024				
209	SDN2	SDN2 041295	1995	4	4.1200	0.26	18	0	0	0	1.26	1.8	6				0.018	0.002	0.024				
210	SDN2	SDN2 041295	1995	4	4.1200	0.26	18	0	0	0	1.26	1.8	6				0.018	0.002	0.024				
211	SDN2	SDN2 080795	1995	8	8.0700	0.4	8	0	0	0	1.8	1.8	6				0.018	0.002	0.024				
212	SDN2	SDN2 101695	1995	10	10.1600	0.35	12	0	0	0	1.8	1.8	6				0.018	0.002	0.024				
213	SDN2	SDN2 021796	1996	2	2.1700	1.26	12	0	0	0	1.8	1.8	6				0.018	0.002	0.024				
214	SDN2	SDN2 041896	1996	4	4.1800	0.49	19	0.06	0	0	1.8	1.8	6				0.018	0.002	0.024				
215	SDN2	SDN2 042296	1996	4	4.2200	2.63	8	0	0	0	0.3	2.6	6.4				0.013	0.003	0.017				
216	SDN2	SDN2 051396	1996	5	5.1300	0.99	20	0.07	0	0	0.3	2.6	6.4				0.013	0.003	0.017				
217	SDN2	SDN2 062296	1996	6	6.2200	0.31	30	0.02	0	0	10	2	6.06				0.013	0.003	0.017				
218	SDN2	SDN2 062396 A	1996	6	6.2300	0.46	10	0	0	0	3.5	7.5	18.3				0.014	0.002	0.076			res NPDES/Slip Ag	
219	SDN2	SDN2 062396	1996	6	6.2300	0.46	10	0	0	0	3.5	7.5	18.3				0.014	0.002	0.076			res NPDES/Slip Ag	
220	SDN2	SDN2 080396	1996	8	8.0300	0.29	12	0	0	0	4.2	2.9	4.5				0.033	0.006	0.042				
221	SDN2	SDN2 102196	1996	10	10.2100	0.66	4.1	0	0	0	4.2	2.9	4.5				0.033	0.006	0.042				
222	SDN2	SDN2 0411007	1997	4	4.1100	1.21	23	0	0	0	8.8	1.8	1.20				60.91	0.018	0.011	0.048			30 MIN PUMP STATION BYPASS
223	SDN2	SDN2 0411007	1997	4	4.1100	1.16	23	0	0	0	17	8.5	2				60.91	0.018	0.011	0.048			30 MIN PUMP STATION BYPASS
224	SDN2	SDN2 062499	1999	6	6.2400	1.12	24	0.06	0	0	1.8	1.8	6				0.042	0.019	0.063				
225	SDN3	SDN3 000894	1995	8	0.0600	0.69	22	0.06	0	0	3.2	4.1	11				0.032	0.002	0.063				
226	SDN3	SDN3 102594	1995	10	10.2500	1.96	44	0	0	0	6.2	6	4				0.032	0.002	0.063				
227	SDN3	SDN3 111994	1995	11	11.1900	0.42	24	0.06	0	0	7.8	14	4				0.035	0.022	0.076				
228	SDN3	SDN3 010795	1995	1	1.0700	0.21	62	0	0	0	0.63	1.6	2				0.003	0.001	0.052				
229	SDN3	SDN3 021695	1995	2	2.1600	1.1	66	0	0	0	2.3	3	2.8				0.003	0.001	0.052				
230	SDN3	SDN3 030695	1995	3	3.0600	0.18	24	0	0	0	6	12	3				0.003	0.001	0.052				
231	SDN3	SDN3 040595	1995	4	4.0500	2.16	114	0	0	0	1.8	1.8	3				0.003	0.001	0.052				
232	SDN3	SDN3 040595	1995	4	4.0500	0.17	4	0	0	0	1.8	1.8	3				0.003	0.001	0.052				
233	SDN3	SDN3 080495	1995	8	8.0400	0.7	26	0	0	0	1.8	1.8	3				0.003	0.001	0.052				
234	SDN3	SDN3 071095	1995	7	7.1000	0.81	13	0	0	0	21	24	7				0.011	0.001	0.126				
235	SDN3	SDN3 110795	1995	11	11.0700	3.89	46	0.09	0	0	3.8	4.7	6				0.038	0.004	0.180	</			

All Composite Sample Data										Storm Characteristics										Sampling Characteristics										Concentration, mg/l										Comments									
order	outfall	POS ID	reported	month	stormdate	depth, in.	dur, in/hr	meantail, 24hr/in	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	40hr tail, in.	TSS	NTU	BOODS	S-physical	P-physical	total physical	Cu	Pb	Zn	comments																				
236	SDN3	SDN3 040166	1996	3	3/31/96	0.64	0	0	0	0	0	0	0	0	0	0	0	0	0	11	18	6	2.8	2.8	5	0.015	0.002	0.101	intra NPDES/Ship Ag																				
237	SDN3	SDN3 041696	1996	4	4/19/96	0.49	16	0	0.06	0	0	0	0	0	0	0	0	0	0	27	27	6	2.8	2.8	5	0.018	0.003	0.121	intra NPDES/Ship Ag																				
240	SDN3	SDN3 042296	1996	4	4/22/96	2.83	8	0	0	0	0	0	0	0	0	0	0	0	0	16	9.9	6.66	2.8	2.8	5	0.016	0.001	0.063	intra NPDES/Ship Ag																				
241	SDN3	SDN3 061396	1996	5	5/13/96	0.96	20	0	0.07	0	0	0	0	0	0	0	0	0	0	16	18	2	2.8	2.8	5	0.016	0.001	0.063	intra NPDES/Ship Ag																				
242	SDN3	SDN3 062296	1996	5	5/21/96	0.31	30	0	0.02	0	0	0	0	0	0	0	0	0	0	16	6.2	2	2.8	2.8	5	0.016	0.001	0.063	intra NPDES/Ship Ag																				
243	SDN3	SDN3 062396 A	1996	5	6/23/96	0.46	10	0	0	0	0	0	0	0	0	0	0	0	0	16	6.2	2	2.8	2.8	5	0.016	0.001	0.063	intra NPDES/Ship Ag																				
244	SDN3	SDN3 060396	1997	8	8/27/96	1.01	27	0	0	0	0	0	0	0	0	0	0	0	0	7.3	11	6	6.2	6.2	0.004	0.000	0.051	dehydrated hydrograph, very dry antecedent																					
245	SDN3	SDN3 120496	1997	12	12/4/96	0.82	7.5	0	0.16	0	0	0	0	0	0	0	0	0	0	28	26	2	2.8	2.8	5	0.018	0.002	0.033	dehydrated hydrograph, very dry antecedent																				
246	SDN3	SDN3 121196	1997	12	12/19/96	1.21	23	0	0	0	0	0	0	0	0	0	0	0	0	16	14	2	2.8	2.8	5	0.018	0.002	0.033	dehydrated hydrograph, very dry antecedent																				
247	SDN3	SDN3 011797	1997	1	1/19/97	0.36	20	0	0.24	0	0	0	0	0	0	0	0	0	0	13	13	4.92	6.2	6.2	0.012	0.001	0.043	dehydrated hydrograph, very dry antecedent																					
248	SDN3	SDN3 030597	1997	3	3/5/97	0.37	11.8	0	0.01	0	0	0	0	0	0	0	0	0	0	10	10	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
249	SDN3	SDN3 062197	1997	6	6/21/97	0.47	12.6	0	0	0	0	0	0	0	0	0	0	0	0	12	12	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
251	SDN3	SDN3 111997	1997	11	11/16/97	0.47	12.6	0	0	0	0	0	0	0	0	0	0	0	0	12	12	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
252	SDN3	SDN3 121997	1997	12	12/16/97	1.1	33	0	0	0	0	0	0	0	0	0	0	0	0	12	12	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
253	SDN3	SDN3 122496	1998	12	12/24/96	1.19	39	0	0	0	0	0	0	0	0	0	0	0	0	12	12	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
254	SDN3	SDN3 021399	1999	2	2/13/99	0.28	5	0.04	0	0	0	0	0	0	0	0	0	0	0	12	12	2	6.2	6.2	0.014	0.001	0.046	dehydrated hydrograph, very dry antecedent																					
254	SDN4	SDN4 060396	1997	6	6/3/96	0.29	1.2	0	0	0	0	0	0	0	0	0	0	0	0	3	14.1	17.8	1	14.2	16.2	0.020	0.010	0.060	for DO study																				
255	SDN4	SDN4 120496	1997	12	12/4/96	0.82	7.5	0	0.16	0	0	0	0	0	0	0	0	0	0	3	14.1	17.8	1	14.2	16.2	0.020	0.010	0.060	for DO study																				
256	SDN4	SDN4 011697	1997	1	1/16/97	1.21	23	0	0	0	0	0	0	0	0	0	0	0	0	7	4.6	8.48	2.8	2.8	5	0.034	0.002	0.023	back-up monthly sample in case 3/1/98																				
257	SDN4	SDN4 030697	1997	3	3/6/97	0.36	20	0	0.24	0	0	0	0	0	0	0	0	0	0	11	17	12.1	2.8	2.8	5	0.038	0.001	0.025	back-up monthly sample in case 3/1/98																				
258	SDN4	SDN4 060397	1997	6	6/3/97	0.36	20	0	0.24	0	0	0	0	0	0	0	0	0	0	11	17	12.1	2.8	2.8	5	0.038	0.001	0.025	back-up monthly sample in case 3/1/98																				
259	SDN4	SDN4 102697	1998	10	10/26/97	0.47	10.9	0	0.06	0	0	0	0	0	0	0	0	0	0	2.2	2.6	3.12	2.8	2.8	5	0.082	0.001	0.020	back-up monthly sample in case 3/1/98																				
260	SDN4	SDN4 121697	1998	12	12/16/97	1	33	0	0	0	0	0	0	0	0	0	0	0	0	2.8	2.6	7.39	1	1	2	0.039	0.002	0.024	back-up monthly sample in case 3/1/98																				
261	SDN4	SDN4 030198	1998	3	3/1/98	0.98	96	0	0.07	0	0	0	0	0	0	0	0	0	0	17	18	2	6.2	6.2	0.031	0.001	0.025	back-up monthly sample in case 3/1/98																					
262	SDN4	SDN4 030998	1998	3	3/9/98	0.96	27	0	0	0	0	0	0	0	0	0	0	0	0	3.2	8.1	4.08	1	1	2	0.048	0.001	0.016	back-up monthly sample in case 3/1/98																				
263	SDN4	SDN4 042498	1998	4	4/23/98	0.46	20	0	0	0	0	0	0	0	0	0	0	0	0	2	8.8	8.44	1	1	2	0.061	0.001	0.029	back-up monthly sample in case 3/1/98																				
264	SDN4	SDN4 052598	1998	5	5/24/98	0.43	4	0	0	0	0	0	0	0	0	0	0	0	0	3.7	8.6	8.2	1	1	2	0.030	0.001	0.027	back-up monthly sample in case 3/1/98																				
265	SDN4	SDN4 062498	1998	6	6/24/98	0.43	4	0	0	0	0	0	0	0	0	0	0	0	0	4	4	4.64	1	1	2	0.047	0.001	0.018	back-up monthly sample in case 3/1/98																				
266	SDN4	SDN4 061698	1998	6	6/16/98	0.31	10	0.25	0	0	0	0	0	0	0	0	0	0	0	94	98	8	6.2	6.2	0.087	0.003	0.022	back-up monthly sample in case 3/1/98																					
267	SDN4	SDN4 062698	1998	6	6/26/98	0.47	23	0.26	0	0	0	0	0	0	0	0	0	0	0	76	43	8.74	1	22	32	0.043	0.001	0.016	back-up monthly sample in case 3/1/98																				
268	SDN4	SDN4 100398	1998	10	10/3/98	0.4	3	0.22	0	0	0	0	0	0	0	0	0	0	0	18	23	2	1	1	2	0.081	0.001	0.045	back-up monthly sample in case 3/1/98																				
269	SDN4	SDN4 110498	1998	11	11/3/98	1.62	36	0.49	0	0	0	0	0	0	0	0	0	0	0	18	23	2	1	1	2	0.047	0.001	0.070	back-up monthly sample in case 3/1/98																				
270	SDN4	SDN4 111398	1998	11	11/11/98	0.96	82	0.16	0	0	0	0	0	0	0	0	0	0	0	22	18	2	1	1	2	0.026	0.001	0.127	back-up monthly sample in case 3/1/98																				
271	SDN4	SDN4 122698	1998	12	12/24/98	1.19	39	0.16	0	0	0	0	0	0	0	0	0	0	0	12	12	168	71	27.3	34	0.023	0.001	0.078	back-up monthly sample in case 3/1/98																				
272	SDN4	SDN4 011499	1999	1	1/13/99	1.07	22	0.16	0	0	0	0	0	0	0	0	0	0	0	12	12	168	71	27.3	34	0.023	0.001	0.078	back-up monthly sample in case 3/1/98																				
273	SDN4	SDN4 020499	1999	2	2/3/99	0.26	6	0.04	0	0	0	0	0	0	0	0	0	0	0	7	8.2	2	1	1	2	0.020	0.001	0.034	back-up monthly sample in case 3/1/98																				
274	SDN4	SDN4 021399	1999	2	2/13/99	0.26	6	0.04	0	0	0	0	0	0	0	0	0	0	0	3.8	4.8	2	1	1	2	0.016	0.001	0.024	back-up monthly sample in case 3/1/98																				
275	SDN4	SDN4 031399	1999	3	3/12/99	0.83	23	0.07	0	0	0	0	0	0	0	0	0	0	0	2.9	7	2	1	1	2	0.016	0.001	0.028	back-up monthly sample in case 3/1/98																				
276	SDN4	SDN4 032698	1999	3	3/27/98	0.24	9	0.07	0	0	0	0	0	0	0	0	0	0	0	4.3	3.6	2	1	1	2	0.022	0.001	0.014	back-up monthly sample in case 3/1/98																				
277	EY	EY 061494	1995	6	6/13/94	0.15	9	0	0	0	0	0	0	0	0	0	0	0	0	24.9	24.9	1	1	1	1	32	0.043	0.001	0.016	back-up monthly sample in case 3/1/98																			
278	EY	EY 101394	1995	10	10/13/94	0.32	14	0	0	0	0	0	0	0	0	0	0	0	0	28	28	1	1	1	1	32	0.043	0.001	0.016	back-up monthly sample in case 3/1/98																			
279	EY	EY 060495	1995	6	6/4/95	2.16	114	0	0	0	0	0	0	0	0	0	0	0	0	3.2	3.2	1	1	1	1	32	0.043	0.001	0.016	back-up monthly sample in case 3/1/98																			
280	EY	EY 060495	1995	6	6/4/95	0.7	28	0	0	0	0	0	0	0	0	0	0	0	0	26	26	1	1	1	1	32	0.043	0.001	0.016	back-up monthly sample in case 3/1/98																			
281	EY	EY 072695	1996	7	7/26/95	0.31	36	0	0	0	0	0	0	0	0	0	0	0	0	56	56	1	1	1	1	32	0.043	0.001	0.01																				

All Composite Sample Data		Storm Characteristics		gross select.		Turb. NTU		E-glycol		P-glycol		total glycols		Cu		Pb		Zn		comments	
order	outlet	PCB ID	reported	month	stormable	depth, in.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.	dir.		
8033 (994)																					
count	0	0	0	0	0	36	37	36	27	27	27	40	40	2	2	2	2	2	2		
max	66	36	11	0	0	310	166	480	32	151	156	0.136	0.043	0.006	0.213	0.006	0.213	0.006	0.213		
95th	60	36	10	0	0	114	68	94	22	81	99	0.098	0.014	0.006	0.208	0.006	0.208	0.006	0.208		
75th	37	29	6	0	0	20	15	15	6.1	6.2	10.3	0.054	0.004	0.070	0.006	0.178	0.006	0.178	0.006	0.178	
median	20	20	3.6	0	0	8	9	6.2	2.6	2.6	5.0	0.034	0.002	0.054	0.006	0.139	0.006	0.139	0.006	0.139	
25th	18.0	18.0	2.0	0	0	3.6	4.2	6.6	1.0	1.6	4.1	0.024	0.002	0.036	0.007	0.101	0.007	0.101	0.007	0.101	
min	7.8	6.1	2.0	0	0	1.0	1.0	0.7	2.0	1.0	2.0	0.004	0.001	0.003	0.001	0.064	0.001	0.064	0.001	0.064	
sd	19	11	3.3	0	0	61	30	78.0	7.5	31.7	35.4	0.029	0.007	0.043	0.001	0.003	0.001	0.003	0.001	0.003	
CV, %	65%	67%	71%	0	0	221%	170%	269%	144%	286%	208%	67%	148%	96%	17%	99%	99%	76%	17%	99%	
% non-detected	0	0	0	0	0	1	0	3	19	16	14	0	7	0	0	0	0	0	0	0	
% non-detected	0%	0%	33%	0	0	3%	0%	6%	70%	69%	62%	0%	18%	0%	50%	0%	50%	0%	50%	0%	
8034 (999)																					
count	20	19	23	10	10	104	96	98	3	3	10	21	21	2	2	2	2	2	2		
max	104	96	98	3	3	48	40	18	3	3	6	0.041	0.005	0.047	0.006	0.213	0.006	0.213	0.006	0.213	
95th	48	40	18	3	3	22	12	7	2.6	2.6	5.0	0.032	0.002	0.032	0.006	0.178	0.006	0.178	0.006	0.178	
75th	12	7	6.0	2.6	2.6	12	7	6.0	2.6	2.6	5.0	0.023	0.001	0.020	0.004	0.054	0.004	0.054	0.004	0.054	
median	4.7	4.8	4.2	2.6	2.6	4.7	4.2	4.2	1.0	1.0	2.0	0.006	0.001	0.018	0.001	0.018	0.001	0.018	0.001	0.018	
25th	2.1	1.3	2.0	1.0	1.0	2.1	1.3	2.0	0.8	0.8	1.3	0.010	0.001	0.012	0.001	0.012	0.001	0.012	0.001	0.012	
min	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
sd	23	21	19.2	29%	29%	123%	162%	160%	100%	100%	26%	39%	77%	50%	77%	50%	77%	50%	77%	50%	
CV, %	123%	162%	160%	100%	100%	0%	0%	0%	100%	100%	100%	0%	23%	0%	23%	0%	23%	0%	23%	0%	
% non-detected	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
% non-detected	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8035 (916)																					
count	10	10	6	0	0	6	6	6	0	0	0	0	0	0	0	0	0	0	0		
max	91	510	16	0	0	74	182	12	0	0	0	0	0	0	0	0	0	0	0		
95th	78	122	6	0	0	16	18	6	0	0	0	0	0	0	0	0	0	0	0		
75th	9	6	4.6	0	0	6	6	4.6	0	0	0	0	0	0	0	0	0	0	0		
median	6.1	2.4	3.6	0	0	6.1	2.4	3.6	0	0	0	0	0	0	0	0	0	0	0		
25th	2.2	1.0	2.0	0	0	2.2	1.0	2.0	0	0	0	0	0	0	0	0	0	0	0		
min	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
sd	26	96	4.2	0	0	26	96	4.2	0	0	0	0	0	0	0	0	0	0	0		
CV, %	136%	246%	74%	0	0	136%	246%	74%	0	0	0	0	0	0	0	0	0	0	0		
% non-detected	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
% non-detected	0%	0%	28%	0	0	0%	0%	28%	0	0	0	0	0	0	0	0	0	0	0	0	
8036 (914)																					
count	6	6	6	0	0	6	6	6	0	0	0	0	0	0	0	0	0	0	0		
max	91	126	6	0	0	91	126	6	0	0	0	0	0	0	0	0	0	0	0		
95th	78	122	6	0	0	78	122	6	0	0	0	0	0	0	0	0	0	0	0		
75th	9	6	3	0	0	9	6	3	0	0	0	0	0	0	0	0	0	0	0		
median	19.9	20.0	2.0	0	0	19.9	20.0	2.0	0	0	0	0	0	0	0	0	0	0	0		
25th	8.9	14.0	2.0	0	0	8.9	14.0	2.0	0	0	0	0	0	0	0	0	0	0	0		
min	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
sd	30	48	1.6	0	0	30	48	1.6	0	0	0	0	0	0	0	0	0	0	0		
CV, %	96%	82%	63%	0	0	96%	82%	63%	0	0	0	0	0	0	0	0	0	0	0		
% non-detected	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
% non-detected	0%	0%	60%	0	0	0%	0%	60%	0	0	0	0	0	0	0	0	0	0	0	0	

order	outlet	POS ID	reported	month	stormdate	Show Characteristics			purpose	# count	# detect	TSS	NTU	BOD5	concentration, mg/l			total glycols	Cu	Pb	Zn	comments
						depth	dur	flow							flow	flow	flow					
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
									count													
									max													
									75th													
									median													
									25th													
									min													
									ad													
									CV, %													
									# non-detected													
									% non-detected													
				</																		

order	1994-95 Composite Sample Data			Storm Characteristics			Flow Characteristics			Turbidity			concentration, mg/l			comments			
	order	POS ID	received	depth, ft.	dur., hr.	flow, cfs	depth, ft.	dur., hr.	flow, cfs	TSS	NTU	BOODs	E-pyrene	P-glycol	total		Cu	Pb	Zn
27	SD4	SD4 027568	1999	0	02/24/98	0.47	23	0.28	0	148	NPDES	EMC	no	2	0.037	0.029	0.04		
28	SD4	SD4 100396	1999	10	10/30/98	0.4	3	0.22	0	36	NPDES	EMC	no	2	0.048	0.039	0.276		
29	SD4	SD4 102706	1999	10	10/27/98	0.64	9	0.19	0	20	NPDES	SAC	no	1	0.048	0.001	0.041		
30	SD4	SD4 111996	1999	11	11/19/98	2.34	86	0.18	0	46	NPDES	SAC	no	1	0.032	0.031	0.163	concurrent WET sample	
31	SD4	SD4 122498	1999	12	12/24/98	1.19	39	0.18	0	260	NPDES	yes	13.4	44.3	0.005	0.008	0.151	concurrent WET sample	
32	SD4	SD4 012290	1999	1	1/20/99	0.42	28	0.09	0.01	92	NPDES	EMC	no	2	0.022	0.013	0.168	concurrent WET sample	
33	SD4	SD4 022390	1999	2	2/19/99	0.6	32	0.06	0.01	131	NPDES	EMC	no	2	0.003	0.001	0.003	concurrent WET sample	
34	SD4	SD4 022390	1999	2	2/22/99	0.86	34	0.14	0.02	63	NPDES	EMC	no	1	0.015	0.022	0.108	concurrent WET sample	
35	SD4	SD4 030899	1999	3	3/9/99	0.28	15	0.05	0	49	NPDES	EMC	no	1	0.016	0.016	0.118		
36	SD4	SD4 031399	1999	3	3/12/99	0.83	23	0.07	0	62	NPDES	EMC	no	1	0.020	0.017	0.134		
37	SD4	SD4 032499	1999	3	3/24/99	0.24	9	0.07	0	41	NPDES	EMC	no	1	0.012	0.001	0.106		
38	SD4	SD4 032899	1999	3	3/27/99	0.24	9	0.07	0	9.5	NPDES	SAC	no	2	0.028	0.001	0.118		
39	SD4	SD4 102706	1999	10	10/27/98	0.84	9	0.16	0	11	NPDES	SAC	no	2	0.008	0.008	0.213	ANNUAL SAMPLE	
40	SD4	SD4 111396	1999	11	11/13/98	0.68	82	0.16	0	31	NPDES	EMC	no	2	0.007	0.001	0.084	ANNUAL SAMPLE	
41	SD4	SD4 050799	1999	5	5/4/99	0.26	22	0.06	0	85	NPDES	EMC	no	2	0.038	0.001	0.084	ANNUAL SAMPLE	
42	SD4	SD4 081798	1999	8	8/17/98	0.31	10	0.26	0	18	NPDES	EMC	no	2	0.008	0.008	0.213	ANNUAL SAMPLE	
43	SD4	SD4 082598	1999	8	8/25/98	0.47	23	0.26	0	141	NPDES	EMC	no	2	0.008	0.008	0.213	ANNUAL SAMPLE	
44	SD4	SD4 100396	1999	10	10/30/98	0.4	3	0.22	0	254	NPDES	EMC	no	2	0.051	0.008	0.194	GLYCOLS MAY BE HIGH BIASED, DUPE WAS -NDL	
45	SD4	SD4 102706	1999	10	10/27/98	0.64	9	0.19	0	48	NPDES	SAC	no	4.21	6.21	0.004	0.001	0.003	GLYCOLS MAY BE HIGH BIASED, DUPE WAS -NDL
46	SD4	SD4 110498	1999	11	11/10/98	1.82	39	0.46	0	64	NPDES	SAC	no	4.7	11.5	0.022	0.004	0.148	concurrent WET sample
47	SD4	SD4 111396	1999	11	11/13/98	0.98	62	0.16	0	24	NPDES	EMC	no	8.16	11.5	0.022	0.004	0.148	concurrent WET sample
48	SD4	SD4 122598	1999	12	12/24/98	1.19	39	0.16	0	18	NPDES	EMC	no	14	22.4	0.019	0.001	0.030	concurrent WET sample
49	SD4	SD4 011499	1999	1	1/13/99	0.27	21	0.05	0	3.7	NPDES	EMC	no	10	11	0.023	0.004	0.030	concurrent WET and WER
50	SD4	SD4 020399	1999	2	2/3/99	0.20	19	0.07	0	11	NPDES	SAC	no	2.08	3.08	0.016	0.001	0.027	for DO study
51	SD4	SD4 021499	1999	2	2/13/99	0.26	6	0.04	0	9.2	NPDES	SAC	no	181	197.9	0.049	0.001	0.074	for DO study
52	SD4	SD4 030399	1999	3	3/9/99	0.83	16	0.06	0	14	NPDES	SAC	no	6.82	187.9	0.024	0.002	0.063	for DO study
53	SD4	SD4 031399	1999	3	3/12/99	0.23	0.7	0.07	0	7.0	NPDES	SAC	no	1	6.21	0.022	0.001	0.036	for DO study
54	SD4	SD4 032699	1999	3	3/24/99	0.28	19	0.08	0	8.1	NPDES	SAC	no	1	2	0.019	0.001	0.027	for DO study
55	SD4	SD4 111998	1999	11	11/19/98	2.34	65	0.18	0	2.1	NPDES	EMC	no	2	0.029	0.001	0.015	for DO study	
56	SD4	SD4 021399	1999	2	2/13/99	0.20	5	0.04	0	12	NPDES	EMC	no	2	0.006	0.001	0.036	for DO study	
57	SD4	SD4 050799	1999	5	5/4/99	0.23	23	0.06	0	36	NPDES	EMC	no	2	0.023	0.001	0.008	ANNUAL SAMPLE	
58	SD4	SD4 051399	1999	5	5/13/99	0.18	32	0.06	0.01	8.6	NPDES	EMC	no	13	0.001	0.001	0.003	1998 annual sample	
59	SD4	SD4 052599	1999	5	5/24/99	0.28	19	0.08	0	12	NPDES	EMC	no	7.3	0.006	0.001	0.010	1999 annual sample	
60	SD4	SD4 080799	1999	8	8/7/99	0.26	22	0.06	0	28	NPDES	EMC	no	2	0.013	0.007	0.124	ANNUAL SAMPLE	
61	SD4	SD4 081499	1999	8	8/14/99	0.26	22	0.06	0	8.8	NPDES	SAC	no	2	0.006	0.001	0.006	ANNUAL SAMPLE	
62	SD4	SD4 081698	1999	8	8/16/98	0.31	10	0.26	0	81	NPDES	SAC	no	2	0.014	0.003	0.129	ANNUAL SAMPLE	
63	SD4	SD4 100396	1999	10	10/30/98	0.4	3	0.22	0	432	NPDES	EMC	no	2	0.006	0.001	0.008	ANNUAL SAMPLE	
64	SD4	SD4 102706	1999	10	10/27/98	0.64	9	0.19	0	83	NPDES	EMC	no	2	0.043	0.030	0.560	ANNUAL SAMPLE	
65	SD4	SD4 110498	1999	11	11/10/98	1.82	39	0.46	0	67	NPDES	SAC	no	2	0.016	0.017	0.247	ANNUAL SAMPLE	
66	SD4	SD4 111396	1999	11	11/13/98	0.98	62	0.16	0	86	NPDES	SAC	no	2	0.006	0.001	0.096	ANNUAL SAMPLE	
67	SD4	SD4 122598	1999	12	12/24/98	1.19	39	0.16	0	32	NPDES	SAC	no	2	0.014	0.011	0.127	ANNUAL SAMPLE	
68	SD4	SD4 011499	1999	1	1/13/99	0.27	21	0.05	0	48	NPDES	EMC	no	2	0.024	0.025	0.467	concurrent WET sample	
69	SD4	SD4 020399	1999	2	2/3/99	0.28	15	0.07	0	78	NPDES	EMC	no	2	0.003	0.004	0.122	concurrent WET sample	
70	SD4	SD4 030399	1999	3	3/9/99	0.28	15	0.07	0	48	NPDES	EMC	no	2	0.024	0.048	0.162	concurrent WET sample	
71	SD4	SD4 031399	1999	3	3/9/99	0.28	15	0.07	0	48	NPDES	EMC	no	2	0.020	0.008	0.233	concurrent WET sample	
72	SD4	SD4 032499	1999	3	3/24/99	0.28	19	0.08	0	61	NPDES	EMC	no	2	0.015	0.009	0.170	concurrent WET sample	
73	SD4	SD4 032899	1999	3	3/27/99	0.24	9	0.07	0	8.1	NPDES	EMC	no	2	0.015	0.010	0.175	concurrent WET sample	
74	SD4	SD4 082499	1999	8	8/24/99	1.12	34	0.33	0.03	18	NPDES	EMC	no	2	0.012	0.001	0.218	concurrent WET sample	
75	SD4	SD4 122498	1999	12	12/24/98	1.19	39	0.16	0	12	NPDES	EMC	no	2	0.017	0.001	0.069	30 MIN PUMP STATION BYPASS	
76	SD4	SD4 021399	1999	2	2/13/99	0.26	6	0.04	0	12	NPDES	EMC	no	2	0.020	0.010	0.080	for DO study	
77	SD4	SD4 051399	1999	5	5/13/99	0.18	32	0.06	0	17.6	NPDES	EMC	no	2	0.007	0.003	0.022	ANNUAL SAMPLE	
78	SD4	SD4 052599	1999	5	5/24/99	0.47	23	0.26	0	54	NPDES	EMC	no	2	0.037	0.003	0.022	ANNUAL SAMPLE	
79	SD4	SD4 100396	1999	10	10/30/98	0.4	3	0.22	0	27	NPDES	EMC	no	2	0.043	0.001	0.043	GLYCOLS MAY BE HIGH BIASED, DUPE WAS -NDL	
80	SD4	SD4 102706	1999	10	10/27/98	0.64	9	0.19	0	19	NPDES	EMC	no	2	0.061	0.001	0.045	GLYCOLS MAY BE HIGH BIASED, DUPE WAS -NDL	
81	SD4	SD4 110498	1999	11	11/10/98	1.82	39	0.46	0	27	NPDES	SAC	no	2	0.047	0.001	0.070	GLYCOLS MAY BE HIGH BIASED, DUPE WAS -NDL	
82	SD4	SD4 111396	1999	11	11/13/98	0.98	62	0.16	0	19	NPDES	SAC	no	2	0.025	0.001	0.127	concurrent WET sample	
83	SD4	SD4 122598	1999	12	12/24/98	1.19	39	0.16	0	22	NPDES	EMC	no	2	0.025	0.001	0.127	concurrent WET sample	
84	SD4	SD4 011499	1999	1	1/13/99	0.27	21	0.05	0	12	NPDES	EMC	no	2	0.020	0.001	0.075	concurrent WET sample	
85	SD4	SD4 020399	1999	2	2/3/99	0.28	16	0.07	0	8.2	NPDES	EMC	no	2	0.020	0.001	0.034	concurrent WET sample	
86	SD4	SD4 030399	1999	3	3/9/99	0.28	16	0.07	0	3.8	NPDES	EMC	no	2	0.015	0.001	0.024	concurrent WET sample	
87	SD4	SD4 031399	1999	3	3/9/99	0.28	16	0.07	0	4.6	NPDES	EMC	no	2	0.008	0.001	0.028	for DO study	
88	SD4	SD4 032499	1999	3	3/24/99	0.24	9	0.07	0	2.8	NPDES	EMC	no	2	0.019	0.001	0.025	for DO study	
89	SD4	SD4 032899	1999	3	3/27/99	0.23	6.3	0.07	0	7	NPDES	EMC	no	2	0.019	0.001	0.025	for DO study	

outfall	POS ID	reported	stormdate	event	depth, in.	dur, hr	rainfall, in/hr	24hr total, in.	drain, in.	Obj	ground data?	pH	FOG	TPH (ppm)	TPH-Dz	TPH-D	TPH-MO	Fecals (MPN)	comments
SDE4	SDE4 111304	1995	11/11/94	1	0.28	14	0.05		48	NPDES	No	7.1	2.8	1.1			1100		
SDE4	SDE4 111994	1995	11/19/94	1	0.42	24	0.05		62	NPDES	No	7.1	3.6	2.8			45		
SDE4	SDE4 0410795	1995	4/10/95	1	0.21	62	0		58	NPDES	No	6.6	0.86	1.1			260		
SDE4	SDE4 041095	1995	4/10/95	1	0.28	18	0		36	NPDES	No	6.6	0.86	1.1			4000		
SDE4	SDE4 050285	1995	5/2/95	2	0.42	20	0		0	NPDES	No	6.6	0.86	1.1			300		
SDE4	SDE4 072695	1996	7/26/95	1	0.41	36	0.01		0	NPDES	No	7.1	5.9	0.8			22		
SDE4	SDE4 081795	1996	8/16/95	1	1.34	12	0.01		0	NPDES	No	7.1	5.9	0.8			20		
SDE4	SDE4 102895	1996	10/25/95	1	0.28	8	0.01		0	NPDES	No	6.39	2.8	3.35			17		
SDE4	SDE4 020494	1996	2/3/96	1	1.6	6	0		0	NPDES	No	7.31	3.1	2.84			1600		
SDE4	SDE4 032296	1996	3/22/96	1	0.21	16	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 041696	1996	4/15/96	1	0.49	16	0.09		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 071796	1997	7/17/96	1	0.27	31	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 090396	1997	9/3/96	1	0.29	1.2	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 121596	1997	12/15/96	2	0.11	4	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 121996	1997	12/19/96	1	0.36	37	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 011697	1997	1/16/97	1	1.21	23	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 012797	1997	1/27/97	1	0.41	26	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 030597	1997	3/5/97	1	0.36	20	0.24		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 052097	1997	5/20/97	1	1.84	36	0.04		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 061897	1997	6/18/97	1	0.36	28	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 102897	1999	10/28/97	1	0.47	10.6	0.08		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 121597	1999	12/15/97	1	0.33	33	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 030198	1998	3/1/98	1	0.96	96	0.07		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 040798	1998	4/7/98	2	0.03	0.5	0.04		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 041098	1998	4/10/98	2	0.08	17	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 042398	1998	4/23/98	1	0.46	20	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 050998	1998	5/9/98	2	0.12	6	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 051498	1998	5/14/98	1	0.21	6	0.01		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 062498	1998	6/24/98	1	0.43	4	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 071498	1998	7/14/98	2	0.13	18	0.04		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 081698	1998	8/16/98	1	0.31	10	0.25		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 091898	1998	9/18/98	2	0.19	20	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 092498	1998	9/24/98	1	0.47	3	0.22		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 103398	1998	10/3/98	1	0.4	3	0.07		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 110398	1998	11/3/98	1	1.62	38	0.08		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 111998	1998	11/19/98	1	2.34	66	0.16		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 121098	1998	12/10/98	2	0.14	4	0.03		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 121798	1998	12/17/98	2	1.11	4	0.03		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 012099	1999	1/20/99	1	1.19	39	0.02		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 021899	1999	2/18/99	1	0.42	28	0.09		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 030699	1999	3/6/99	1	0.6	32	0.06		0.01	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 031299	1999	3/12/99	1	0.28	23	0.05		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 032499	1999	3/24/99	1	0.83	23	0.07		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 032799	1999	3/27/99	1	0.28	19	0.06		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 052099	1999	5/20/99	1	0.24	9	0.08		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 052099	1999	5/20/99	1	0.21	38	0.03		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 101694	1995	10/16/94	1	0.2	32	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 021695	1995	2/16/95	1	0.42	24	0.06		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 050295	1995	5/2/95	2	0.42	20	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 051195	1995	5/11/95	1	0.2	6	0.12		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 060495	1995	6/4/95	1	0.7	28	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 080795	1996	8/7/95	1	0.4	6	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 101695	1996	10/16/95	1	0.35	12	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 011396	1996	1/13/96	1	0.37	20	0		0	NPDES	No	6.39	2.8	3.35			50		
SDE4	SDE4 041696	1996	4/15/96	1	0.48	16	0.08		0	NPDES	No	6.39	2.8	3.35			50		

outfall	SDS ID	reported	storm characteristics	storm characteristics		depth, in.	dur, in.	main, in.	24hr, in.	48hr, in.	Oy, in.	ground	pH	FOG	TPH (ppm)	concentration, mg/l			TPH-AQ	TPH-AQO	Fecals (MPH)	comments
				event	storm											storm	storm	storm				
SDS3	SDS3 022408 GRA	1999	8/24/98	1	0.47	23	0	0.26	0	0	0	148	No	7.14	0.96	0.21	0.026	0.19	900			
SDS3	SDS3 100396 GRA	1999	10/3/96	1	0.4	3	0	0.22	0	0	72	No	6.99	0.96	0.83	0.026	0.51	50				
SDS3	SDS3 102796 GRA	1999	10/27/96	1	0.84	9	0	0.19	0	0	72	No	7.34	0.96	0.07	0.026	0.45	13				
SDS3	SDS3 111196 GRA	1999	11/1/96	1	0.96	62	0	0.15	0	0	31	No	7.1	0.96	0.36	0.026	0.33	30				
SDS3	SDS3 121096 GRA	1999	12/10/96	2	0.14	4	0	0.03	0	0	49	No	7.27	0.96	0.066	0.026	0.06	16	nonstorm			
SDS3	SDS3 121796 GRA	1999	12/17/96	2	0.11	4	0	0.03	0	0	33	No	7.09	0.96	0.078	0.026	0.06	24	nonstorm			
SDS3	SDS3 122496 GRA	1999	12/24/96	1	1.19	39	0	0.18	0	0	183	No	7.09	0.96	0.47	0.026	0.45	1	fecals not analyzed due to holiday lab closure			
SDS3	SDS3 010999 GRA	1999	1/9/99	1	0.27	21	0	0.05	0	0	54	No	7.65	0.96	0.066	0.03	0.055	23				
SDS3	SDS3 011399 GRA	1999	1/13/99	1	1.07	22	0	0.16	0	0	65	No	7.5	0.96	0.28	0.026	0.24	2				
SDS3	SDS3 020399 GRA	1999	2/3/99	1	0.28	19	0	0.07	0	0	27	No	7.44	0.96	0.08	0.026	0.065	2				
SDS3	SDS3 030999 GRA	1999	3/9/99	1	0.28	15	0	0.05	0	0	96	No	7.01	0.96	0.078	0.026	0.05	1				
SDS3	SDS3 031299 GRA	1999	3/12/99	1	0.83	23	0	0.07	0	0	71	No	7.23	0.96	0.35	0.026	0.33	1600				
SDS3	SDS3 032499 GRA	1999	3/24/99	1	0.29	19	0	0.08	0	0	48	No	7.26	0.96	0.078	0.026	0.06	8				
SDS3	SDS3 032099 GRA	1999	3/20/99	1	0.21	36	0	0.03	0	0	40	No	7.38	0.96	0.88	0.026	0.066	220				
SDS4	SDS4 011496 GRA	1999	8/13/94	1	0.15	6	0	0.15	0	0	118	No	7.14	0.96	0.8	0.126	0.126	350				
SDS4	SDS4 101394 GRA	1999	10/13/94	1	0.32	14	0	0.24	0	0	480	No	7.02	1.2	0.6	0.126	0.126	1000				
SDS4	SDS4 111994 GRA	1999	11/19/94	1	0.42	24	0	0.06	0	0	82	No	7.02	0.6	0.6	0.126	0.126	2000				
SDS4	SDS4 011295 GRA	1999	1/11/95	1	0.3	60	0	0.04	0	0	24	No	7.8	0.6	0.6	0.126	0.126	92				
SDS4	SDS4 021295 GRA	1999	2/15/95	1	1.1	56	0	0.12	0	0	96	No	7.5	1.8	0.6	0.126	0.126	16				
SDS4	SDS4 051295 GRA	1999	5/11/95	1	0.2	8	0	0	0	0	NPDES	No	7.6	2.7	0.6	0.126	0.126	18				
SDS4	SDS4 060795 GRA	1999	6/9/95	1	0.4	8	0	0	0	0	NPDES	No	7.7	1.7	0.6	0.126	0.126	27.8				
SDS4	SDS4 101595 GRA	1999	10/15/95	1	0.35	12	0	0	0	0	NPDES	No	7.4	0.6	0.6	0.126	0.126	440				
SDS4	SDS4 011496 GRA	1999	1/13/96	1	0.37	20	0	0	0	0	SES	Yes	7.63	2.7	0.126	0.126	350					
SDS4	SDS4 020596 GRA	1999	2/3/96	2	1.8	8	0	0	0	0	NPDES	No	7.16	0.6	0.126	0.126	1000					
SDS4	SDS4 041696 GRA	1999	4/16/96	1	0.48	16	0	0.09	0	0	Shipag	No	6.87	0.6	0.76	0.126	0.126	2000				
SDS4	SDS4 042296 GRA	1999	4/22/96	1	2.83	6	0	0	0	0	NPDES	No	7.09	0.6	0.126	0.126	300					
SDS4	SDS4 070396 GRA	1999	7/3/96	1	0.23	12	0	0	0	0	NPDES	No	7.46	0.6	0.126	0.126	1700					
SDS4	SDS4 071796 GRA	1999	7/17/96	1	0.27	31	0	0	0	0	NPDES	No	7.4	1.1	0.5	0.126	0.126	73				
SDS4	SDS4 100396 GRA	1999	10/4/96	1	0.59	81	0	0.06	0	0	66	No	7.2	2.91	0.6	0.126	0.126	1000				
SDS4	SDS4 120496 GRA	1999	12/4/96	1	0.82	7.5	0	0.18	0	0	16	No	6.74	0.5	0.126	0.126	500					
SDS4	SDS4 011697 GRA	1999	1/16/97	1	1.21	23	0	0.08	0	0	44	No	6.78	0.5	0.126	0.126	80					
SDS4	SDS4 012797 GRA	1999	1/27/97	1	0.41	26	0	0	0	0	154	No	7.38	4.1	0.26	0.126	0.126	1000				
SDS4	SDS4 041697 GRA	1999	4/16/97	1	1.6	26	0	0	0	0	109	No	7.45	3	0.126	0.126	30					
SDS4	SDS4 082497 GRA	1999	8/24/97	1	0.2	10.5	0	0.07	0	0	64	No	7.4	0.5	0.5	0.126	0.126	50				
SDS4	SDS4 111797 GRA	1999	11/17/97	1	0.47	12.6	0	0	0	0	222	No	7.77	0.5	0.126	0.126	70					
SDS4	SDS4 012698 GRA	1999	1/26/98	1	0.2	14	0	0	0	0	107	No	7.46	0.5	0.126	0.126	29					
SDS4	SDS4 030998 GRA	1999	3/9/98	1	0.86	27	0	0	0	0	132	No	7.5	0.5	0.126	0.126	1960					
SDS4	SDS4 111998 GRA	1999	11/19/98	1	2.34	66	0	0.16	0	0	73	No	7.09	0.5	0.126	0.126	300					
SDS4	SDS4 050798 GRA	1999	5/7/98	1	0.25	22	0	0.06	0	0	78	No	7.46	0.5	0.126	0.126	1960					
SDW3	SDW3 051095 GRA	1995	5/9/95	1	0.12	7.5	0	0	0	0	102	No	7.3	0.5	0.5	0.126	0.126	1700				
SDW3	SDW3 051195 GRA	1995	5/11/95	1	0.2	6	0	0	0	0	102	No	7.4	1.1	0.5	0.126	0.126	73				
SDW3	SDW3 081095 GRA	1995	8/10/95	1	0.3	10	0	0	0	0	96	No	7.2	2.91	0.6	0.126	0.126	1000				
SDW3	SDW3 081795 GRA	1995	8/16/95	1	1.34	12	0	0.01	0	0	72	No	7.4	0.5	0.26	0.126	0.126	30000				
SDW3	SDW3 112396 GRA	1997	11/23/96	1	0.83	34.1	0	0	0	0	154	No	6.7	0.5	0.126	0.126	148					
SDW3	SDW3 021197 GRA	1997	2/11/97	1	1.21	23	0	0	0	0	154	No	8.7	0.5	0.126	0.126	50	composite failed				
SDW3	SDW3 022897 GRA	1997	2/28/97	1	0.46	16	0	0	0	0	206	No	8.75	0.5	0.126	0.126	148					
SDW3	SDW3 110496 GRA	1999	11/3/96	1	1.62	39	0	0.46	0	0	167	No	8.13	9.7	0.126	0.126	1	17 grab makes up for 12/4/96 missed grab				
SDW3	SDW3 021699 GRA	1999	2/16/99	1	0.45	28	0	0.08	0	0	35	No	3.79	0.026	3.71	500						
SDW3	SDW3 021699 GRA	1999	2/16/99	1	0.6	32	0	0.06	0	0	59	No	0.14	0.026	0.121	90	1998 annual sample					
SDW3	SDW3 031299 GRA	1999	3/12/99	1	0.83	23	0	0.07	0	0	20	No	0.13	0.026	0.11	1	1998 annual sample					
SDW3	SDW3 032498 GRA	1999	3/24/99	1	0.28	19	0	0.06	0	0	71	No	0.14	0.03	0.11	2	1998 annual sample no comp					
B	B 120498 GRAB	1997	12/4/98	1	0.92	7.5	0	0	0	0	44	No	7.95	0.078	0.026	0.05	1	1999 annual sample				
B	B 012797 GRAB	1997	1/27/97	1	0.41	26	0	0	0	0	109	No	8.51	0.5	0.126	0.126	2					
B	B 041697 GRAB	1997	4/16/97	1	1.16	28	0	0	0	0	64	No	7.11	0.5	0.126	0.126	4					
B	B 110498 GRAB	1999	11/3/98	1	1.62	39	0	0.46	0	0	35	No	6.85	0.5	0.5	0.126	0.126	30	30 pairs with 3/6/97 composite for 87 spring air			
B	B 111298 GRAB	1999	11/11/98	1	0.96	62	0	0.15	0	0	31	No	7.42	0.078	0.026	0.05	220					
B	B 050798 GRAB	1999	5/7/98	1	0.25	22	0	0.06	0	0	78	No	6.97	0.19	0.026	0.17	1600	ANNUAL SAMPLE				

Fecals exceeded 30 hour holding time, results not representative
 fecals make up for 7/4/96 grab that exceeded holding time

MATCHING COMPOSITE NOT
 REPRESENTATIVE, NOT REPORTED
 EXTRA GRAB (HAS MAKEUP COMP FOR
 1960W)
 300 .75% RPD in lab dupe
 900 ANNUAL SAMPLE

50 composite failed
 17 grab makes up for 12/4/96 missed grab
 1 grab makes up for 1/27/97 missed grab
 90 1998 annual sample
 1 1998 annual sample
 2 1998 annual sample no comp

All Grab Sample Data		storm characteristics		concentration, mg/l		fecals		comments										
outfall	POS ID	reported	storm date	depth, ft	dir	infr	24hr vol, 48hr vol, ft	Opnt	Obj	ground detct?	pH	FOG	TPM (M)	TPH-DL	TPH-DL	TPH-MQ	Fecals (MPN)	comments
SDN1up	SDN1 020398 GRA	1999	3/9/99	1	0.28	19	0.07	0	27	NPODES	No	7.32	1.0	0.025	1.36	30		
SDN1up	SDN1 020399 GRA	1999	3/9/99	1	0.28	15	0.05	0	96	NPODES	No	6.58	1.04	0.025	1.02	71		
SDN1up	SDN1 031299 GRA	1999	3/12/99	1	0.83	23	0.07	0	71	NPODES	No	6.71	0.99	0.025	0.87	7		
SDN1up	SDN1 032499 GRA	1999	3/24/99	1	0.28	19	0.08	0	40	NPODES	No	6.92	1.99	0.025	1.87	8		
SDN1up	SDN1 032799 GRA	1999	3/27/99	1	0.24	9	0.07	0	26	NPODES	No	6.36	0.96	0.025	0.84	2		
SDN1up	SDN1 062099 GRA	1999	6/20/99	1	0.21	34	0.03	0	48	NPODES	No	6.85	4.87	0.025	4.93	1800		
SDN2	SDN2 062094	1995	9/8/94	1	0.69	22		0	83	NPODES	No	6.82	1.0	0.5		3		
SDN2	SDN2 101394	1995	10/13/94	1	0.32	14		0	460	NPODES	No		1.1	0.6		2		
SDN2	SDN2 111994	1995	11/11/94	1	0.28	14		0	46	NPODES	No		0.6	0.6		30		
SDN2	SDN2 111994	1995	11/19/94	1	0.42	24		0.05	52	NPODES	No		0.6	0.6		30		
SDN2	SDN2 011295	1995	1/11/95	1	0.3	80		0.04	24	NPODES	No	6	2.3	0.6		4		
SDN2	SDN2 030595	1995	3/4/95	1	0.18	24		0.04	60	Ship-Ag	No							
SDN2	SDN2 040795	1995	4/6/95	1	0.81	26		0.04	60	Ship-Ag	No							
SDN2	SDN2 041295	1995	4/10/95	1	0.29	18		0	56	NPODES	No	7.6	4	5.2		1		
SDN2	SDN2 060795	1995	6/6/95	1	0.4	6		0		NPODES	No	7	2.5	0.5		15		
SDN2	SDN2 101695	1996	10/15/95	1	0.35	12		0		NPODES	No	7.3	1.9	0.6		1		
SDN2	SDN2 021796 GRA	1996	2/17/96	1	1.28	12		0.01	120	Ship-Ag	No	7.6	0.5	0.5		10		
SDN2	SDN2 032996 GRA	1996	3/29/96	2	0.13	6		0.01	16	Ship-Ag	No	6.7	0.5	0.6				
SDN2	SDN2 041996 GRA	1996	4/19/96	2	0.64	28		0.01	16	Ship-Ag	No							
SDN2	SDN2 042296 GRA	1996	4/22/96	1	2.83	6		0.98		NPODES	No							
SDN2	SDN2 062396 GRA	1996	6/23/96	1	0.46	10		0		NPODES	No	6.83	1	0.46		50		
SDN2	SDN2 071796 grab	1997	7/17/96	1	0.27	31		0		Ship-Ag	No							
SDN2	SDN2 090396 GRA	1997	9/3/96	1	0.29	1.2		0	76	NPODES	No	7.24	1.6	0.29		2		
SDN2	SDN2 102196 GRA	1997	10/21/96	1	0.66	4.1		0	64	NPODES	No	6.45	0.5	0.32		4		
SDN2	SDN2 011697 GRA	1997	1/16/97	1	1.21	23		0	154	NPODES	No	7.45	4.3	0.39		11		
SDN2	SDN2 041997 GRA	1997	4/19/97	1	1.16	28		0.07	96	NPODES	No	6.91	0.6	0.87		4		
SDN2	SDN2 062497 GRA	1998	6/25/97	1	0.2	10.5		0	35	NPODES	No	7.08	1.2	0.43		2		
SDN2	SDN2 110498 GRA	1998	11/25/98	2	3.45	82		0.31	6	NPODES	No							
SDN2	SDN2 112598 GRA	1998	11/25/98	2	3.45	82		0.32	6	NPODES	No							
SDN2	GRAB	1999	1/28/99	2	1.16	33		0.1	33	NPODES	No							
SDN2	SDN2 062499 GRA	1999	6/24/99	1	1.12	24		0.03	10	NPODES	No							
SDN3	SDN3 060694	1995	9/6/94	1	0.69	22		0	93	NPODES	No	6.4	1.1	0.5		2200		
SDN3	SDN3 102694	1995	10/25/94	1	1.96	44		0.05	114	NPODES	No							
SDN3	SDN3 111994	1995	11/19/94	1	0.42	24		0	52	NPODES	No							
SDN3	SDN3 010795	1995	1/7/95	1	0.21	62		0	232	NPODES	No	7.6	0.68	0.5		1		
SDN3	SDN3 021695	1995	2/15/95	1	1.1	56		0	96	NPODES	Yes							
SDN3	SDN3 030595	1995	3/4/95	1	0.18	24		0	158	Ship-Ag	No							
SDN3	SDN3 030595	1995	3/6/95	1	2.16	114		0	86	Ship-Ag	No							
SDN3	SDN3 060495	1995	6/4/95	1	0.17	4		0	270	Ship-Ag	No							
SDN3	SDN3 071095	1995	7/6/95	1	0.7	28		0	364	NPODES	No	7	2.9	0.9		40		
SDN3	SDN3 110795	1995	11/9/95	1	0.81	13		0		NPODES	No	7	3.3	0.5		900		
SDN3	SDN3 011496 GRA	1996	1/13/96	1	3.69	48		0.06		NPODES	No	7.2	2.1	0.5		4		
SDN3	SDN3 033096 GRA	1996	3/29/96	2	0.13	6		0		NPODES	No	7.2	0.6	0.5		1		
SDN3	SDN3 033196 GRA	1996	3/31/96	1	0.84	0		0.01	120	Ship-Ag	No							
SDN3	SDN3 041296 GRA	1996	4/11/96	2	0.21	40		0	110	Ship-Ag	No	6.6	1.4	0.5		1		
SDN3	SDN3 041896 GRA	1996	4/19/96	1	0.49	16		0.06	18	NPODES	No							
SDN3	SDN3 041896 GRA	1996	4/19/96	2	0.49	28		0.58	16	Ship-Ag	No	7.61	2	0.126		50		
SDN3	SDN3 042296 GRA	1996	4/22/96	1	2.83	6		0		Ship-Ag	No							
SDN3	SDN3 060396 GRA	1997	6/2/96	1	1.01	27		0	325	NPODES	No	7.12	0.5	0.126		110		
SDN3	SDN3 112396 GRA	1997	11/23/96	1	0.83	34.1		0	72	NPODES	Yes	7.41	0.8	0.31		900		
SDN3	SDN3 120496 GRA	1997	12/1/96	1	0.82	7.5		0.16	44	NPODES	No	7.32	0.8	0.126		14		
SDN3	SDN3 122096 GRA	1997	12/19/96	1	0.36	37		0	103	NPODES	No	6.46	0.6	0.126		7		
SDN3	SDN3 011697 GRA	1997	1/16/97	1	1.21	23		0	154	NPODES	No	6.68	1.4	0.126		4		
SDN3	SDN3 030597	1997	3/5/97	1	0.36	20		0.24	42	NPODES	No	7.18	0.6	0.126		1		
SDN3	SDN3 053097	1997	5/30/97	1	1.64	36		0.04	14	NPODES	No							

nonnorm
16 xtra NPODES/Ship Ag
nonnorm (0.02 storm)
2 xtra NPODES/Ship Ag
4 xtra fecals analyzed
900 some composite aliquots in grab
500 no composite, equipment malfunction
N CARGO PUMP STATION BYPASS
from North Cargo Pump Station bypass
BYPASS SAMPLE, STORM-DESIGN, MAINT
NOTIFIED (O&M IN PROGRESS)
30 MIN PUMP STATION BYPASS

FOG result not representative, laboratory error.
1 see letter of May 15, 1997
BAC: JP fogfish for March lab errors on SDN3
030597 grab

All Grab Sample Data		storm characteristics				concentration, mol				Fecals		comments								
well#	POS ID	reported	stormdate	event	depth, ft	dur, hr	meant, in/hr	24hrpt, in.	48hrpt, in.	dry, in.	Obj	GRAB date?	ph	FOG	TPH (M)	TPH-D	TPH-D	TPH-MO	Fecals (MPN)	comments
SON3	SON3 02107 GRA1	1997	02/10/97	1	0.27	11.8	0.01	0.02	24 NPDES	No	80		7.51	0.5	0.125				50	
SON3	SON3 102097 GRA	1999	10/20/97	1	0.47	10.8	0.06	0.06	26 NPDES	No	1600		6.72	0.5	0.125				50	HAD GC DUPLICATE ALSO GOOD
SON3	SON3 121597 GRA1	1998	12/15/97	1	1	33	0	0	67 NPDES	No			7.26	1.5	0.125				240	50 DUPLICATION
SON3	SON3 111996 GRA1	1999	11/19/96	1	2.34	66	0.18	0	73 NPDES	No			6.52						1	
SON3	SON3 012099 GRA1	1999	1/20/99	1	0.42	28	0.09	0.01	85 NPDES	No									1	
SON3	SON3 062099 GRA1	1999	6/20/99	1	0.21	38	0.03	0	48 NPDES	No			7.6						240	
SON4	SON4 060398 GRA1	1997	6/3/98	1	0.29	1.2	0	0	78 NPDES	No			6.83	1.2	0.125				280	taken in 2 BOTTLES FOOTPH and fecals
SON4	SON4 120498 GRA1	1997	12/4/98	1	0.82	7.5	0.16	0.16	44 NPDES	No			6.67	0.5	0.125				1	
SON4	SON4 011697 GRA1	1997	1/16/97	1	1.21	23	0	0	164 NPDES	No			7.34	1.8	0.125				4	
SON4	SON4 030597 GRA1	1997	3/5/97	1	0.36	20	0.24	0.24	42 NPDES	No			8.08	0.5	0.125				1	
SON4	SON4 060397 GRA1	1997	6/3/97	1	0.28	16	0	0	76 NPDES	No			9.07	0.5	0.125				13	
SON4	SON4 102097 GRA1	1998	10/20/97	1	0.47	10.8	0.06	0.06	26 NPDES	No			8.44	0.5	0.125				7	
SON4	SON4 121597 GRA1	1998	12/15/97	1	1	33	0	0	67 NPDES	No			7.81	0.5	0.125				6	
SON4	SON4 030198 GRA1	1998	3/1/98	1	0.98	66	0.07	0.07	6 NPDES	No			7.86						6	
SON4	SON4 030998	1998	3/9/98	1	0.86	27	0	0	132 NPDES	No			7.62						1	backup monthly sample in case 3/1/98 sample
SON4	SON4 042398 GRA1	1998	4/23/98	1	0.48	20	0	0	264 NPDES	No			7.86						1	1 didn't qualify under new permit
SON4	SON4 052598 GRA1	1998	5/24/98	1	0.56	11	0	0	87 NPDES	No			6.94						9	
SON4	SON4 082498 GRA1	1998	8/24/98	1	0.43	4	0	0	288 NPDES	No			7.90						130	
SON4	SON4 081898 GRA1	1999	8/18/98	1	0.31	10	0.25	0	792 NPDES	No			8.26						170	handwritten, 0.25 lvhr
SON4	SON4 082498 GRA1	1999	8/24/98	1	0.47	23	0.26	0	148 NPDES	No			7.04						30	FECALS EXCEED HOLDING TIME
SON4	SON4 100398 GRA1	1999	10/3/98	1	0.4	3	0.22	0	36 NPDES	No			7.04						2	
SON4	SON4 102798 GRA1	1999	10/27/98	1	0.84	9	0.19	0	72 NPDES	No			7.29						2	
SON4	SON4 10498 GRA1	1999	11/3/98	1	1.82	39	0.48	0	35 NPDES	No			8.26						17	
SON4	SON4 111398 GRA1	1999	11/13/98	1	0.88	82	0.15	0	31 NPDES	No			8.91						17	
SON4	SON4 121098 GRA1	1999	12/10/98	2	0.14	4	0.03	0	49 NPDES	No			7.15						1600	nonstorm
SON4	SON4 121798 GRA1	1999	12/17/98	2	0.11	4	0.03	0	33 NPDES	No			7.3						9	nonstorm
SON4	SON4 122498 GRA1	1999	12/24/98	1	1.19	39	0.16	0	153 NPDES	Yes			7.59						2	fecals n., analyzed due to holiday lab closure
SON4	SON4 011099 GRA1	1999	1/10/99	1	0.27	21	0.05	0	54 NPDES	No			7.13						2	
SON4	SON4 011399 GRA1	1999	1/13/99	1	1.07	22	0.16	0	86 NPDES	No			7.09						1800	
SON4	SON4 020399 GRA1	1999	2/3/99	1	0.28	19	0.07	0	27 NPDES	No			7.18						1	
SON4	SON4 031299 GRA1	1999	3/12/99	1	0.83	23	0.07	0	71 NPDES	No			7.28						1	
SON4	SON4 032799 GRA1	1999	3/27/99	1	0.24	9	0.07	0	26 NPDES	No			7.02						1	
EY	EY 061894	1995	6/13/94	1	0.15	9	0	0	118 NPDES	No			8.51	3.2						
EY	EY 101394	1995	10/13/94	1	0.32	14	0	0	480 NPDES	No			8.98	2.1						
EY	EY 030995	1995	3/9/95	1	2.18	14	0	0	88 NPDES	No			8.8	0.8						
EY	EY 080495	1995	8/4/95	1	0.7	26	0	0	384 NPDES	No			8.6	0.9						
EY	EY 072995	1995	7/29/95	1	0.41	36	0	0	108 NPDES	No			8.8	4.1						
EY	EY 101995	1995	10/19/95	1	0.36	12	0	0	NPDES	No			8.6	0.86						
EY	EY 021796 GRA1	1996	2/17/96	1	1.26	12	0	0	NPDES	No			7.7	0.8						
EY	EY 042296 GRA1	1996	4/22/96	1	2.83	6	0	0	NPDES	No			7.19	0.8						
EY	EY 062396 GRA1	1996	6/23/96	1	0.31	30	0	0.02	NPDES	No			8.08	1						
EY	EY 070396 GRA1	1996	7/3/96	1	0.48	10	0	0	NPDES	No			8.18	0.8						
EY	EY 102196 GRA1	1996	10/21/96	1	0.86	4.1	0	0	NPDES	No			8.28	0.5						
EY	EY 021197 GRA1	1997	2/11/97	1	0.48	18	0	0	64 NPDES	No			5.63	1.8						
EY	EY 030597 GRA1	1997	3/5/97	1	0.38	20	0.24	0.24	42 NPDES	No			5.63	1.8						
EY	EY 060397 GRA1	1997	6/3/97	1	0.28	18	0	0	78 NPDES	No			5.11	0.8						
EY	EY 110897 GRA1	1998	11/8/97	1	0.18	4.4	0.01	0.01	72 NPDES	No			5.84	0.8						
EY	EY 012998 GRA1	1998	1/29/98	1	0.2	14	0	0	107 NPDES	No			8.28	0.8						
EY	EY 032598 GRA1	1998	3/25/98	1	0.88	11	0	0	87 NPDES	No			0.2	0.025					0.18	
EY	EY 011399 GRA1	1999	1/13/99	1	1.07	22	0.16	0	85 NPDES	No			1.78	0.05					1.78	
EY	EY 062099 GRA1	1999	6/20/99	1	0.21	38	0.03	0	46 NPDES	No			0.76	0.025					0.76	
TY	TY 090894	1995	9/8/94	1	0.69	22	0	0	83 NPDES	No			7.81	3.9						
TY	TY 101994	1995	10/19/94	1	0.21	32	0	0	120 NPDES	No			8.52	1.3						
TY	TY 030495	1995	3/4/95	1	0.18	24	0	0	158 NPDES	No			6.9	5.7						
TY	TY 080495	1995	8/4/95	1	0.7	36	0	0	384 NPDES	No			5.5	7.9						
TY	TY 081795	1998	8/16/95	1	1.34	12	0.01	0.01	NPDES	No			6.6	2.3						
TY	TY 080595	1998	8/5/95	1					NPDES	No			1.8	1.8						

AR 018118

All Grab Sample Data		storm characteristics				concentration, med				Fecals (MPN)		comments								
outfall	POS ID	reported	stormdate	event	depth, in.	dur., hr	max. in.	1/4max. in.	4/8max. in.	drynt, hr	drynt, hr		pH	FOG	TPH (pp)	TPH-Dn	TPH-Q	TPH-MO	TPH-MO (MPN)	
TY	TY 101695-1	1996	10/15/96	1	0.35	12	0	0	0	0	0	6.7	19							
TY	TY 032296 GRAB	1996	3/22/96	1	0.21	10	0	0	0	0	0	6.9	3.9							
TY	TY 041696 GRAB	1996	4/15/96	1	0.49	16	0.09	0	0	0	0	6.06	3.7							
TY	TY 042296 GRAB	1996	4/22/96	1	2.83	6	0	0	0	0	0	7.31	2							
TY	TY 070396 GRAB	1997	7/3/96	1	0.23	12	0	0	0	0	0	6.15	1.4							
TY	TY 071796 grab	1997	7/17/96	1	0.37	31	0	0	0	0	0	5.91	1.9							
TY	TY 062396 GRAB	1997	6/23/96	1	1.01	27	0.06	0	0	0	0	6.43	1.6							
TY	TY 100496 GRAB	1997	10/4/96	1	0.99	61	0	0	0	0	0	7.19	1.4	1.34						
TY	TY 021197 GRAB	1997	2/11/97	1	0.48	18	0	0	0	0	0	5.72	5.1							
TY	TY 030597 GRAB	1997	3/5/97	1	0.36	20	0.24	0	0	0	0	5.94	4.8							
TY	TY 060397 GRAB	1997	6/3/97	1	0.26	16	0	0	0	0	0	6.07	1.4							
TY	TY 111697 GRAB	1996	11/16/97	1	0.47	12.6	0	0	0.61	0	0	6.87	0.5							
TY	TY 012998 GRAB	1998	1/29/98	1	0.2	14	0	0	0	0	0	6.31	1							
TY	TY 030998 GRAB	1998	3/9/98	1	0.96	27	0	0	0	0	0	6.83	0.5	1.2	1.41	0.09	1.32			
TY	TY 081098 GRAB	1998	8/10/98	1	0.28	10	0	0	0	0	0	12	1.05	1.05	0.025	1.03				
TY	TY 020399 GRAB	1999	2/3/99	1	0.29	19	0.07	0	0	0	0	4.34	0.026	4.32						
TY	TY 082099 GRAB	1999	8/20/99	1	0.21	38	0.03	0	0	0	0	5.77	0.026	5.75						
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																
		total from "storm"		322																
		total "non-storm"		38																
		total		360																

1998-99 Grab Sample Data		storm characteristics										concentration, mail				Fecals		comments	
outfall	POS ID	reported	storm date	event	depth, ft.	dur, hr	maxint, in/hr	24hvant, in	48hvant, in	dryant, hr	Obj	groundwater	FOG	TPM (lb)	TPH-D ₅	TPH-D ₁₀	TPH-MC	Fecals (MPN)	comments
SDE4	SDE4 071498 GRA	1999	7/14/98	nonstorm	0.13	16	0.04	0	0	0	264 NPDES	No	0	2.9	5.58	0.025	5.54	1800	nonstorm
SDE4	SDE4 061698 GRA	1999	8/16/98	NPDES	0.31	10	0.26	0	0	0	792 NPDES	No	0.125	0.21	0.04	0.17	500	thundersorm, 0.28 in/hr	
SDE4	SDE4 091898 GRA	1999	9/18/98	nonstorm	0.19	20	0.16	0	0	0	456 NPDES	No	7.42	2.11	0.025	2.09	500	nonstorm	
SDE4	SDE4 092498 GRA	1999	9/24/98	NPDES	0.47	23	0.22	0	0	0	148 NPDES	No	6.87	1.19	0.025	1.17	1800		
SDE4	SDE4 100398 GRA	1999	10/3/98	NPDES	0.4	3	0.26	0	0.07	0	36 NPDES	No	2.2	4.94	0.025	4.92	1800		
SDE4	SDE4 110398 GRA	1999	11/3/98	NPDES	1.82	39	0.48	0	0.08	0	35 NPDES	No	6.58	2.85	0.025	2.83	1800		
SDE4	SDE4 111998 GRA	1999	11/19/98	NPDES	2.34	66	0.18	0	0	0	73 NPDES	No	0	1.48	0.025	1.44	240		
SDE4	SDE4 121098 GRA	1999	12/10/98	nonstorm	0.14	4	0.03	0	0	0	49 NPDES	No	6.62	0.86	0.025	0.86	220	nonstorm	
SDE4	SDE4 121798 GRA	1999	12/17/98	nonstorm	0.11	4	0.03	0	0.02	0	33 NPDES	No	6.47	3.57	0.025	3.55	900	nonstorm	
SDE4	SDE4 122498 GRA	1999	12/24/98	NPDES	1.19	39	0.16	0	0	0	153 NPDES	Yes	7.78	6.66	0.025	6.64	170	fecals not analyzed due to holiday lab closure	
SDE4	SDE4 012098 GRA	1999	1/20/98	NPDES	0.42	28	0.09	0.01	0.95	0	22 NPDES	No	6.96	3.03	0.03	3	170	CONCURRENT WET TEST	
SDE4	SDE4 021898 GRA	1999	2/18/98	NPDES	0.6	32	0.06	0.01	0.35	0	20 NPDES	No	10.7	0.27	0.025	0.25	1		
SDE4	SDE4 030898 GRA	1999	3/8/98	NPDES	0.28	15	0.05	0	0	0	96 NPDES	No	6.5	3.66	0.025	3.64	30		
SDE4	SDE4 031298 GRA	1999	3/12/98	NPDES	0.83	23	0.07	0	0	0	71 NPDES	No	6.94	1.98	0.025	1.97	500		
SDE4	SDE4 032498 GRA	1999	3/24/98	NPDES	0.28	19	0.06	0	0.15	0	40 NPDES	No	6.32	3.17	0.06	3.11	500	CONCURRENT WET TEST	
SDE4	SDE4 032798 GRA	1999	3/27/98	NPDES	0.24	9	0.07	0	0.09	0	26 NPDES	No	6.45	2.63	0.05	2.56	50		
SDE4	SDE4 062098 GRA	1999	6/20/98	NPDES	0.21	38	0.03	0	0	0	48 NPDES	No	6.85	2.64	0.025	2.62	1800		
SDS1	SDS1 121798	1999	12/17/98	nonstorm	0.11	4	0.03	0	0.02	0	33 NPDES	No							nonstorm
SDS1	SDS1 031298	1999	3/12/98	NPDES	0.83	23	0.07	0	0	0	71 NPDES	No	6.66	1.96	0.025	1.94	1800	quarterly deice grab sample in first 60 minutes	
SDS1	SDS1 082098	1999	8/20/98	NPDES	0.21	38	0.03	0	0	0	48 NPDES	No							FOAM OBSERVED BELOW OUTFALL
SDS1	SDS1 GRAB 2	1999	6/20/98	NPDES	0.21	38	0.03	0	0	0	48 NPDES	No							
SDS2	SDS2 111198 GRA	1999	11/11/98	NPDES	0.88	62	0.15	0	0.05	0	31 NPDES	No	7.45	0.08	0.025	0.055	110		
SDS2	SDS2 050798 GRA	1999	5/6/98	NPDES	0.25	22	0.06	0	0	0	79 NPDES	No		0.31	0.025	0.28	900	ANNUAL SAMPLE	
SDS3	SDS3 071598 GRA	1999	7/14/98	nonstorm	0.13	16	0.04	0	0	0	264 NPDES	No	7.32	0.38	0.025	0.18	30	nonstorm	
SDS3	SDS3 081698 GRA	1999	8/16/98	NPDES	0.31	10	0.26	0	0	0	792 NPDES	No	7.75	0.128	0.025	0.17	500	thundersorm, 0.23 in/hr	
SDS3	SDS3 091898 GRA	1999	9/18/98	nonstorm	0.19	20	0.16	0	0	0	456 NPDES	No	7.71	0.15	0.025	0.13	300	nonstorm	
SDS3	SDS3 092498 GRA	1999	9/24/98	NPDES	0.47	23	0.26	0	0	0	148 NPDES	No	7.14	0.21	0.025	0.19	900		
SDS3	SDS3 100398 GRA	1999	10/3/98	NPDES	0.4	3	0.22	0	0.07	0	36 NPDES	No	6.99	0.58	0.025	0.51	50		
SDS3	SDS3 102798 GRA	1999	10/27/98	NPDES	0.64	9	0.19	0	0	0	72 NPDES	No	7.34	0.07	0.025	0.045	13		
SDS3	SDS3 111198 GRA	1999	11/11/98	NPDES	0.88	62	0.15	0	0.05	0	31 NPDES	No	7.1	0.35	0.025	0.33	30	16 nonstorm	
SDS3	SDS3 121098 GRA	1999	12/10/98	nonstorm	0.14	4	0.03	0	0	0	49 NPDES	No	7.27	0.086	0.03	0.055	24	nonstorm	
SDS3	SDS3 121798 GRA	1999	12/17/98	nonstorm	0.11	4	0.03	0	0.02	0	33 NPDES	No	7.09	0.075	0.025	0.05	1800	fecals not analyzed due to holiday lab closure	
SDS3	SDS3 122498 GRA	1999	12/24/98	NPDES	1.19	39	0.16	0	0	0	153 NPDES	Yes	7.62	0.47	0.025	0.45	170	fecals not analyzed due to holiday lab closure	
SDS3	SDS3 010998 GRA	1999	1/9/98	NPDES	0.27	21	0.05	0	0	0	64 NPDES	No	7.65	0.065	0.03	0.055	1		
SDS3	SDS3 011398 GRA	1999	1/13/98	NPDES	1.07	22	0.16	0	0	0	66 NPDES	No	7.5	0.28	0.025	0.24	23		
SDS3	SDS3 020398 GRA	1999	2/3/98	NPDES	0.28	19	0.07	0	0.61	0	27 NPDES	No	7.44	0.08	0.025	0.055	2		
SDS3	SDS3 030898 GRA	1999	3/8/98	NPDES	0.28	16	0.05	0	0	0	96 NPDES	No	7.01	0.078	0.025	0.05	1		
SDS3	SDS3 031298 GRA	1999	3/12/98	NPDES	0.83	23	0.07	0	0	0	71 NPDES	No	7.23	0.33	0.025	0.33	1800		
SDS3	SDS3 032498 GRA	1999	3/24/98	NPDES	0.28	19	0.06	0	0.15	0	40 NPDES	No	7.26	0.075	0.025	0.05	8		
SDS3	SDS3 062098 GRA	1999	6/20/98	NPDES	0.21	38	0.03	0	0	0	48 NPDES	No	7.38	0.08	0.025	0.055	220		
SDS4	SDS4 111998 GRA	1999	11/19/98	NPDES	2.34	66	0.18	0	0	0	73 NPDES	No	7.09	0.075	0.025	0.05	300	-79% RPD in lab dupe	
SDS4	SDS4 050798 GRA	1999	5/6/98	NPDES	0.25	22	0.06	0	0	0	79 NPDES	No	7.46	0.111	0.06	0.05	900	ANNUAL SAMPLE	
SDW3	SDW3 110498 GRA	1999	11/3/98	NPDES	1.62	39	0.48	0	0.08	0	35 NPDES	No	3.77	3.79	0.025	3.77	500		
SDW3	SDW3 021698 GRA	1999	2/15/98	NPDES	0.45	28	0.08	0	0	0	89 NPDES	No	0.14	0.14	0.025	0.12	80	1998 annual sample	
SDW3	SDW3 021898 GRA	1999	2/18/98	NPDES	0.6	32	0.08	0.01	0.35	0	20 NPDES	No	0.13	0.13	0.025	0.11	1	1998 annual sample	
SDW3	SDW3 031298 GRA	1999	3/12/98	NPDES	0.83	23	0.07	0	0	0	71 NPDES	No	0.14	0.14	0.03	0.11	2	1999 annual sample-no comp	
SDW3	SDW3 032498 GRA	1999	3/24/98	NPDES	0.28	19	0.06	0	0.15	0	40 NPDES	No	0.076	0.076	0.025	0.05	1	1999 annual sample	
B	B 110498 GRA	1999	11/3/98	NPDES	1.62	39	0.48	0	0.08	0	35 NPDES	No	7.16	0.15	0.025	0.13	1000		
B	B 111298 GRA	1999	11/11/98	NPDES	0.98	62	0.15	0	0.05	0	31 NPDES	No	7.42	0.076	0.025	0.05	220		

well	POS ID	reported	storm characteristics				groundwater				concentration, mg/l				Fecals (MPN)	comments				
			stormdate	event	depth, in.	dur, hr	meant, in/hr	24hrant, in.	48hrant, in.	drynt, hr	Obj	groundwater	pH	FOG			TPH (R)	TPH-D ₁	TPH-D ₂	TPH-AO
B	050798 GRAB	1999	5/6/99	NPDES	0.25	22	0.06	0	0	79	NPDES	No	6.57		0.19	0.025	0.17	1600	ANNUAL SAMPLE	
D	011399 GRAB	1999	1/13/99	NPDES	1.07	22	0.16	0	0	85	NPDES	No	7.01		0.06	0.025	0.055	1600		
D	050699 GRAB	1999	5/6/99	NPDES	0.25	22	0.08	0	0	79	NPDES	No	7.01		0.075	0.025	0.05	500	ANNUAL SAMPLE	
SDN1UP	SDN1 071488 GRA	1999	7/14/98	nonstorm	0.13	16	0.04	0	0	284	NPDES	No	5.48		1.91	2.551	0.481	240	nonstorm	
SDN1UP	SDN1 081898 GRA	1999	8/18/98	NPDES	0.31	10	0.25	0	0	792	NPDES	No	6.36		0.125	0.64	0.03	900	thundersorm, 0.25 in/hr	
SDN1UP	SDN1 091898 GRA	1999	9/18/98	nonstorm	0.19	20	0.16	0	0	486	NPDES	No	6.95		2.46	0.025	2.45	1600	nonstorm	
SDN1UP	SDN1 092488 GRA	1999	9/24/98	NPDES	0.47	23	0.26	0	0	148	NPDES	No	6.73		1.82	0.028	1.8	80		
SDN1UP	SDN1 100398 GRA	1999	10/3/98	NPDES	0.4	3	0.22	0	0.07	36	NPDES	No	6.06		1.85	0.03	1.92	170		
SDN1UP	SDN1 102798 GRA	1999	10/27/98	NPDES	0.64	9	0.19	0	0	72	NPDES	No	8.08		2.01	0.025	1.99	130		
SDN1UP	SDN1 110498 GRA	1999	11/3/98	NPDES	1.82	39	0.48	0	0.08	35	NPDES	No	5.97		0.37	0.025	0.35	500		
SDN1UP	SDN1 111198 GRA	1999	11/11/98	NPDES	0.86	62	0.15	0	0.08	31	NPDES	No	7.06		0.96	0.025	0.94	80		
SDN1UP	SDN1 121098 GRA	1999	12/10/98	nonstorm	0.14	4	0.03	0	0	49	NPDES	No	7.4		0.91	0.025	0.89	1600	nonstorm	
SDN1UP	SDN1 121798 GRA	1999	12/17/98	nonstorm	0.11	4	0.03	0	0.02	33	NPDES	No	7.23		3.16	0.025	3.14	500	nonstorm	
SDN1UP	SDN1 122498	1999	12/24/98	NPDES	1.19	39	0.16	0	0	163	NPDES	Yes	7.86		4.95	0.026	4.93		fecals not analyzed due to holiday lab closure	
SDN1UP	SDN1 010999 GRA	1999	1/9/99	NPDES	0.27	21	0.06	0	0	54	NPDES	No	6.67		3.51	0.03	3.48	23		
SDN1UP	SDN1 011399 GRA	1999	1/13/99	NPDES	1.07	22	0.16	0	0	85	NPDES	No	7.27		2.81	0.03	2.78	1600		
SDN1UP	SDN1 020399 GRA	1999	2/3/99	NPDES	0.28	19	0.07	0	0.61	27	NPDES	No	7.32		1.4	0.025	1.38	30		
SDN1UP	SDN1 030699 GRA	1999	3/6/99	NPDES	0.26	15	0.05	0	0	96	NPDES	No	6.58		1.04	0.025	1.02	7		
SDN1UP	SDN1 031299 GRA	1999	3/12/99	NPDES	0.63	23	0.07	0	0	71	NPDES	No	6.71		0.99	0.025	0.97	1		
SDN1UP	SDN1 032499 GRA	1999	3/24/99	NPDES	0.28	19	0.08	0	0.15	40	NPDES	No	6.92		1.89	0.025	1.67	8		
SDN1UP	SDN1 032799 GRA	1999	3/27/99	NPDES	0.24	9	0.07	0	0.09	28	NPDES	No	6.36		0.86	0.025	0.84	2		
SDN2	SDN2 110498 GRA	1999	11/04/98	NPDES	1.82	39	0.48	0	0.08	35	NPDES	No	8.85		4.97	0.025	4.95	1600		
SDN2	SDN2 112698 GRA	1999	11/26/98	nonstorm	3.48	82	0.32	0.26	0.31	8	NPDES	No			1.09	0.036	1.07		N CARGO PUMP STATION BYPASS	
SDN2	SDN2 012899	1999	1/28/99	nonstorm	1.16	33	0.1	0	0.02	33	NPDES	No			0.13	0.025	0.11		from North Cargo Pump Station Bypass	
SDN2	SDN2 062499 GRA	1999	6/24/99	NPDES	1.12	24	0.35	0.03	0.08	10	NPDES	No			0.17	0.025	0.15		BYPASS SAMPLE, STORM-DESIGN, MAINT NOTIFIED (O&M IN PROGRESS)	
SDN3	SDN3 111998 GRA	1999	11/19/98	NPDES	2.34	66	0.16	0	0	73	NPDES	No	6.82		0.078	0.025	0.24	240		
SDN3	SDN3 012099 GRA	1999	1/20/99	NPDES	0.42	28	0.06	0.01	0.93	22	NPDES	No			0.08	0.025	0.055	1		
SDN3	SDN3 062299 GRA	1999	6/20/99	NPDES	0.21	38	0.03	0	0	48	NPDES	No	7.5		0.13	0.025	0.11	240		
SDN4	SDN4 081698 GRA	1999	8/16/98	NPDES	0.31	10	0.25	0	0	78	NPDES	No	7.68		0.126	0.135	0.055	0.08	170	thundersorm, 0.25 in/hr
SDN4	SDN4 092498 GRA	1999	9/24/98	NPDES	0.47	23	0.26	0	0	148	NPDES	No	7.13		0.28	0.078	0.025	0.05	22	FECALS EXCEED HOLDING TIME
SDN4	SDN4 100398 GRA	1999	10/3/98	NPDES	0.4	3	0.22	0	0.07	36	NPDES	No	7.04		0.078	0.025	0.05	30		
SDN4	SDN4 102798 GRA	1999	10/27/98	NPDES	0.64	9	0.19	0	0	72	NPDES	No	7.9		0.078	0.025	0.05	2		
SDN4	SDN4 110498 GRA	1999	11/3/98	NPDES	1.82	39	0.48	0	0.08	35	NPDES	No	9.26		0.078	0.025	0.05	17		
SDN4	SDN4 111398 GRA	1999	11/13/98	NPDES	0.96	62	0.16	0	0.06	31	NPDES	No	6.91		0.078	0.025	0.05	17		
SDN4	SDN4 121098 GRA	1999	12/10/98	nonstorm	0.14	4	0.03	0	0	49	NPDES	No	7.16		0.08	0.025	0.055	1600	nonstorm	
SDN4	SDN4 121798 GRA	1999	12/17/98	nonstorm	0.11	4	0.03	0	0.02	33	NPDES	No	7.3		0.08	0.025	0.055	6	nonstorm	
SDN4	SDN4 122498	1999	12/24/98	NPDES	1.19	39	0.16	0	0	163	NPDES	Yes	7.56		0.078	0.025	0.05		fecals not analyzed due to holiday lab closure	
SDN4	SDN4 011099 GRA	1999	1/9/99	NPDES	0.27	21	0.06	0	0	54	NPDES	No	7.13		0.06	0.026	0.055	23		
SDN4	SDN4 011399 GRA	1999	1/13/99	NPDES	1.07	22	0.16	0	0	85	NPDES	No	7.09		0.065	0.03	0.055	1600		
SDN4	SDN4 020399 GRA	1999	2/3/99	NPDES	0.28	19	0.07	0	0.61	27	NPDES	No	7.18		0.08	0.025	0.055	1		
SDN4	SDN4 031299 GRA	1999	3/12/99	NPDES	0.63	23	0.07	0	0	71	NPDES	No	7.28		0.078	0.025	0.05	1		
SDN4	SDN4 032799 GRA	1999	3/27/99	NPDES	0.24	9	0.07	0	0.09	28	NPDES	No	7.02		0.076	0.025	0.05	1		
EY	EY 011399 GRAB	1999	1/13/99	NPDES	1.07	22	0.16	0	0	85	NPDES	No	7.2		0.076	0.025	0.05	1		
EY	EY 062099 GRAB	1999	6/20/99	NPDES	0.21	36	0.03	0	0	48	NPDES	No			0.78	0.03	0.78			
TY	TY 020399 GRAB	1999	2/3/99	NPDES	0.28	19	0.07	0	0.61	27	NPDES	No			4.34	0.025	4.32			
TY	TY 062099 GRAB	1999	6/20/99	NPDES	0.21	38	0.03	0	0	48	NPDES	No			5.77	0.025	5.75			

1998-99 Grab Sample Data		storm characteristics				concentration, mg/l				Fecale						
outfall	POS ID	reported stormdate	stormdate event	depth, in.	dur, hr	maxht, in/hr	24hrnt, in.	48hrnt, in.	dryent, hr	ground delcse?	Obj	TPH (R)	TPH-D	TPH-D	TPH-MO. (MPN)	comments
		total from "storm"	79								All outfalls	11	93	93	80	
		total "nonstorm"	17									3	8.7	0.5	8.6	
												3	4.9	0.0	4.0	
												2.0	2.0	0.03	1.9	
												0.4	0.27	0.03	0.3	
												0.1	0.08	0.03	0.1	
												0.1	0.07	0.03	0.0	
												1	1.7	0.0	1.7	
												100%	137%	143%	140%	
												4	38	90	31	
												36%	39%	97%	33%	
												3	17	17	17	
												3	9	0	9	
												2.8	6.2	0.05	6	
												2.6	3.6	0.03	3.8	
												2.2	2.6	0.03	2.6	
												1.2	1.5	0.03	1.4	
												0.1	0.2	0.03	0.2	
												1	2.1	0.0	2.1	
												85%	73%	35%	74%	
												1	0	16	0	
												33%	0%	84%	0%	
												0	1	1	1	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												1.6	0.0	0.0	1.5	
												0	1	0	0	
												0%	100%	0%	0%	
												0	2	2	2	
												0.3	0.03	0.3	900	
												0.3	0.03	0.3	661	
												0.3	0.03	0.2	703	
												0.2	0.03	0.2	505	
												0.1	0.03	0.1	308	
												0.1	0.03	0.1	110	
												0.2	0.00	0.2	559	
												83%	0%	96%	111%	
												1	1	2	1	
												50%	100%	50%	0%	

<MDL, value shown is 1/2 MDL
> value shown
fixed-out values are outliers or non-representative data trimmed from data analysis

1988-99 Grab Sample Data				storm characteristics				ground				concentration, mol				Fecals				
outfall	POS ID	reported	stormdate	event	depth, in.	dur, hr	max, in/hr	in.	in.	hr	dryant,	Obj	ground	TPH (R)	TPH-Dx	TPH-D	TPH-MO	(MPN)	comments	
													delect?	ph	FOG					
												SD33 (009)	count	17	0	3	17	17	16	
												max	7.6	0.6	0.6	0.53	0.03	0.5	1600	
												95th	7.7	0.54	0.48	0.03	0.03	0.5	1075	
												75th	7.9	0.47	0.28	0.03	0.02	240		
												median	7.3	0.38	0.15	0.03	0.1	27		
												25th	7.1	0.25	0.08	0.03	0.1	12		
												min	7.0	0.13	0.07	0.03	0.0	1		
												sd	0.2	0.22	0.15	0.00	0.2	440		
												CV, %	3%	62%	78%	6%	87%	189%		
												# non-detected	1	33%	47%	100%	47%	2		
												% non-detected	33%	47%	100%	47%	13%	2		
												SD34 (009)	count	2	0	2	2	2	2	
												max	7.5	0.11	0.11	0.06	0.1	800		
												95th	7.4	0.11	0.06	0.1	870			
												75th	7.4	0.10	0.05	0.1	750			
												median	7.3	0.08	0.04	0.1	600			
												25th	7.2	0.08	0.03	0.1	450			
												min	7.1	0.08	0.03	0.1	300			
												sd	0.3	0.0	0.02	0.0	424			
												CV, %	4%	27%	58%	0%	71%			
												# non-detected	1	50%	50%	100%	0%			
												% non-detected	50%	50%	100%	100%	0%			
												SDW3 (010)	count	1	0	5	5	5	5	
												max	7.7	3.8	0.03	3.8	500			
												95th	7.7	3.1	0.03	3.0	416			
												75th	7.7	0.1	0.03	0.1	80			
												median	7.7	0.1	0.03	0.1	2			
												25th	7.7	0.1	0.03	0.1	1			
												min	7.7	0.1	0.03	0.1	1			
												sd	1.6	1.6	0.00	1.6	217			
												CV, %	9%	192%	9%	197%	186%			
												# non-detected	1	20%	100%	20%	40%			
												% non-detected	20%	100%	20%	40%				
												B (014)	count	3	0	3	3	3		
												max	7.4	0.2	0.03	0.2	1600			
												95th	7.4	0.2	0.03	0.2	1600			
												75th	7.3	0.2	0.03	0.2	1600			
												median	7.2	0.2	0.03	0.1	1800			
												25th	6.9	0.1	0.03	0.1	910			
												min	6.6	0.1	0.03	0.1	220			
												sd	0.4	0.1	0.00	0.1	797			
												CV, %	6%	42%	0%	52%	70%			
												# non-detected	1	33%	100%	33%	0%			
												% non-detected	33%	100%	33%	0%				

AR 018126

1998-99 Grab Sample Data		storm characteristics				ground		concentration, mg/l				comments									
outfall	POS ID	reported	stormdate	event	depth, in.	dur, hr	maxint, in/hr	24hramt, in.	48hramt, in.	dryant, hr	Obj	count	delcst	pH	FOG	TPH (R)	TPH-Dz	TPH-Dz	TPH-MO	Fecals (MPN)	
											SDM3 (008)	count	3	2	0	0	0	0	0	3	3
												max	7.5	7.5	0.13	0.13	0.03	0.03	0.1	240	
												95th	7.3	7.3	0.11	0.03	0.03	0.1	240		
												median	7.0	7.0	0.08	0.03	0.03	0.1	240		
												25th	6.8	6.8	0.08	0.03	0.03	0.1	121		
												min	6.5	6.5	0.08	0.03	0.03	0.1	1		
												ad	0.7	0.7	0.03	0.00	0.00	0.0	138		
												CV, %	10%	10%	32%	0%	0%	48%	86%		
												# non-detected	2	3	2	3	2	2	1		
												% non-detected			67%	100%	67%	67%	33%		
											SDM4 (011)	count	14	2	0	2	14	14	14	14	12
												max	9.3	0.28	0.14	0.06	0.14	0.06	0.1	1600	
												95th	9.0	0.27	0.10	0.04	0.04	0.1	1600		
												75th	7.7	0.24	0.08	0.03	0.03	0.1	65		
												median	7.2	0.20	0.08	0.03	0.03	0.1	17		
												25th	7.1	0.16	0.08	0.03	0.03	0.1	2		
												min	7.0	0.13	0.08	0.03	0.03	0.1	1		
												ad	0.7	0.1	0.0	0.01	0.0	0.0	614		
												CV, %	8%	54%	19%	29%	29%	15%	212%		
												# non-detected	1	13	14	14	14	3			
												% non-detected		60%	93%	100%	100%	25%			
											EY (012)	count	0	0	0	2	2	2	2	0	
												max	1.6	1.6	0.03	0.03	0.03	0.03	16		
												95th	1.7	1.7	0.03	0.03	0.03	0.03	17		
												75th	1.5	1.5	0.03	0.03	0.03	0.03	15		
												median	1.3	1.3	0.03	0.03	0.03	0.03	13		
												25th	1.0	1.0	0.03	0.03	0.03	0.03	10		
												min	0.8	0.8	0.03	0.03	0.03	0.03	8		
												ad	0.7	0.7	0.00	0.00	0.00	0.0			
												CV, %	56%	13%	56%	13%	56%	56%	2		
												# non-detected	0	0	0	2	2	0			
												% non-detected			0%	100%	100%	0%			
											TY (013)	count	0	0	0	2	2	2	2	0	
												max	5.8	5.8	0.03	0.03	0.03	0.03	5.8		
												95th	5.7	5.7	0.03	0.03	0.03	0.03	5.7		
												75th	5.4	5.4	0.03	0.03	0.03	0.03	5.4		
												median	5.1	5.1	0.03	0.03	0.03	0.03	5.0		
												25th	4.7	4.7	0.03	0.03	0.03	0.03	4.7		
												min	4.3	4.3	0.03	0.03	0.03	0.03	4.3		
												ad	1.0	1.0	0.00	0.00	0.00	1.0			
												CV, %	20%	20%	0%	0%	0%	20%			
												# non-detected	0	0	0	2	2	0			
												% non-detected			0%	100%	100%	0%			

AR 018128

APPENDIX C TABULAR DEICING EVENT SAMPLE DATA SUMMARIES

All Deicing Event Sample Data															
outfall	POS ID	event	report type	depth	maxint	dryant	purpose	type	ground dectc?	dryant aircraft	BOD5	E-glycol	P-glycol	total glycols	comments
SDE4	SDE4 111394	11/11/94	1995 storm	0.28		46	NPDES		no		7	3	3	5	
SDE4	SDE4 111894	11/18/94	1995 basefloc	0					no		28	3	3	5	
SDE4	SDE4 111994	11/19/94	1995 storm	0.42		52	NPDES		no		8	3	3	5	
SDE4	SDE4 041095	4/10/95	1995 storm	0.29		56	NPDES		no		8	3	3	5	
SDE4	SDE4 042895	4/28/95	1995 basefloc	0					no			3	3	5	
SDE4	SDE4 050295	5/2/95	1995 nonstorm	0.42		36	NPDES		no			10	3	10	
SDE4	SDE4 061795	8/16/95	1996 storm	1.34					no			3	8	8	20-hr avg of 6 discrete samples. 2 of 6 glycol <MDL
SDE4	SDE4 012096 AVG	1/19/96	1996	1.8			SES	series avg	yes		72	13	11	24	<MDL
SDE4	SDE4 020496 AVG	2/3/96	1996	1.6			Washoff	flow-wt comp	yes		95	16	12	30	10-hr avg of 5 discrete samples. AIP-MDL
SDE4	SDE4 020396	2/3/96	1996 storm	1.6			NPDES		yes		74	14	12	26	
SDE4	SDE4 032296	3/22/96	1996 storm	0.21			SlipAg	flow-wt comp	no		12	3	3	5	
SDE4	SDE4 041696	4/15/96	1996 storm	0.49			NPDES	flow-wt comp	no		7	3	3	5	
SDE4	SDE4 090396	9/3/96	1997 storm	0.28		76	NPDES	flow-wt comp	no		7	3	3	5	
SDE4	SDE4 112196 A89	11/20/96	1997				NPDES	series avg	yes		0	21	71	92	composite of bottles A1, A2, A3 for quarterly glycols
SDE4	SDE4 121596	12/15/96	1997 nonstorm	0.11				flow-wt comp	no		63	9	3	5	nonstorm: backup data in case short on data for 96 Q4
SDE4	SDE4 122196	12/19/96	1997 storm	0.36		103	NPDES	flow-wt comp	no		76	3	3	5	
SDE4	SDE4 123196 AVG	12/28/96	1997	1.12			SES	series avg	yes		256	3	4	6	30-hr avg of 5 lime-composite samples. most glycol and BOD-MDL
SDE4	SDE4 010797 AVG	12/26/96	1997	1.12			SES	series avg	yes		256	13	8	23	6-day avg of 15 time-composite samples. 12 of 15 BOD-MDL, 11 of 15 glycol <MDL
SDE4	SDE4 011697	1/16/97	1997 storm	1.21		154	NPDES	flow-wt comp	no		136	3	3	5	
SDE4	SDE4 012797	1/27/97	1997 storm	0.41		109	SlipAg	flow-wt comp	no		145	2	3	49	
SDE4	SDE4 030697	3/5/97	1997 storm	0.39		42	NPDES	flow-wt comp	no		51	4	3	5	
SDE4	SDE4 060397	6/3/97	1997 storm	0.26		76	NPDES	flow-wt comp	no		2	6	1	2	
SDE4	SDE4 102897	10/28/97	1998 storm	0.47		26	NPDES	flow-wt comp	no		9	4	1	2	
SDE4	SDE4 121697	12/15/97	1998 storm	1		87	NPDES	flow-wt comp	no		30	2	1	2	
SDE4	SDE4 011398	1/12/98	1998 nonstorm	1.13		123	NPDES	series avg	yes		457	213	6	5	24-HOUR TIME COMPOSITE
SDE4	SDE4 030198	3/1/98	1998 storm	0.98		6	NPDES	flow-wt comp	no		11	5	1	2	taken for aircraft deicing only, GRAB FAILED (No Liquid Detected)
SDE4	SDE4 030998	3/8/98	1998 storm	0.86		132	NPDES	flow-wt comp	no		154	1	1	2	
SDE4	SDE4 042398	4/23/98	1998 storm	0.46		264	NPDES	flow-wt comp	no		29	21	1	2	
SDE4	SDE4 051498	5/14/98	1998 storm	0.21		125	NPDES	flow-wt comp	no		15	11	1	2	
SDE4	SDE4 091898	9/18/98	1999 nonstorm	0.19	0.16	456	NPDES	flow-wt comp	no		5	14	1	2	
SDE4	SDE4 092598	9/24/98	1999 storm	0.47	0.26	148	NPDES	flow-wt comp	no		3	2	1	2	nonstorm
SDE4	SDE4 100398	10/3/98	1999 storm	0.4	0.22	36	NPDES	flow-wt comp	no		2	5	1	2	
SDE4	SDE4 102798	10/27/98	1999 storm	0.64	0.18	72	NPDES	flow-wt comp	no		12	5	1	2	
SDE4	SDE4 110498	11/3/98	1999 storm	1.62	0.46	35	NPDES	non-rep comp	no		8	2	1	2	not representative, incomplete sample, flow probe error
SDE4	SDE4 111998	11/19/98	1999 storm	2.34	0.18	73	NPDES	flow-wt comp	no		44	7	1	2	concurrent WET sample
SDE4	SDE4 121798	12/17/98	1999 nonstorm	0.11	0.03	33	NPDES	flow-wt comp	no		20	1	1	2	non-storm, suitable for glycols only
SDE4	SDE4 122498	12/24/98	1999 storm	1.19	0.16	153	NPDES	flow-wt comp	yes		373	13	31	44	
SDE4	SDE4 011099	1/9/99	1999 storm	0.27	0.05	54	NPDES	non-rep comp	no		25	2	1	3	not representative, taken too late
SDE4	SDE4 012299	1/20/99	1999 storm	0.42	0.09	22	NPDES	flow-wt comp	no		14	6	1	2	concurrent WET sample
SDE4	SDE4 021899	2/18/99	1999 storm	0.8	0.06	20	NPDES	flow-wt comp	no		18	4	1	2	concurrent WET sample
SDE4	SDE4 022399	2/22/99	1999 storm	0.56	0.14	9	NPDES	flow-wt comp	no		15	2	1	2	
SDE4	SDE4 030899	3/8/99	1999 storm	0.28	0.05	98	NPDES	flow-wt comp	no		147	10	1	5	
SDE4	SDE4 031399	3/12/99	1999 storm	0.83	0.07	71	NPDES	flow-wt comp	no		53	5	1	2	
SDE4	SDE4 032499	3/24/99	1999 storm	0.28	0.08	40	NPDES	flow-wt comp	no		11	6	1	2	
SDE4	SDE4 032899	3/27/99	1999 storm	0.24	0.07	26	NPDES	flow-wt comp	no		7	2	1	2	
SDE4	SDE4 111894	11/18/94	1995 basefloc	0			NPDES		no		54	32	3	32	

All Delcing Event Sample Data													
outfall	POS ID	event	report	type	depth	maxint	dryant	ground	dryant	total	glycol	glycol	comments
							aircraft	delea?	BOD5	E-glycol	P-	glycol	
SDS1	SDS1 111994	11/19/94	1995	storm	0.42		52	NPDES	no	14	3	14	
SDS1	SDS1 020895	2/8/95	1995	baseflow	0			NPDES	no	3	3	5	
SDS1	SDS1 021395	2/13/95	1995	baseflow	0			NPDES	yes	5	3	5	
SDS1	SDS1 021695	2/15/95	1995	baseflow	1.1		86	NPDES	yes	92	260	15	275
SDS1	SDS1 042895	4/28/95	1995	baseflow	0			NPDES	no	3	3	5	
SDS1	SDS1 050295	5/2/95	1995	nonstorm	0.42		36	NPDES	no	3	3	5	
SDS1	SDS1 092395	9/29/95	1996	baseflow	0			NPDES	no	3	3	5	
SDS1	SDS1 011496	1/13/96	1996	storm	0.37			NPDES	no	16	3	3	
SDS1	SDS1 012096 AVG	1/19/96	1996		1.8			SES	yes	130	105	193	20-hr avg of 6 discrete samples. 5 TKN <MDL 14-hr avg of 6 discrete samples. 1 glycol <MDL
SDS1	SDS1 020496 AVG	2/3/96	1996	storm	1.6			Washoff	yes	131	23	96	
SDS1	SDS1 041696	4/16/96	1996	storm	0.49			NPDES	no	24	3	3	
SDS1	SDS1 042296	4/22/96	1996	storm	2.83			SlipAg	no	9	3	3	
SDS1	SDS1 070496	7/3/96	1997	storm	0.23			NPDES	no	11	3	3	
SDS1	SDS1 110496	11/3/96	1997	nonstorm	0.14		120	NPDES	no	6	3	3	
SDS1	SDS1 112096 A1	11/20/96	1997					SES	yes	428	59	2800	taken for aircraft delcing only
SDS1	SDS1 112396	11/23/96	1997	storm	0.63		72	NPDES	yes	256	8	190	not representative (<2 hrs). reference only. grab sample lost: bottle broken in transit
SDS1	SDS1 120496	12/4/96	1997	storm	0.82		44	NPDES	no	41	3	24	
SDS1	SDS1 011697	1/16/97	1997	storm	1.21		154	NPDES	no	79	3	33	
SDS1	SDS1 041397	4/13/97	1997	storm	0.31			NPDES	no	21	3	3	
SDS1	SDS1 081797	8/18/97	1997	storm	0.36			NPDES	no	5	1	1	
SDS1	SDS1 102897	10/28/97	1998	storm	0.47		26	NPDES	no	7	1	1	
SDS1	SDS1 112097	11/19/97	1998	storm	0.65		24	NPDES	no	2	1	1	
SDS1	SDS1 121697	12/15/97	1998	storm	1		87	NPDES	no	6	1	1	
SDS1	SDS1 011198	1/12/98	1998	nonstorm	1.13		123	NPDES	yes	6	1	1	
SDS1	SDS1 030998	3/8/98	1998	storm	0.98		132	NPDES	no	154	6	1	
SDS1	SDS1 102798	10/27/98	1998	storm	0.84		12	NPDES	no	6	1	1	
SDS1	SDS1 121798	12/17/98	1998	nonstorm	0.11		33	NPDES	no	1	1	1	
SDS1	SDS1 031298 GRAB	3/12/98	1998	storm	0.63		71	NPDES	no	123	5	43	24-hour lime composite FULFILLS ANNUAL SAMPLE ROMT
SDS1	SDS1 062098 GRAB	6/20/98	1998	storm	0.21		48	NPDES	no	1	1	1	quarterly delcia grab sample in first 80 minutes FOAM OBSERVED BELOW OUTFALL
SDS1	SDS1 062098 GRAB	6/20/98	1998	storm	0.03		48	NPDES	no	1	1	1	FOAM OBSERVED BELOW OUTFALL
SDS3	SDS3 090894	9/8/94	1995	storm	0.69		93	NPDES	no	3	3	3	
SDS3	SDS3 111894	11/18/94	1995	baseflow	0			NPDES	no	2	3	3	
SDS3	SDS3 111994	11/19/94	1995	storm	0.42		52	NPDES	no	18	3	3	
SDS3	SDS3 020895	2/8/95	1995	baseflow	0			NPDES	no	4	3	3	
SDS3	SDS3 041295	4/10/95	1995	storm	0.28		56	NPDES	no	3	3	3	
SDS3	SDS3 042895	4/28/95	1995	baseflow	0		36	NPDES	no	3	3	3	
SDS3	SDS3 050295	5/2/95	1995	nonstorm	0.42			NPDES	no	3	3	3	
SDS3	SDS3 063095	6/29/95	1996	baseflow	0			NPDES	no	3	3	3	
SDS3	SDS3 093095 GRAB	9/29/95	1996	baseflow	0		8	NPDES	no	3	3	3	
SDS3	SDS3 011496	1/13/96	1996	storm	0.37			NPDES	no	3	3	3	
SDS3	SDS3 012296 AVG	1/19/96	1996	nonstorm	1.8			SES	yes	118	25	14	3.5-day avg of 8 discrete + 8 lime-comp samples. 7 glycol, 4 TKN, 2 NH3 <MDL 5BOD>result, 2 glycol, 1 NH3 <MDL
SDS3	SDS3 020696 AVG	2/3/96	1996	nonstorm	1.6			SES	yes	162	16	13	
SDS3	SDS3 032296	3/22/96	1996	storm	0.21			SlipAg	no	6	3	3	
SDS3	SDS3 041696	4/15/96	1996	storm	0.49		64	NPDES	no	6	3	3	
SDS3	SDS3 102196	10/21/96	1997	storm	0.68			NPDES	no	2	3	3	
SDS3	SDS3 112896 AVG	11/20/96	1997					SES	yes	75	14	15	9-day avg of 32 lime-comp samples. 11 glycol, 28 NH3 <MDL

AR 018136

All Deicing Event Sample Data																
outfall	POS ID	event	report	type	depth	maxint	dryant	purpose	type	ground	dryant	glycols	total	glycols	comments	
SDS3	SDS3 112386	11/23/96	1997	storm	0.83		72	SlipAg	flow-wt comp	yes	112	16	10	28		
SDS3	SDS3 010297 AVG	12/28/96	1997		1.12			SES	series avg	yes	256	19	44	62	7-day avg of 28 lime-comp samples. 12 glycol, 8 BOD, 14 NH3 <MDL	
SDS3	SDS3 011697	1/18/97	1997	storm	1.21		154	NPDES	flow-wt comp	no	136	3	3	5		
SDS3	SDS3 030597	3/5/97	1997	storm	0.39		42	NPDES	flow-wt comp	no	51	2	3	5		
SDS3	SDS3 011298	1/12/98	1998	nonstorm	1.13		123	NPDES	lime-comp	yes	457	17	5	5	24-hour lime composite	
SDS3	SDS3 013098	1/29/98	1998	storm	0.2		107	NPDES	flow-wt comp	no	39	14	4	10		
SDS3	SDS3 030198	3/1/98	1998	storm	0.98		6	NPDES	flow-wt comp	no	11	8	1	2		
SDS3	SDS3 030998	3/8/98	1998	storm	0.98		132	NPDES	flow-wt comp	no	154	38	23	32	backup monthly sample in case 3/1/98 sample didn't qualify under new permit	
SDS3	SDS3 042398	4/23/98	1998	storm	0.46		264	NPDES	flow-wt comp	no	29	9	1	2		
SDS3	SDS3 051498	5/14/98	1998	storm	0.21		125	NPDES	flow-wt comp	no	15	6	1	2		
SDS3	SDS3 081998	9/18/98	1999	nonstorm	0.19	0.16	456	NPDES	non-rep comp	no	5	12	1	2	not representative, extended into post-storm baseflow period. GLYCOLS MAY BE HIGH BIASED. DUPE WAS <MDL	
SDS3	SDS3 092598	9/24/98	1999	storm	0.47	0.26	148	NPDES	flow-wt comp	no	3	5	1	3		
SDS3	SDS3 100398	10/3/98	1999	storm	0.4	0.22	36	NPDES	flow-wt comp	no	2	4	1	2		
SDS3	SDS3 102798	10/27/98	1999	storm	0.64	0.19	72	NPDES	flow-wt comp	no	12	5	1	4		
SDS3	SDS3 110498	11/3/98	1999	storm	1.82	0.48	35	NPDES	flow-wt comp	no	8	7	5	1		
SDS3	SDS3 111398	11/11/98	1999	storm	0.98	0.15	31	NPDES	flow-wt comp	no	18	18	11	1	12	concurrent WET sample
SDS3	SDS3 121798	12/17/98	1999	nonstorm	0.11	0.03	33	NPDES	flow-wt comp	no	20	1	12	13	non-storm, suitable for glycols only	
SDS3	SDS3 122598	12/24/98	1999	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	450	32	113		
SDS3	SDS3 011099	1/9/99	1999	storm	0.27	0.05	54	NPDES	flow-wt comp	no	25	22	8	14		
SDS3	SDS3 011499	1/13/99	1999	storm	1.07	0.16	85	NPDES	flow-wt comp	no	34	8	1	10		
SDS3	SDS3 020399	2/3/99	1999	storm	0.26	0.07	27	NPDES	flow-wt comp	no	8	6	1	2		
SDS3	SDS3 030999	3/8/99	1999	storm	0.28	0.05	96	NPDES	flow-wt comp	no	147	220	7	151	concurrent WET and WER	
SDS3	SDS3 031399	3/12/99	1999	storm	0.83	0.07	71	NPDES	flow-wt comp	no	53	15	1	6		
SDS3	SDS3 032599	3/24/99	1999	storm	0.28	0.08	40	NPDES	flow-wt comp	no	11	2	1	1		
SDN1	SDN1 111994	11/19/94	1995	storm	0.42		62	NPDES	flow-wt comp	no	6	3	3	6		
SDN1	SDN1 010595	1/5/95	1995	baseflow	0			other		no	11	3	3	3	baseflow	
SDN1	SDN1 020895	2/8/95	1995	baseflow	0			NPDES		no	3	3	3	3		
SDN1	SDN1 021395	2/13/95	1995	baseflow	0			NPDES		yes	5	3	3	5		
SDN1	SDN1 021695	2/15/95	1995	storm	1.1		88	NPDES		yes	31	6	3	6		
SDN1	SDN1 030595	3/4/95	1995	storm	0.18		158	SlipAg		no	4	3	3	5		
SDN1	SDN1 030995	3/8/95	1995	storm	2.16		88	SlipAg	random grab	no	6	3	3	5	nonstorm	
SDN1	SDN1 031395	3/13/95	1995	nonstorm	0.23		24	SlipAg		no	4	3	3	5		
SDN1	SDN1 031595	3/13/95	1995	storm	0.17		270	SlipAg		no	5	3	3	5		
SDN1	SDN1 040595	4/8/95	1995	storm	0.61		60	NPDES		no	40	3	3	5		
SDN1	SDN1 040795	4/8/95	1995	storm	1.6		110	NPDES	flow-wt comp	yes	15	3	3	5		
SDN1	SDN1 020496	2/3/96	1996	storm	0.21		110	SlipAg	flow-wt comp	no	17	15	3	3	nonstorm	
SDN1	SDN1 041296	4/1/96	1996	nonstorm	0.49		SlipAg	NPDES	flow-wt comp	no	2	3	3	5		
SDN1	SDN1 041896	4/15/96	1996	storm	2.83		NPDES	NPDES	flow-wt comp	no	9	3	3	5		
SDN1	SDN1 042596	4/25/96	1996	nonstorm	0.31		18	SlipAg	flow-wt comp	no	2	2	3	3	nonstorm	
SDN1	SDN1 051396	5/13/96	1996	storm	0.99		12	SlipAg	flow-wt comp	no	6	2	3	3	nonstorm	
SDN1	SDN1 052296	5/21/96	1996	storm	0.31		SlipAg	SlipAg	flow-wt comp	no	2	3	3	5		
SDN1	SDN1 052296 GRAB	5/21/96	1996	storm	0.46		SlipAg	SlipAg	random grab	no	10	3	3	5	extra NPDES/Slip Ag	
SDN1	SDN1 062396	6/23/96	1996	storm	0.27		SlipAg	SlipAg	flow-wt comp	no	12	3	3	5		
SDN1	SDN1 070496	7/3/96	1997	storm	0.23		NPDES	NPDES	flow-wt comp	no	20	3	3	5		
SDN1	SDN1 071796	7/17/96	1997	storm	0.27		SlipAg	SlipAg	flow-wt comp	no	11	3	3	5		
SDN1	SDN1 080296	8/2/96	1997	storm	1.01		325	SlipAg	flow-wt comp	no	25	3	3	5		
SDN1	SDN1 090396	9/3/96	1997	storm	0.29		76	SlipAg	flow-wt comp	no	1	14	3	3		
SDN1	SDN1 091496	9/13/96	1997	storm	0.72		144	SlipAg	flow-wt comp	no	3	10	3	3		
SDN1	SDN1 091996	9/18/96	1997	storm	0.38		28	SlipAg	flow-wt comp	no	0	2	3	3	extra NPDES/Slip Ag	

All Deicing Event Sample Data																	
outfall	POB ID	event	report	type	depth	maintnt	dryant	purpose	type	ground	dryant	BOD5	E-glycol	P-glycol	total	glycols	comments
SDN1	SDN1 100486	10/4/96	1997	nonstorm	0.59		18	SlipAg	flow-wt comp	no	2	6	3	3	5		insuff sample for TSS, paired up/down sample
SDN1	SDN1 121597	12/15/97	1998	storm	1		87	NPDES	flow-wt comp	no	30	5	1	1	2		nonstorm
SDN1	SDN1 091898	9/19/98	1999	nonstorm	0.19	0.16	456	NPDES	flow-wt comp	no	5	9	1	1	2		
SDN1	SDN1 122598	12/24/98	1999	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	116	14	12	26		
SDN2	SDN2 111994	11/19/94	1995	storm	0.42		52	NPDES		no	10	3	3	3	5		
SDN2	SDN2 030595	3/4/95	1995	storm	0.18		156	SlipAg	random grab	no	12	36	3	3	36		nonstorm, questionable high ammonia
SDN2	SDN2 031595	3/13/95	1995	nonstorm	0.23		24	SlipAg		no	5	3	3	3	5		
SDN2	SDN2 040795	4/6/95	1995	storm	0.61		60	SlipAg		no	15	3	3	3	5		
SDN2	SDN2 041295	4/10/95	1995	storm	0.29		56	NPDES	flow-wt comp	no	30	3	3	19	19		
SDN2	SDN2 121095	12/9/95	1996	nonstorm	0.82			Washoff		no					5		
SDN2	SDN2 012296	1/19/96	1996	storm	1.8			SES	series avg	yes	21	22	22	24	44		4-day avg of 17 lime-composite samples. 8 glycol, 5NH3, and 5 BOD-MDL
SDN2	SDN2 020496	2/3/96	1996	storm	1.6			SES	grab	yes	180	18	18	26	44		storm after runway deice
SDN2	SDN2 020696	2/3/96	1996	nonstorm	1.6			SES	series avg	yes	108	9	14	14	23		2 5-day avg of 8 lime-composite samples. 3 glycol, 6 NH3 <MDL
SDN2	SDN2 021796	2/17/96	1996	storm	1.29			NPDES	flow-wt comp	no	6	6	6	11	17		nonstorm
SDN2	SDN2 032996	3/29/96	1996	nonstorm	0.13		120	SlipAg	grab	no	10	3	3	3	5		nonstorm
SDN2	SDN2 041696	4/15/96	1996	storm	0.49			SlipAg	flow-wt comp	no	2	3	3	3	5		nonstorm
SDN2	SDN2 041996	4/19/96	1996	nonstorm	0.09		16	SlipAg	flow-wt comp	no	6	2	3	3	5		nonstorm (0.02" storm)
SDN2	SDN2 042296	4/22/96	1996	storm	2.83			NPDES	flow-wt comp	no	7	7	3	3	5		nonstorm
SDN2	SDN2 042596	4/25/96	1996	nonstorm	0.31		19	SlipAg	flow-wt comp	no	5	2	3	3	5		nonstorm
SDN2	SDN2 051396	5/13/96	1996	storm	0.99		12	SlipAg	flow-wt comp	no	2	5	3	3	5		xtra NPDES/Slip Ag
SDN2	SDN2 052296	5/21/96	1996	storm	0.31			SlipAg	flow-wt comp	no	5	5	3	3	5		xtra NPDES/Slip Ag
SDN2	SDN2 052396	5/21/96	1996	storm	0.31			SlipAg	random grab	no	6	3	3	3	5		xtra NPDES/Slip Ag
SDN2	SDN2 062396	6/23/96	1996	storm	0.46			SlipAg	flow-wt comp	no	18	3	3	3	5		flow-wt comp failed, reset to 20 min lime comp
SDN2	SDN2 070396	7/3/96	1997	storm	0.23			SlipAg	non-rep comp	no	21	3	3	3	5		flow-wt comp failed, reset to 20 min lime comp
SDN2	SDN2 071796	7/17/96	1997	storm	0.27			SlipAg	lime-comp	no	18	3	3	3	5		9-day avg of 33 lime-composite samples. 2 glycol, all NH3 <MDL
SDN2	SDN2 102196	10/21/96	1997	storm	0.66		64	NPDES	flow-wt comp	no	18	5	3	3	5		2-day avg of 7 lime-composite samples. 1 glycol and 3 BOD-MDL
SDN2	SDN2 112696	11/20/96	1997	nonstorm	1.12			SES	series avg	yes	0	240	31	134	165		6-day avg of 20 lime-composite samples. 1 BOD and 17 NH3 <MDL
SDN2	SDN2 010297	12/20/96	1997	nonstorm	1.12			SES	series avg	yes	256	54	11	27	37		
SDN2	SDN2 123196	12/28/96	1997	nonstorm	1.12			SES	series avg	yes	256	1180	315	370	684		
SDN2	SDN2 011697	1/16/97	1997	storm	1.21		154	NPDES	flow-wt comp	no	136	120	3	51	51		
SDN2	SDN2 041997	4/19/97	1997	storm	1.16		64	NPDES	flow-wt comp	no	9	2	3	3	5		
SDN2	SDN2 110496	11/3/96	1999	storm	1.82	0.48	35	NPDES	grab	no	8	2	1	1	2		N CARGO PUMP STATION BYPASS
SDN2	SDN2 112598	11/25/98	1999	nonstorm	3.45	0.32	8	NPDES	grab	no	15	2	1	1	2		from North Cargo Pump Station bypass
SDN2	SDN2 012899	1/28/99	1999	nonstorm	1.16	0.1	33	NPDES	grab	no					2		BYPASS SAMPLE. STORM-<DESIGN, MAINT NOTIFIED (O&M IN PROGRESS)
SDN2	SDN2 062498	6/24/99	1999	storm	1.12	0.35	10	NPDES	grab	no					2		30 MIN PUMP STATION BYPASS
SDN3	SDN3 111994	11/19/94	1995	storm	0.42		62	NPDES	grab	no	4	3	3	3	5		
SDN3	SDN3 020695	2/6/95	1995	baseflow	0			NPDES		yes	3	3	3	3	5		
SDN3	SDN3 021395	2/13/95	1995	baseflow	0			NPDES		yes	3	3	3	3	5		
SDN3	SDN3 021695	2/15/95	1995	storm	1.1		86	NPDES		yes	90	3	3	3	5		
SDN3	SDN3 030595	3/4/95	1995	storm	0.18		156	SlipAg		no	3	3	3	3	5		
SDN3	SDN3 030995	3/6/95	1995	storm	2.16		88	SlipAg		no	3	3	3	3	5		
SDN3	SDN3 031595	3/13/95	1995	nonstorm	0.23		24	SlipAg	random grab	no	5	3	3	3	5		
SDN3	SDN3 040595	4/4/95	1995	storm	0.17		270	SlipAg	flow-wt comp	no	3	3	3	3	5		
SDN3	SDN3 011496	1/13/96	1996	storm	0.37			NPDES	flow-wt comp	no	5	3	3	3	5		

AR 018138

All Delcing Event Sample Data																	
outfall	POS ID	event	report	type	depth	maxint	dryant	purpose	type	ground	dryant	BOOS	E-glycol	P-glycol	total	glycols	comments
SDN3	SDN3 012096	1/19/96	1996	nonstorm	1.8			SlipAg	series avg	yes		30	3	3	5	5	36-hr avg of 4 lime-composite samples. all glycol <MDL
SDN3	SDN3 020496	2/3/96	1996	storm	1.6			SlipAg	flow-wt comp	yes			3	3	5	5	storm after runway deice
SDN3	SDN3 033096	3/29/96	1996	nonstorm	0.13		120	SlipAg	grab	no			5	3	5	5	nonstorm, insuffl flow to enable sampler
SDN3	SDN3 040196	3/31/96	1996	storm	0.64			SlipAg	flow-wt comp	no			5	3	5	5	xtra NPDES/Slip Ag
SDN3	SDN3 041296	4/11/96	1996	nonstorm	0.21			SlipAg	grab	no		17	4	3	5	5	nonstorm
SDN3	SDN3 041696	4/15/96	1996	storm	0.49			NPDES	flow-wt comp	no			2	3	5	5	nonstorm
SDN3	SDN3 041996	4/19/96	1996	nonstorm	0.09		16	SlipAg	flow-wt comp	no			6	2	3	5	nonstorm
SDN3	SDN3 042296	4/22/96	1996	storm	2.83			SlipAg	flow-wt comp	no			7	3	5	5	xtra NPDES/Slip Ag
SDN3	SDN3 042596	4/25/96	1996	nonstorm	0.31		18	SlipAg	flow-wt comp	no			5	1	3	5	nonstorm
SDN3	SDN3 051396	5/13/96	1996	storm	0.99		12	SlipAg	flow-wt comp	no			2	2	3	5	nonstorm
SDN3	SDN3 052296	5/21/96	1996	storm	0.31			SlipAg	flow-wt comp	no			2	3	5	5	nonstorm
SDN3	SDN3 120496	12/4/96	1997	storm	0.82		44	NPDES	flow-wt comp	no			92	2	3	5	nonstorm
SDN3	SDN3 122196	12/19/96	1997	storm	0.36		103	NPDES	flow-wt comp	no			76	4	3	5	nonstorm
SDN3	SDN3 030597	3/5/97	1997	storm	0.39		42	NPDES	flow-wt comp	no			51	2	6	6	nonstorm
SDN3	SDN3 121697	12/15/97	1998	storm	1		87	NPDES	flow-wt comp	no			30	2	1	2	HAD OC DUPLICATE: GOOD DUPLICATION
SDN3	SDN3 122498	12/24/98	1999	storm	1.19	0.16	153	NPDES	flow-wt comp	yes		373	222	1	14	15	
SDS4	SDS4 111894	1/19/94	1995	storm	0.42		52	NPDES	series avg	no			5	3	3	5	
SDS4	SDS4 021395	2/13/95	1995	baseflow	0			NPDES	series avg	yes			5	3	3	5	
SDS4	SDS4 021895	2/15/95	1995	storm	1.1		86	NPDES	series avg	yes			93	3	3	5	
SDS4	SDS4 011496	1/13/96	1996	storm	0.37			NPDES	flow-wt comp	no			6	3	3	5	
SDS4	SDS4 012096	1/19/96	1996	storm	1.6			SES	series avg	yes			138	3	4	0	20-hr avg of 6 discrete samples. 4 glycol <MDL
SDS4	SDS4 020408	2/3/98	1998	storm	1.6			Washoff	series avg	yes			242	13	18	31	12-hr avg of 5 discrete samples all (NOI)-runoff
SDS4	SDS4 020598	2/3/98	1998	nonstorm	1.6			Washoff	series avg	yes			13	14	7	21	
SDS4	SDS4 041698	4/15/98	1998	storm	0.49			NPDES	flow-wt comp	no			5	3	3	5	
SDS4	SDS4 042298	4/22/98	1998	storm	2.83			SlipAg	flow-wt comp	no			6	3	3	5	
SDS4	SDS4 070498	7/3/98	1997	storm	0.23			NPDES	flow-wt comp	no			6	3	3	5	
SDS4	SDS4 120498	12/4/98	1997	storm	0.82		44	NPDES	flow-wt comp	no			92	2	3	5	
SDS4	SDS4 041997	4/19/97	1997	storm	1.16		64	NPDES	flow-wt comp	no			9	4	3	5	
SDS4	SDS4 011298	1/12/98	1998	nonstorm	1.13		123	NPDES	lime-comp	yes			457	6	1	2	24-hour lime composite makeup comp for 98Qw non-rep comp. has extra grab
SDS4	SDS4 030998	3/9/98	1998	storm	0.86		132	NPDES	flow-wt comp	no			154	2	1	2	
SDS4	SDS4 111998	11/19/98	1999	storm	2.34	0.18	73	NPDES	flow-wt comp	no			44	2	1	2	
SDW3	SDW3 020496	2/3/96	1996	storm	1.6			SES	series avg	yes			76	6	6	12	24-hr avg of 3 lime-comp samples. 2 glycol<MDL
SDN4	SDN4 120496	12/4/96	1997	storm	0.82		44	NPDES	flow-wt comp	no			92	8	3	5	
SDN4	SDN4 030597	3/5/97	1997	storm	0.39			NPDES	flow-wt comp	no			51	2	3	5	
SDN4	SDN4 102897	10/28/97	1998	storm	0.47		26	NPDES	flow-wt comp	no			9	1	1	2	
SDN4	SDN4 121697	12/15/97	1998	storm	1		87	NPDES	flow-wt comp	no			30	5	1	2	
SDN4	SDN4 011298	1/12/98	1998	nonstorm	1.13		123	NPDES	lime-comp	yes			487	120	1	2	24-hour lime composite
SDN4	SDN4 030198	3/1/98	1998	storm	0.98		6	NPDES	flow-wt comp	no			11	2	1	2	
SDN4	SDN4 030998	3/9/98	1998	storm	0.86		132	NPDES	flow-wt comp	no			164	4	1	2	back-up quantity sample in case 3/1/98 sample didn't qualify under new permit
SDN4	SDN4 052598	5/24/98	1998	storm	0.58		87	NPDES	flow-wt comp	no			7	5	1	2	GLYCOLS MAY BE HIGH BIASED. DUPE WAS <MDL
SDN4	SDN4 092598	9/24/98	1999	storm	0.47	0.26	148	NPDES	flow-wt comp	no			3	7	1	2	
SDN4	SDN4 100398	10/3/98	1999	storm	0.4	0.22	36	NPDES	flow-wt comp	no			2	2	1	2	
SDN4	SDN4 102798	10/27/98	1999	storm	0.64	0.19	72	NPDES	non-rep comp	no			12	5	1	2	not representative, insufficient duration (~ 1hr)
SDN4	SDN4 110498	11/3/98	1999	storm	1.02	0.48	35	NPDES	flow-wt comp	no			6	2	1	2	

All Deicing Event Sample Data																			
outfall	POS ID	event	report	type	depth	maxint	dryant	purpose	type	ground	dryant	BOOB	E-glycol	glycol	total	glycols	comments		
SDN4	SDN4 111388	11/11/98	1999	storm	0.98	0.16	31	NPDES	flow-wt comp	no	16	2	1	1	2	2	concurrent WET sample		
SDN4	SDN4 121798	12/17/98	1999	nonstorm	0.11	0.03	33	NPDES	flow-wt comp	no	20	168	7	1	27	34	non-storm, suitable for glycols only		
SDN4	SDN4 122598	12/24/98	1999	storm	1.19	0.16	153	NPDES	flow-wt comp	no	373	34	2	1	2	2	concurrent WET sample		
SDN4	SDN4 011499	1/13/99	1999	storm	1.07	0.16	86	NPDES	flow-wt comp	no	8	2	1	1	2	2			
SDN4	SDN4 020499	2/3/99	1999	storm	0.28	0.07	27	NPDES	flow-wt comp	no	8	2	1	1	2	2			
SDN4	SDN4 031399	3/12/99	1999	storm	0.83	0.07	71	NPDES	flow-wt comp	no	53	2	1	1	2	2			
SDN4	SDN4 032899	3/27/99	1999	storm	0.24	0.07	26	NPDES	flow-wt comp	no	7	2	1	1	2	2			
All outfalls													count	208	236	236	236		
													max	457	1180	315	2800	2859	
													95th	373	201	21	43	50	
													75th	92	19	3	3	5	
													median	18	7	3	3	5	
													25th	8.0	4.1	1.0	1.0	2.0	
													min	0.0	1.0	1.0	1.0	2.0	
													sd	117	105	28	185	193	
													CV, %	159%	273%	390%	847%	671%	
													# non-detected	39	193	847%	184	178	
													% non-detected	19%	82%	78%	75%		
SDE4 (002)													count	33	39	45	45	45	
													max	457	335	21	71	92	
													95th	303	107	14	28	41	
													75th	76	13	3	3	6	
													median	20	7	3	3	5	
													25th	9.0	4.6	1.0	1.0	2.0	
													min	0.0	2.0	1.0	1.0	2.0	
													sd	112	63	5	13	17	
													CV, %	151%	230%	134%	212%	173%	
													# non-detected	7	37	33	33	33	
													% non-detected	18%	82%	73%	73%		
SDS1 (003)													count	15	23	31	31	31	
													max	457	428	260	2800	2859	
													95th	245	82	191	191	286	
													75th	102	86	4	11	31	
													median	24	21	3	3	5	
													25th	10.5	6.4	1.0	1.0	2.0	
													min	0.0	2.0	1.0	1.0	2.0	
													sd	117	101	50	501	513	
													CV, %	156%	153%	281%	452%	399%	
													# non-detected	1	23	22	22	20	
													% non-detected	4%	74%	71%	71%	05%	

All Deicing Event Sample Data															
outfall	POS ID	event	report type	depth	maxint	dryant	purpose	type	ground deice?	dryant aircraft	BOOS	E-glycol	P- glycol	total glycols	comments
								SDS3 (005)	count	28	33	40	40	40	
									max	457	32	151	158		
									95th	344	233	23	46	65	
									75th	97	22	6	9	12	
									median	23	9	3	3	5	
									25th	11.0	6.1	1.0	2.4	5.0	
									min	0.0	2.0	1.0	1.0	2.0	
									sd	118	95	8	27	31	
									CV, %	154%	201%	133%	241%	182%	
									# non-detected	4	28	25	24		
									% non-detected	12%	70%	63%	60%		
								SDN1 (006) (includes both stations)	count	11	28	29	29	29	
									max	373	116	14	12	26	
									95th	202	37	5	3	6	
									75th	11	14	3	3	5	
									median	3	10	3	3	5	
									25th	1.5	4.9	2.5	2.5	5.0	
									min	0.0	2.0	1.0	1.0	2.0	
									sd	111	22	2	2	4	
									CV, %	278%	149%	77%	69%	73%	
									# non-detected	2	27	28	27		
									% non-detected	7%	93%	87%	93%		
								SDN2 (007)	count	11	28	31	31	31	
									max	266	1160	316	370	684	
									95th	256	225	33	83	108	
									75th	77	24	4	12	21	
									median	9	10	3	3	5	
									25th	5.5	4.8	2.5	2.5	5.0	
									min	0.0	2.0	1.0	1.0	2.0	
									sd	102	225	56	69	124	
									CV, %	158%	300%	349%	298%	316%	
									# non-detected	5	23	22	21		
									% non-detected	18%	74%	71%	68%		
								SDN3 (008)	count	9	23	25	25	25	
									max	373	222	6	14	15	
									95th	281	84	3	3	6	
									75th	78	5	3	3	5	
									median	30	3	3	3	5	
									25th	6.0	2.0	2.5	2.5	5.0	
									min	2.0	1.0	1.0	1.0	2.0	
									sd	117	48	1	2	2	
									CV, %	162%	273%	34%	82%	40%	
									# non-detected	8	24	24	23		
									% non-detected	35%	96%	96%	92%		

All Deicing Event Sample Data															
outfall	pos ID	event	report type	depth	maxint	dryant	purpose	type	ground deice?	dryant aircraft	BOD5	E-glycol glycols	P. glycol glycols	total glycols	comments
								SDS4 (009)	count	5	15	15	15	15	
									max	457	242	14	18	31	
									95th	396	169	13	10	24	
									75th	154	10	3	3	5	
									median	92	6	3	3	5	
									25th	44.0	4.5	2.5	2.5	5.0	
									min	9.0	2.0	1.0	1.0	2.0	
									sd	179	69	4	4	8	
									CV, %	119%	185%	110%	115%	110%	
									# non-detected	3	13	12	12	12	
									% non-detected	20%	87%	87%	80%	80%	
								SDN4 (011)	count	19	19	20	20	20	
									max	457	168	7	27	34	
									95th	381	125	6	7	13	
									75th	52	7	1	1	2	
									median	16	4	1	1	2	
									25th	8.0	2.0	1.0	1.0	2.0	
									min	2.0	2.0	1.0	1.0	2.0	
									sd	128	47	2	6	7	
									CV, %	180%	210%	101%	213%	166%	
									# non-detected	9	18	18	18	18	
									% non-detected	47%	90%	90%	90%	90%	

AR 018142

1998-99 Deicing Event Sample Data															
outfall	POS ID	event	type	depth	maxint	dryant	purpose	type	ground device?	dryant aircraft	BOD5	E-glycol	P- glycol	total glycols	comments
SDE4	SDE4 091898	9/18/98	nonstorm	0.19	0.16	456	NPDES	flow-wt comp	no	5	14	1	1	2	nonstorm
SDE4	SDE4 092598	9/24/98	storm	0.47	0.26	148	NPDES	flow-wt comp	no	3	2	1	1	2	
SDE4	SDE4 100398	10/3/98	storm	0.4	0.22	36	NPDES	flow-wt comp	no	2	5	1	1	2	
SDE4	SDE4 102798	10/27/98	storm	0.64	0.19	72	NPDES	flow-wt comp	no	12	5	1	1	2	
SDE4	SDE4 110498	11/3/98	storm	1.62	0.48	35	NPDES	non-rep comp	no	8	2	1	1	2	not representative, incomplete sample, flow probe error
SDE4	SDE4 111998	11/19/98	storm	2.34	0.18	73	NPDES	flow-wt comp	no	44	7	1	1	2	concurrent WET sample
SDE4	SDE4 121798	12/17/98	nonstorm	0.11	0.03	33	NPDES	flow-wt comp	no	20	1	1	1	2	non-storm, suitable for glycols only
SDE4	SDE4 122498	12/24/98	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	335	13	31	44	not representative, taken too late
SDE4	SDE4 011099	1/9/99	storm	0.27	0.05	54	NPDES	non-rep comp	no	25	2	1	3	4	concurrent WET sample
SDE4	SDE4 012299	1/20/99	storm	0.42	0.09	22	NPDES	flow-wt comp	no	14	6	1	1	2	concurrent WET sample
SDE4	SDE4 021899	2/18/99	storm	0.6	0.06	20	NPDES	flow-wt comp	no	18	4	1	1	2	
SDE4	SDE4 022399	2/22/99	storm	0.56	0.14	9	NPDES	flow-wt comp	no	15	2	1	1	2	
SDE4	SDE4 030899	3/6/99	storm	0.28	0.05	96	NPDES	flow-wt comp	no	147	10	1	5	6	
SDE4	SDE4 031399	3/12/99	storm	0.83	0.07	71	NPDES	flow-wt comp	no	53	5	1	1	2	
SDE4	SDE4 032499	3/24/99	storm	0.28	0.08	40	NPDES	flow-wt comp	no	11	6	1	1	2	
SDE4	SDE4 032899	3/27/99	storm	0.24	0.07	26	NPDES	flow-wt comp	no	7	2	1	1	2	
SDS1	SDS1 102798	10/27/98	storm	0.64	0.19	72	NPDES	flow-wt comp	no	12	6	1	1	2	
SDS1	SDS1 121798	12/17/98	nonstorm	0.11	0.03	33	NPDES	grab	no	20	12	1	1	2	nonstorm
SDS1	SDS1 031299 GRAB	3/12/99	storm	0.83	0.07	71	NPDES	grab	no	53	123	5	43	49	quarterly device grab sample in first 60 minutes
SDS1	SDS1 062099 grab 1	6/20/99	storm	0.21	0.03	48	NPDES	grab	no	1	1	1	1	2	FOAM OBSERVED BELOW OUTFALL
SDS1	SDS1 062099 grab 2	6/20/99	storm	0.21	0.03	48	NPDES	grab	no	1	1	1	1	2	FOAM OBSERVED BELOW OUTFALL
SDS3	SDS3 091998	9/19/98	nonstorm	0.19	0.16	456	NPDES	non-rep comp	no	5	12	1	1	2	not representative, extended into post-storm baseflow period
SDS3	SDS3 092598	9/24/98	storm	0.47	0.26	148	NPDES	flow-wt comp	no	3	5	1	1	2	GLYCOLS MAY BE HIGH BIASED, DUPE WAS <MOD
SDS3	SDS3 100398	10/3/98	storm	0.4	0.22	36	NPDES	flow-wt comp	no	2	4	1	1	2	
SDS3	SDS3 102798	10/27/98	storm	0.64	0.19	72	NPDES	flow-wt comp	no	12	5	1	1	2	
SDS3	SDS3 110498	11/3/98	storm	1.62	0.48	35	NPDES	flow-wt comp	no	8	7	5	1	6	concurrent WET sample
SDS3	SDS3 111398	11/13/98	storm	0.98	0.15	31	NPDES	flow-wt comp	no	16	18	11	1	12	non-storm, suitable for glycols only
SDS3	SDS3 121798	12/17/98	nonstorm	0.11	0.03	33	NPDES	flow-wt comp	no	20	1	1	12	13	
SDS3	SDS3 122598	12/24/98	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	450	32	82	113	
SDS3	SDS3 011099	1/9/99	storm	0.27	0.05	54	NPDES	flow-wt comp	no	25	22	8	14	22	
SDS3	SDS3 011499	1/13/99	storm	1.07	0.16	85	NPDES	flow-wt comp	no	34	8	1	10	11	
SDS3	SDS3 020399	2/3/99	storm	0.28	0.07	27	NPDES	flow-wt comp	no	6	6	1	2	3	
SDS3	SDS3 030999	3/8/99	storm	0.28	0.05	96	NPDES	flow-wt comp	no	147	220	7	151	158	
SDS3	SDS3 031399	3/12/99	storm	0.83	0.07	71	NPDES	flow-wt comp	no	53	15	1	6	7	
SDS3	SDS3 032599	3/24/99	storm	0.28	0.08	40	NPDES	flow-wt comp	no	11	2	1	1	2	
SDNTup	SDN1 091898	9/18/98	nonstorm	0.19	0.16	456	NPDES	flow-wt comp	no	5	9	1	1	2	nonstorm
SDN1up	SDN1 122598	12/24/98	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	116	14	12	26	
SDN2	SDN2 110498 GRAB	11/3/98	storm	1.62	0.48	35	NPDES	grab	no	8	2	1	1	2	N CARGO PUMP STATION BYPASS
SDN2	SDN2 112598 GRAB	11/25/98	nonstorm	3.45	0.32	8	NPDES	grab	no	15	2	1	1	2	from North Cargo Pump Station bypass
SDN2	SDN2 012899 GRAB	1/28/99	nonstorm	1.16	0.1	33	NPDES	grab	no	1	1	1	1	2	NOTIFIED (O&M IN PROGRESS)
SDN2	SDN2 062499 GRAB	6/24/99	storm	1.12	0.35	10	NPDES	grab	no	1	1	1	1	2	30 MIN PUMP STATION BYPASS
SDN3	SDN3 122498	12/24/98	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	222	1	14	15	
SDS4	SDS4 111998	11/19/98	storm	2.34	0.16	73	NPDES	flow-wt comp	no	44	2	1	1	2	
SDN4	SDN4 092598	9/24/98	storm	0.47	0.26	148	NPDES	flow-wt comp	no	3	7	1	2	3	GLYCOLS MAY BE HIGH BIASED, DUPE WAS <MOD
SDN4	SDN4 100398	10/3/98	storm	0.4	0.22	36	NPDES	flow-wt comp	no	2	2	1	1	2	
SDN4	SDN4 102798	10/27/98	storm	0.64	0.19	72	NPDES	non-rep comp	no	12	5	1	1	2	not representative, insufficient duration (~1hr)
SDN4	SDN4 110498	11/3/98	storm	1.62	0.48	35	NPDES	flow-wt comp	no	8	2	1	1	2	

1998-99 Deicing Event Sample Data																																																																				
outfall	POS ID	event	type	depth	maxint	dryant	purpose	type	ground deice?	dryant aircraft	E-glycol	P-total glycol	comments																																																							
SDN4	SDN4 111398	11/11/98	storm	0.98	0.15	31	NPDES	flow-wt comp	no	16	2	1	2	concurrent WET sample																																																						
SDN4	SDN4 121788	12/17/98	monetor	0.11	0.03	33	NPDES	flow-wt comp	no	20	1	1	2	non-storm, suitcase for glycols only																																																						
SDN4	SDN4 122598	12/24/98	storm	1.19	0.16	153	NPDES	flow-wt comp	yes	373	168	71	27	34																																																						
SDN4	SDN4 011499	1/13/99	storm	1.07	0.16	85	NPDES	flow-wt comp	no	34	2	1	1	2																																																						
SDN4	SDN4 020499	2/3/99	storm	0.28	0.07	27	NPDES	flow-wt comp	no	8	2	1	1	2																																																						
SDN4	SDN4 031399	3/12/99	storm	0.83	0.07	71	NPDES	flow-wt comp	no	53	2	1	1	2																																																						
SDN4	SDN4 032899	3/27/99	storm	0.24	0.07	26	NPDES	flow-wt comp	no	7	2	1	1	2																																																						
All outfalls																																																																				
<table border="1"> <tr> <td>count</td> <td>50</td> <td>46</td> <td>54</td> <td>54</td> </tr> <tr> <td>max</td> <td>373</td> <td>450</td> <td>32</td> <td>151</td> </tr> <tr> <td>95th</td> <td>373</td> <td>222</td> <td>12</td> <td>35</td> </tr> <tr> <td>75th</td> <td>42</td> <td>12</td> <td>1</td> <td>3</td> </tr> <tr> <td>median</td> <td>15</td> <td>5</td> <td>1</td> <td>1</td> </tr> <tr> <td>25th</td> <td>8</td> <td>2</td> <td>1</td> <td>1</td> </tr> <tr> <td>min</td> <td>2</td> <td>2</td> <td>1</td> <td>1</td> </tr> <tr> <td>sd</td> <td>110</td> <td>94</td> <td>5</td> <td>24</td> </tr> <tr> <td>CV, %</td> <td>169%</td> <td>233%</td> <td>185%</td> <td>281%</td> </tr> <tr> <td># non det</td> <td>16</td> <td>16</td> <td>45</td> <td>40</td> </tr> <tr> <td>% non det</td> <td>32%</td> <td>35%</td> <td>83%</td> <td>74%</td> </tr> </table>														count	50	46	54	54	max	373	450	32	151	95th	373	222	12	35	75th	42	12	1	3	median	15	5	1	1	25th	8	2	1	1	min	2	2	1	1	sd	110	94	5	24	CV, %	169%	233%	185%	281%	# non det	16	16	45	40	% non det	32%	35%	83%	74%
count	50	46	54	54																																																																
max	373	450	32	151																																																																
95th	373	222	12	35																																																																
75th	42	12	1	3																																																																
median	15	5	1	1																																																																
25th	8	2	1	1																																																																
min	2	2	1	1																																																																
sd	110	94	5	24																																																																
CV, %	169%	233%	185%	281%																																																																
# non det	16	16	45	40																																																																
% non det	32%	35%	83%	74%																																																																
SDE4 (002)																																																																				
<table border="1"> <tr> <td>count</td> <td>16</td> <td>15</td> <td>16</td> <td>16</td> </tr> <tr> <td>max</td> <td>373</td> <td>335</td> <td>13</td> <td>31</td> </tr> <tr> <td>95th</td> <td>204</td> <td>110</td> <td>4</td> <td>11</td> </tr> <tr> <td>75th</td> <td>30</td> <td>6</td> <td>1</td> <td>1</td> </tr> <tr> <td>median</td> <td>15</td> <td>5</td> <td>1</td> <td>1</td> </tr> <tr> <td>25th</td> <td>7.8</td> <td>2.0</td> <td>1.0</td> <td>1.0</td> </tr> <tr> <td>min</td> <td>2.0</td> <td>2.0</td> <td>1.0</td> <td>2.0</td> </tr> <tr> <td>sd</td> <td>94</td> <td>85</td> <td>3</td> <td>7</td> </tr> <tr> <td>CV, %</td> <td>199%</td> <td>314%</td> <td>175%</td> <td>230%</td> </tr> <tr> <td># non det</td> <td>5</td> <td>5</td> <td>15</td> <td>13</td> </tr> <tr> <td>% non det</td> <td>33%</td> <td>33%</td> <td>94%</td> <td>81%</td> </tr> </table>														count	16	15	16	16	max	373	335	13	31	95th	204	110	4	11	75th	30	6	1	1	median	15	5	1	1	25th	7.8	2.0	1.0	1.0	min	2.0	2.0	1.0	2.0	sd	94	85	3	7	CV, %	199%	314%	175%	230%	# non det	5	5	15	13	% non det	33%	33%	94%	81%
count	16	15	16	16																																																																
max	373	335	13	31																																																																
95th	204	110	4	11																																																																
75th	30	6	1	1																																																																
median	15	5	1	1																																																																
25th	7.8	2.0	1.0	1.0																																																																
min	2.0	2.0	1.0	2.0																																																																
sd	94	85	3	7																																																																
CV, %	199%	314%	175%	230%																																																																
# non det	5	5	15	13																																																																
% non det	33%	33%	94%	81%																																																																
SDS1 (003)																																																																				
<table border="1"> <tr> <td>count</td> <td>3</td> <td>2</td> <td>5</td> <td>5</td> </tr> <tr> <td>max</td> <td>53</td> <td>123</td> <td>5</td> <td>43</td> </tr> <tr> <td>95th</td> <td>50</td> <td>117</td> <td>5</td> <td>35</td> </tr> <tr> <td>75th</td> <td>37</td> <td>94</td> <td>1</td> <td>1</td> </tr> <tr> <td>median</td> <td>20</td> <td>65</td> <td>1</td> <td>1</td> </tr> <tr> <td>25th</td> <td>16</td> <td>35</td> <td>1</td> <td>1</td> </tr> <tr> <td>min</td> <td>12</td> <td>6</td> <td>1</td> <td>1</td> </tr> <tr> <td>sd</td> <td>22</td> <td>83</td> <td>2</td> <td>19</td> </tr> <tr> <td>CV, %</td> <td>77%</td> <td>126%</td> <td>106%</td> <td>200%</td> </tr> <tr> <td># non det</td> <td>0</td> <td>0</td> <td>4</td> <td>4</td> </tr> <tr> <td>% non det</td> <td>0%</td> <td>0%</td> <td>80%</td> <td>80%</td> </tr> </table>														count	3	2	5	5	max	53	123	5	43	95th	50	117	5	35	75th	37	94	1	1	median	20	65	1	1	25th	16	35	1	1	min	12	6	1	1	sd	22	83	2	19	CV, %	77%	126%	106%	200%	# non det	0	0	4	4	% non det	0%	0%	80%	80%
count	3	2	5	5																																																																
max	53	123	5	43																																																																
95th	50	117	5	35																																																																
75th	37	94	1	1																																																																
median	20	65	1	1																																																																
25th	16	35	1	1																																																																
min	12	6	1	1																																																																
sd	22	83	2	19																																																																
CV, %	77%	126%	106%	200%																																																																
# non det	0	0	4	4																																																																
% non det	0%	0%	80%	80%																																																																

1998-99 Delcing Event Sample Data															
outfall	POS ID	event	type	depth	maxint	dryant	purpose	type	ground delce?	dryant aircraft	BOD5	E-glycol	P. Total glycol	glycols	comments
								SDS3 (005)		count 14	13	14	14	14	
									max 373	450	32	151	158		
									95th 226	312	18	106	129		
									75th 32	18	6	12	13		
									median 14	8	1	3	6		
									25th 8	5	1	1	3		
									min 2	2	1	1	2		
									sd 100	131	8	43	48		
									CV, % 195%	220%	164%	209%	186%		
									# non det 1	8%	64%	50%	36%		
									% non det						
								SDN1up (006)		count 2	2	2	2	2	
									max 373	116	14	12	26		
									95th 355	111	13	12	25		
									75th 281	89	11	9	20		
									median 189	63	7	7	14		
									25th 97	38	4	4	8		
									min 5	9	1	1	2		
									sd 260	76	9	8	17		
									CV, % 138%	121%	122%	120%	121%		
									# non det 0	0	1	1	1		
									% non det	0%	50%	50%	50%		
								SDN2 (007)		count 2	2	4	4	4	
									max 15	2	1	1	2		
									95th 15	2	1	1	2		
									75th 13	2	1	1	2		
									median 12	2	1	1	2		
									25th 10	2	1	1	2		
									min 8	2	1	1	2		
									sd 5	0	0	0	0		
									CV, % 43%	0%	0%	0%	0%		
									# non det 1	2	4	4	4		
									% non det	100%	100%	100%	100%		
								SDN3 (008)		count 1	1	1	1	1	
									max 373	222	1	14	15		
									95th 373	222	1	14	15		
									75th 373	222	1	14	15		
									median 373	222	1	14	15		
									25th 373	222	1	14	15		
									min 373	222	1	14	15		
									sd 373	222	1	14	15		
									CV, %	0%	100%	0%	0%		
									# non det 0	0%	100%	0%	0%		
									% non det						

1998-99 Deicing Event Sample Data																
outfall	POS ID	event	type	depth	maxint	dryant	purpose	type	ground delice?	dryant aircraft	BOD5	E-glycol	glycol	glycol	glycol	comments
								SD84 (008)	count	1	1	1	1	1	1	
									max	44	2	1	1	1	2	
									95th	44	2	1	1	1	2	
									75th	44	2	1	1	1	2	
									median	44	2	1	1	1	2	
									25th	44	2	1	1	1	2	
									min	44	2	1	1	1	2	
									sd	44	2	1	1	1	2	
									CV, %							
									# non det		1	1	1	1	1	
									% non det		100%	100%	100%	100%	100%	
								SDN4 (011)	count	11	10	11	11	11	11	
									max	373	186	7	27	34		
									95th	213	95	4	15	19		
									75th	27	4	1	1	2		
									median	12	2	1	1	2		
									25th	7.5	2.0	1.0	1.0	2.0		
									min	2.0	2.0	1.0	1.0	2.0		
									sd	109	52	2	8	10		
									CV, %	223%	270%	117%	226%	192%		
									# non det		7	10	10	10		
									% non det		70%	91%	91%	91%		

APPENDIX D WHOLE EFFLUENT TOXICITY SAMPLE DATA SUMMARIES

1998-99 WET Testing Sample Data

sample type	storm characteristics				concentration, mg/l													WET, % survival daphnid fathead	Comment																											
	depth	rep	rain	dur	maxint	48hr	dryant	pH	TSS	Turb	BOD	NH3	Surf	glycols	TRCu	TRPb	TRZn			Dcu	DPb	DZn	Hard	cond	avg rank																					
SDE4	0.40	2.34	86	0	0	0	73	6.1	88	52	6.8	0.5	n/a	2	0.032	0.0314	0.163	not analyzed	not analyzed	16	37	71%	90	100																						
1/20/99 EMC	0.35	0.42	28	0	0.95	22	6.2	92	52	5.8	0.10	0.08	2	0.022	0.013	0.168	0.006	0.001	0.012	14.5	34	59%	100	98	1																					
% rank	0.55	0.56	34	0	0.04	9	7.2	53	44	2	0.5	n/a	2	0.015	0.022	0.108	0.004	0.001	0.042	10	36	39%	95	83																						
2/22/99 EMC	0.28	0.28	19	0	0.15	40	6.3	41	32	5.9	0.57	0.28	2	0.020	0.017	0.134	not analyzed	not analyzed	10	31	43%	95	98																							
% rank	0.27	0.30	6	0	0	103	6.2	45	39	6.8	1	n/a	n/a	0.028	0.013	0.141	not analyzed	not analyzed	14	41	50%	100	70	2																						
7/2/99 EMC	average result																							7.1	59	44	5	0.5	0.2	2	0.023	0.019	0.143	0.005	0.001	0.027	13	38	52%	98	87					
average	average % rank																							63%	81%	39%																				
SDE4 Historical data (7/94-9/99)																																														
count	29	28	32	31	32	33	32	32	32	32	33	33	32	32	32	33	32	32	32	32	32	32	32	32	32	32	32	32																		
max	131	57	29	49	0.076	0.076	0.337																																							
min	8.8	1.5	2.0	2.0	0.003	0.001	0.003																																							
median	49	27	6.4	2.0	0.028	0.021	0.150																																							

sample type	storm characteristics				concentration, mg/l													WET, % survival daphnid fathead	Comment																												
	depth	rep	rain	dur	maxint	48hr	dryant	pH	TSS	Turb	BOD	NH3	Surf	glycols	TRCu	TRPb	TRZn			Dcu	DPb	DZn	Hard	cond	avg rank																						
SDS3	0.52	0.98	62	0.15	0.05	31	7.5	24	28	17.6	0.5	n/a	11.5	0.022	0.004	0.169	0.014	0.001	0.038	24	69	79%	80	98																							
1/13/99 EMC	0.85	1.07	22	0.16	0	85	6.8	22	18	7.8	0.5	n/a	11	0.023	0.004	0.030	0.013	0.001	0.012	20	52	58%	80	95																							
% rank	average																							7.1	23	23	13	0.5	11	0.023	0.004	0.110	0.013	0.001	0.025	22	61	85	97								
average	average % rank																							63%	81%	39%																					
SDS3 Historical data (7/94-9/99)																																															
count	33	33	36	25	37	39	37																																								
max	33	42	38	32	0.87	0.016	0.134																																								
min	1	1	2	2	0.004	0.001	0.003																																								
median	7	6	8	5	0.032	0.002	0.045																																								

sample type	storm characteristics				concentration, mg/l													WET, % survival daphnid fathead	Comment																											
	depth	rep	rain	dur	maxint	48hr	dryant	pH	TSS	Turb	BOD	NH3	Surf	glycols	TRCu	TRPb	TRZn			Dcu	DPb	DZn	Hard	cond	avg rank																					
SDN1	0.81	0.98	62	0.15	0.05	31	8.0	53	46	2	0.5	n/a	n/a	0.024	0.0253	0.487	0.006	0.001	0.110	16	20	67%	60	40																						
1/13/99 EMC	0.65	1.07	22	0.16	0	85	7.0	78	31	2	0.5	n/a	n/a	0.024	0.048	0.182	0.005	0.001	0.033	8	22	61%	30	78																						
% rank	0.28	0.28	19	0.08	0.15	40	6.6	61	40	4.88	1	n/a	n/a	0.015	0.010	0.175	not analyzed	not analyzed	16	22	52%	10	63																							
5/1/99 EMC	0.13	0.14	10	0.08	0	50	7.1	28	23	2.38	0.25	n/a	n/a	0.046	0.004	0.276	0.043	0.001	0.117	14	2	56%	5	4																						
% rank	0.30	0.30	6	0.11	0	103	6.1	69	25	4.28	0.3	n/a	n/a	0.038	0.009	0.238	not analyzed	not analyzed	10	21	59%	not tested	33	2.3																						
7/2/99 EMC	average																							6.9	85	36	3	0.6	0.025	0.023	0.271	0.005	0.001	0.072	13	21	60%	40	60							
average	average % rank																							77%	79%	22%																				
SDN1 Historical data (1/97-9/99)																																														
count	17	17	18	19	20	19																																								
max	65	46	29	0.062	0.046	0.540																																								
min	9.7	6.4	2	0.003	0.001	0.066																																								
median	43	24	5	0.019	0.011	0.218																																								

1999-99 WET Testing Sample Data

sample ID	storm characteristics				concentration, mg/l												WET, % survival							
	depth	rep	rain	dur	TSS	Turb	BOD	NH3	Surf glycole	TRPb	TRZn	Deu	DPb	DZn	Hard	cond	avg rank	daphnid	fathead	Comment				
SDN4	0.80	0.08	0.2	0.15	0.05	31	7.5	2	1	n/a	2	0.026	0.0012	0.127	0.021	0.001	0.049	24	75	75	100			
1/13/99 EMC	0.85	1.07	22	0.16	0	65	6.8	7	0.2	2	0.6	n/a	2	0.020	0.001	0.034	0.014	0.001	0.027	28	56	100		
1/13/99 EMC																								
% rank																								
average							7.1	15	12	2	0.8			2	0.023	0.001	0.081	0.018	0.001	0.038	28	66	96	100

comments

- 1 SDE4 Jan 20, 1999 sample lab error on fathead test was 48-hr instead of 96-hr
- 2 July 2, 1999 samples control failed at 72.5% survival (criterion is >80%)
- 3 July 2, 1999 SDN1 sample insufficient # of organisms to start daphnid test
- 4 May 11, 1999 SDN1 sample taken for source tracing (was a non-storm) only, not to explicitly satisfy permit condition S10

<MDL, value shown is 1/2 MDL
exceeds single value and/or average criterion for survival

notes

- 1 pH, ammonia, hardness, and conductivity measured at Parametrix toxicology lab
- 2 Dissolved metals not routinely analyzed, therefore, no summary statistics provided
- 3 Summary statistics for each outfall are relative (united data set July 1994 through June 30, 1999)
- 4 All data for SDN1 are from "up" station located in manhole SDN1-22
5. Ammonia values <1 analyzed at Aquatic Research unless shown as shaded in table

AR 018149

APPENDIX E OTHER SAMPLE DATA

1998-99 Field Duplicates				concentration, mg/l										comments
type	date	sample ID	event	TPH-Dx	Fecals (MI TSS)	Turb	BOD5	glycols	Cu	Pb	Zn			
grab	12/15/97	SDN3 121597 GRAB	NPDES		50									
grab	12/15/97	SDN3 121597 GRAB DUPE	NPDES		130									
-160%														
comp	1/16/97	SDN3 011697 DUPE	NPDES		12	12	5.38		0.0133	0.0005	0.042			
comp	1/16/97	SDN3 011797	NPDES		13	13	4.92		0.0119	0.0005	0.043			
-8% -9% 9% 11% 0% -2%														
comp	2/11/97	SDW3 021197	NPDES		2.2	1.9								
comp	2/11/97	SDW3 021197 DUPE	NPDES		2.4	1.5								
-9% 21%														
comp	3/5/97	B 030697	NPDES		13	23	2		0.0066	0.0005	0.017			
comp	3/5/97	B 030697 DUPE	NPDES		13	23	2		0.0087	0.0005	0.019			
0% 0% 0% -32% 0% -12%														
comp	4/13/97	SDN1 041397	NPDES		34	19	17.0		0.0415	0.0128	0.433			
comp	4/13/97	SDN1 041397 DUPE	NPDES		26	18	16.2		0.0436	0.0169	0.457			
24% 5% 5% -5% -32% -6%														
comp	10/28/97	SDN1 102897	NPDES		19	28	4.0		0.0189	0.0168	0.222			
comp	10/28/97	SDN1 102897 DUPE	NPDES		19	27	4.74		0.0136	0.013	0.255			
0% 4% -19% 28% 23% -15%														
comp	12/15/97	SDN3 121697	NPDES		11	26	2		2	0.011	0.002			
comp	12/15/97	SDN3 121697 DUPE	NPDES		13	26	2		2	0.0098	0.0021			
-18% 0% 0% 0% 11% -5% -10%														
comp	4/23/98	SDN1 042398	NPDES		26	12	12.8		0.0616	0.0049	0.401			
comp	4/23/98	SDN1 042398 DUPE	NPDES		25	12	11.7		0.0258	0.0005	0.162			
4% 0% 9% 58% 90% 60%														
comp	6/10/98	SDN1 061098	NPDES		34	71	9.84		0.0557	0.0086	0.360			
comp	6/10/98	SDN1 061098 DUPE	NPDES		33	66	9.10		0.0832	0.0153	0.067			
3% 7% 8% -49% -78% 81%														
comp	2/3/99	SDS3 020399	NPDES		9.2	11	6.06	3.06	0.0164	0.001	0.027			
comp	2/3/99	SDS3 020399 DUPE	NPDES		8.4	10	4.94		2	0.0143	0.001			
9% 9% 23% 35% 13% 0% -44%														
comp	2/18/99	SDE4 021899	NPDES		131	54	4.26		2	0.0029	0.001			
comp	2/18/99	SDE4 021899 DUPE	NPDES		126	54	4.56		2	0.0023	0.001			
4% 0% -8% 0% 21% 0% 0%														
comp	3/8/99	SDE4 030899	NPDES		49	31	9.72	5.76	0.0159	0.0184	0.118			
comp	3/8/99	SDE4 030899 DUPE	NPDES		69	32	8.72	5.60	0.0179	0.0230	0.132			
-41% -3% 10% 3% -13% -25% -12%														
comp	3/12/99	SDN4 031399	NPDES		2.9	7	2		2	0.0185	0.001			
comp	3/12/99	SDN4 031399 DUPE	NPDES		3.8	7	2		2	0.0179	0.001			
-31% 0% 0% 0% 3% 0% 16%														

AR 018151

1998-99 Field Blanks

type	date	sample ID	event	TPH-Dx	Fecals (MITSS)	Turb	BOD5	glycols	Cu	Pb	Zn	comments
rand grab	12/26/96	SDS3 FIELD BLANK 123096				0.32	<4.00	<10.0				field QC blank
rand grab	1/16/97	SDS2 011797 BLANK	NPDES		2	<0.5	<4.0	<10.0				field QC blank
rand grab	3/5/97	EY 030697 BLANK1	NPDES			<0.5						field QC blank
rand grab	10/28/97	SDS1 102897 BLANK	NPDES		13	<0.5	0.21	<4.0	0.006	<0.001	0.016	field QC blank
rand grab	12/15/97	SDN3 121697 BLANK	NPDES		<2	1.3	0.46	<4.0	0.0048	<0.001	0.013	field QC blank
rand grab	4/23/98	SDN1 042398 BLANK	NPDES	<0.15	2	<0.25	0.1	<4.0	0.0047	<0.001	<0.005	field QC blank
rand grab	11/12/98	SDE2-46 111298 BLANK	nonstorm						<0.002	<0.002	0.013	field QC blank
rand grab	11/12/98	SDE4-42 111298	nonstorm						0.006	<0.002	0.038	field QC blank
rand grab	11/12/98	SDE4-42 111298 DUPE	nonstorm						0.0045	<0.002	0.036	field QC blank
rand grab	11/12/98	SDE4-47 111298 BLANK	nonstorm						<0.002	<0.002	0.019	field QC blank
rand grab	1/15/99	SDN1 011599 BLANK	nonstorm	<0.15	<2	<0.5	0.25	<4.0	<0.002	<0.002	<0.005	field QC blank
rand grab	1/15/99	SDN4 011599 BLANK		<0.15	<2	<0.5	0.27	<4.0	<0.002	<0.002	0.006	field QC blank
rand grab	1/15/99	SDS3 011599 BLANK		<0.15	2	1.5	0.75	<4.0	<0.002	<0.002	<0.005	field QC blank
rand grab	3/8/99	SDS3 030999 BLANK	NPDES			<0.5	0.25	<4.0	4.38	0.0082	0.006	field QC blank

Max	<0.15	13	1.5	0.75	0	4.38	0.008	0.000	0.038
count >MDL	0	4	3	n/a	0	1	6	0	8
total # blanks	4	7	9	9	9	8	11	11	11

AR 018152

Non-Representative Flow-Weighted composites										Event Characteristics					Concentration, mg/l					comments
outfall	POS ID	purpose	stormdate	depth in.	dur hr	maxint in/hr	24hrant in.	48hrant in.	dryant hr	event	sample type	TSS	Turb, NTU	BOD5	total glycols	Cu	Pb	Zn	comments	
SDE4	SDE4 081998	NPDES	8/18/98	0.31	10	0.25	0	0	792	NPDES	non-rep	180	64	16.7		0.1233	0.0824	0.537	not representative, insufficient duration (1/2 hr)	
SDE4	SDE4 091998	NPDES	9/18/98	0.19	20	0.16	0	0	458	NPDES	comp	78	42	13.9	<4	0.0972	0.0183	0.316	nonstorm	
SDE4	SDE4 110498	NPDES	11/3/98	1.62	39	0.45	0	0.08	35	NPDES	non-rep	45	28	<4	<4	0.0255	0.0207	0.347	not representative, incomplete sample, flow probe error	
SDE4	SDE4 011099	NPDES	1/9/99	0.27	21	0.05	0	0	54	NPDES	non-rep	19	22	<4.0	4.2	0.0993	0.013	0.090	not representative, taken too late	
SDS3	SDS3 081998	NPDES	8/18/98	0.19	20	0.16	0	0	458	nonstorm	non-rep	24	25	12.4	<4	0.1065	<0.002	0.047	not representative, extended into post-storm baseflow period	
SDN1	SDN1 081998	NPDES	8/18/98	0.19	20	0.16	0	0	458	nonstorm	comp	65	58	9.12	<4	0.035	0.0087	0.407	nonstorm	
SDN1	SDN1 082598	NPDES	8/24/98	0.47	23	0.26	0	0	148	NPDES	non-rep	202	21	10.2		0.0899	0.0235	0.626	not representative, incomplete sample	
SDN1	SDN1 081199	TRACE	5/11/99	0.14	10	0.08	0	0	50	nonstorm	comp		28			0.0458	0.0035	0.278	WEI SOURCE TRACE (nonstorm)	
SDN4	SDN4 102798	NPDES	10/27/98	0.84	9	0.19	0	0	72	NPDES	non-rep	40	32	4.54	<4	0.0118	<0.002	<0.005	not representative, insufficient duration (-1hr)	

APPENDIX F SOURCE TRACING SAMPLE DATA SUMMARIES

SDE4

type	event	type	ground	POS ID	Fecals (MPN)	Fecals (MF)	NH3 (K+)	NH3-K+	FI	Surf Cond	hard	ph	FOG	TPH (IR)	MO	depth	48hrvant	dryant	comments
rand grab	1/5/96 rain	no	no	SDE4-47 010698	1001	420	0.04	1.1	0.04	0.22	56	28.5							source tracing
rand grab	1/6/96 baseflow	no	no	SDE4-47 010988	1001	70	0.02	1.1	0.02	0.7	49.1	31.5							source tracing
rand grab	8/14/98 baseflow	no	no	SDE4 081498 GRAB	1001	880	0.11	3.2	0.04	0.07	32.2	11.8	6.74						source tracing, had 36% RPD in lab dupe
rand grab	11/12/98 rain	no	no	SDE4-47 111298	1001	880	0.16	4.1	0.04	0.07	14.3	6.58							54 not representative, taken too late
rand grab	1/9/99 NPDES	no	no	SDE4 011099 GRAB	1001	1100	0.39		0.04	0.07	0.2			1.70		0.27	0		
rand grab	1/11/94 NPDES	no	no	SDE4 111394	1001	45	2.3		0.04	0.07	0.2			2.8	1.1	0.28	46		
FF grab	1/7/95 NPDES	no	no	SDE4 010795	280	4000	0.42		0.04	0.07	0.2			7	3.8	0.29	0	252	
FF grab	4/10/95 NPDES	no	no	SDE4 041095	300	4000	0.44		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	7/28/95 NPDES	no	no	SDE4 072895	300	4000	0.44		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	10/25/95 NPDES	no	no	SDE4 102895	22	4000	0.18		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	2/3/96 NPDES	YES	YES	SDE4 020496 GRAB	20	4000	0.18		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/22/96 NPDES	no	no	SDE4 032296 GRAB	17	4000	0.18		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	4/15/96 NPDES	no	no	SDE4 041696 GRAB	220	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	7/17/96 NPDES	no	no	SDE4 071796 GRAB	1901	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	9/3/96 NPDES	no	no	SDE4 090396 GRAB	50	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	12/15/96 rain	no	no	SDE4 121596 GRAB	220	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	12/19/96 NPDES	no	no	SDE4 121996 GRAB	1901	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	1/6/97	5 YES	5 YES	SDE4 011097 GRAB	1901	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	1/18/97 NPDES	no	no	SDE4 011897 GRAB	1901	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	1/27/97 NPDES	no	no	SDE4 012797 GRAB	50	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/5/97 NPDES	no	no	SDE4 030597 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	8/18/97 NPDES	no	no	SDE4 081897 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	10/28/97 NPDES	no	no	SDE4 102897 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	12/15/97 NPDES	no	no	SDE4 121597 GRAB	80	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/1/98 NPDES	no	no	SDE4 030198 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	4/7/98 rain	no	no	SDE4 040798 GRAB	110	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	4/7/98 rain	no	no	SDE4 040798 GRAB	900	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	4/23/98 NPDES	no	no	SDE4 042398 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	5/9/98 rain	no	no	SDE4 050998 GRAB	1600	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	5/14/98 NPDES	no	no	SDE4 051498 GRAB	80	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	6/24/98 NPDES	no	no	SDE4 062498 GRAB	300	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	7/14/98 rain	no	no	SDE4 071498 GRAB	1901	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	8/16/98 NPDES	no	no	SDE4 081698 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	9/18/98 rain	no	no	SDE4 091898 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	9/24/98 NPDES	no	no	SDE4 092498 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	10/3/98 NPDES	no	no	SDE4 100398 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	11/3/98 NPDES	no	no	SDE4 110398 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	11/19/98 NPDES	no	no	SDE4 111998 GRAB	240	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	12/10/98 rain	no	no	SDE4 121098 GRAB	220	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	12/17/98 rain	no	no	SDE4 121798 GRAB	900	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	1/20/99 NPDES	no	no	SDE4 012099 GRAB	170	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	2/16/99 NPDES	no	no	SDE4 021699 GRAB	1	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/9/99 NPDES	no	no	SDE4 030999 GRAB	30	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/12/99 NPDES	no	no	SDE4 031299 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/24/99 NPDES	no	no	SDE4 032499 GRAB	500	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	3/27/99 NPDES	no	no	SDE4 032799 GRAB	50	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
FF grab	6/20/99 NPDES	no	no	SDE4 062099 GRAB	1801	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
avg time c	1/120/96	YES	YES	SDE4 112196 A3	900	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
avg time c	1/120/96	YES	YES	SDE4 112196 A2	1600	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	
avg time c	1/120/96	YES	YES	SDE4 112096 A1	1600	4000	0.34		0.04	0.07	0.2			6.1	7.0	0.29	0	56	

reported as greater than value shown
 -1000, value shown is 1/2 MCL

SDE4 Source Tracing

multi-manhole

1998-99 SDE4 Source Tracing in Multiple Upstream Manholes

ordlocat	type	purpo	POS ID	manhole	stormdate	event	end time	delivered	held	Fecals (MF)	ph	NH3	K+	NH3/K+	FI	Surf	Cond	hard	BOD5	comments
17	99	4	9 SDE3-91 010598	91	1/5/98	2	1/5/98 15:20	1/5/98 17:00	1:40	960		0.22	1.54	0.14	0.09		104	36.6	24	
19	99	4	9 SDE3-93 010598	93	1/5/98	2	1/5/98 16:00	1/5/98 17:00	1:00	540		0.03	0.85	0.03	0.12		40	21.8	6	
21	99	4	9 SDE4-31 010598	31	1/5/98	2	1/5/98 15:45	1/5/98 17:00	1:15	1460		0.02	0.25	0.08	0.14		33	14.1	6	
26	99	4	9 SDE4-43 010598	43	1/5/98	2	1/5/98 14:55	1/5/98 17:00	2:05	80		0.09	0.63	0.15	0.06		57	34.2	6	
27	2	4	9 SDE4-47 010598	47	1/5/98	2	1/5/98 14:20	1/5/98 17:00	2:40	420		0.04	1.08	0.04	0.22		56	26.5	6	
baseflow																				
20	99	4	9 SDE3-93 010598	93	1/9/98	3	1/9/98 12:50	1/9/98 16:40	3:50	4		0.01	2.3	0.00	0.41	0.013		71.6	2	
22	99	4	9 SDE4-31 010998	31	1/9/98	3	1/9/98 12:10	1/9/98 16:40	4:30	1		0.01	0.62	0.01	1.02	0.013		34.4	2	
28	2	4	9 SDE4-47 010998	47	1/9/98	3	1/9/98 13:10	1/9/98 16:40	3:30	1		0.03	1.1	0.02	0.7	0.053		49.1	2	
storm tall (dry before routine finished)																				
1	99	4	9 SDE1-50 110598	50	11/5/98	2	11/5/98 11:40	11/6/98 10:40	23:00	760	6.48	0.09	1.3	0.07	0.16	0.12	57.2	44.1		
3	99	4	9 SDE2-46 110598	46	11/5/98	2	11/5/98 11:51	11/6/98 10:40	22:49	80	6.39	0.02	0.86	0.03	0.09	0.051	53.7	49.4		
6	99	4	9 SDE3-23A 110598	23	11/5/98	2	11/5/98 12:20	11/6/98 10:40	22:20	152	8.46	0.02	3.7	0.01	0.11	0.069	118	54.4		
8	99	4	9 SDE3-28 110598	28	11/5/98	2	11/5/98 12:49	11/6/98 10:40	21:51	108	7.22	0.04	0.83	0.04	0.15	0.077	44.1	36.8		
9	99	4	6 SDE3-28 110598 bla	28	11/5/98	2	11/5/98 15:00	11/6/98 10:40	19:40	4		0	0							
12	99	4	9 SDE3-44 110598	44	11/5/98	2	11/5/98 13:19	11/6/98 10:40	21:21	320	7.32	0.08	2.75	0.03	0.2	0.076	225	111.0		
14	99	4	9 SDE3-55 110598	55	11/5/98	2	11/5/98 14:29	11/6/98 10:40	20:11	1460	7.9	0.08	3.57	0.02	0.19	0.122	459	237.0		
storm																				
2	99	4	9 SDE1-50 111298	50	11/12/98	2	11/12/98 19:20	11/13/98 12:20	17:00	5000	6.91	0.22	0.87	0.25	0.09	0.061	24.7	7.6		
4	99	4	9 SDE2-46 111298	46	11/12/98	2	11/12/98 19:15	11/13/98 12:20	17:05	4600	6.9	0.06	0.35	0.18	0.08	0.046	30.6	15.5		
5	99	4	6 SDE2-46 111298 BL	46	11/12/98	2	11/12/98 18:10	11/13/98 12:20	18:10	1	6.54	0.01	0.35	0.01	0.03	0.013	2.08	2.0		
7	99	4	9 SDE3-23A 111298	23	11/12/98	2	11/12/98 19:50	11/13/98 12:20	16:30	480	7.01	0.04	0.72	0.06	0.09	0.081	60.5	26.2		
10	99	4	9 SDE3-28 111298	28	11/12/98	2	11/12/98 20:25	11/13/98 12:20	15:55	200	6.84	0.12	0.35	0.34	0.1	0.078	24.9	9.5		
11	99	4	9 SDE3-36 111298	36	11/12/98	2	11/12/98 21:20	11/13/98 12:20	15:00	6	6.98	0	0.35	0.01	0.08	0.013	58.4	22.5		
13	99	4	9 SDE3-44 111298	44	11/12/98	2	11/12/98 21:04	11/13/98 12:20	15:16	40	6.82	0.06	0.83	0.07	0.09	0.013	65.9	28.3		
15	99	4	9 SDE3-55 111298	55	11/12/98	2	11/12/98 21:50	11/13/98 12:20	14:30	60	7.36	0.16	0.35	0.46	0.06	0.046	22.5	10.7		
16	99	4	9 SDE3-73 111298	73	11/12/98	2	11/12/98 22:30	11/13/98 12:20	13:50	4200	8.11	0.26	1.73	0.15	0.06	0.05	39.7	25.2		
18	99	4	9 SDE3-92 111298	92	11/12/98	2	11/12/98 23:00	11/13/98 12:20	13:20	1600	6.79	0.21	1.8	0.12	0.12	0.013	94.7	44.3		
23	99	4	9 SDE4-31 111298	31	11/12/98	2	11/12/98 23:30	11/13/98 12:20	12:50	4000	6.73	0.07	0.35	0.21	0.06	0.069	37.2	13.4		
24	99	4	9 SDE4-42 111298	42	11/12/98	2	11/13/98 0:20	11/13/98 12:20	12:00	2600	6.32	0.08	1.08	0.08	0.05	0.031	26.7	10.1		
25	99	4	6 SDE4-42 111298 DU	42	11/12/98	2	11/13/98 0:22	11/13/98 12:20	11:58	3600	6.45	0.08	0.35	0.22	0.03	0.028	27.2	10.3		
29	2	4	9 SDE4-47 111298	47	11/12/98	2	11/13/98 1:00	11/13/98 12:20	11:20	880	6.74	0.11	3.23	0.04	0.06	0.068	32.2	11.8		had 36% R
30	99	4	6 SDE4-47 111298 BL	47	11/12/98	2	11/13/98 1:50	11/13/98 12:20	10:30	26	7.36	0.01	0.35	0.01	0.03	0.013	2.43	2.0		

1999 SDN1 Source Tracing in Multiple Upstream Manholes

event	rain	maxi	dryar	LF	station	SDN1	name	seq	type	pH	TR			Diss			Diss/RR ratios			Hard surf	NH3	turb	comment
											Cu	Pb	Zn	Cu	Pb	Zn	Cu	Pb	Zn				
13-Jan-99	1.07	0.16	85	13.6	16		Tplex 1/13	1	GRAB	6.83	0.008	0.001	0.044	0.005	0.001	0.021	0.68						Transplex rooftops
13-Jan-99	1.07	0.16	85	13.6	16		Tplex 1/13	2	GRAB	7.49	0.007	0.001	0.038	0.005	0.001	0.022	0.69						Transplex rooftops
8-Mar	0.28	0.05	96	4.8	16		Tplex 3/6	1	GRAB	0.11	0.001	0.040	0.005	0.001	0.012	0.44	0.30	4.29					Transplex rooftops
24-Mar	0.28	0.08	40	3.2	16		Tplex 3/24	1	GRAB	0.017	0.001	0.048	0.012	0.001	0.046	0.68	0.96	2.98					Transplex rooftops
24-Mar	0.28	0.08	40	3.2	16		Tplex 3/24	2	GRAB	0.017	0.001	0.046	0.014	0.001	0.038	0.81	0.78	6.53					Transplex rooftops
8-Mar	0.28	0.05	96	4.8	19	dock	dock 3/8	1	GRAB	0.046	0.012	0.186	0.034	0.008	0.134	0.75	0.66	0.71	3.92				loading dock drain (Avia #2, doors E9-E13)
24-Mar	0.28	0.08	40	3.2	19	dock	dock 3/24	1	GRAB	0.121	0.023	0.400	0.111	0.019	0.320	0.92	0.84	0.80	5.6				loading dock drain (Avia #2, doors E9-E13)
24-Mar	0.28	0.08	40	3.2	19	dock	dock 3/24	2	GRAB	0.072	0.014	0.389	0.066	0.011	0.283	0.81	0.78	6.68	10.4				loading dock drain (Avia #2, doors E9-E13)
8-Mar	0.28	0.05	96	4.8	19A		Avia#1 3/8	1	GRAB	0.008	0.001	0.108	0.007	0.001	0.034	0.78	0.31	1.49					Avia Bldg #1 rooftop
24-Mar	0.28	0.08	40	3.2	19A		Avia#1 3/24	1	GRAB	0.030	0.003	0.133	0.013	0.001	0.122	0.42	0.29	0.92	2.24				Avia Bldg #1 rooftop
24-Mar	0.28	0.08	40	3.2	19A		Avia#1 3/24	2	GRAB	0.032	0.001	0.330	0.020	0.001	0.217	0.63	0.66	2.8				Avia Bldg #1 rooftop	
8-Mar	0.28	0.05	96	4.8	20A		Avia#2 3/8	1	GRAB	0.006	0.001	0.083	0.005	0.001	0.033	0.65	0.40	1.31					Avia Bldg #2 rooftop
24-Mar	0.28	0.08	40	3.2	20A		Avia#2 3/24	1	GRAB	0.017	0.001	0.091	0.013	0.001	0.074	0.78	0.81	3.92				Avia Bldg #2 rooftop	
24-Mar	0.28	0.08	40	3.2	20A		Avia#2 3/24	2	GRAB	0.053	0.003	0.464	0.033	0.001	0.333	0.62	0.38	6.69	4.1				Avia Bldg #2 rooftop
8-Mar	0.28	0.05	96	4.8	22-18		Road egg 3/8	1	GRAB	0.017	0.021	0.180	0.001	0.001	0.037	0.06	0.05	0.21	6.34				Air Cargo Rd+Transplex+new FedEx
24-Mar	0.28	0.08	40	3.2	22-18		Road egg 3/24	1	GRAB	0.014	0.016	0.121	0.008	0.001	0.046	0.41	0.06	0.38					Air Cargo Rd+Transplex+new FedEx
24-Mar	0.28	0.08	40	3.2	22-18		Road egg 3/24	2	GRAB	0.009	0.003	0.149	0.007	0.001	0.062	0.76	0.33	6.62	8.39				Air Cargo Rd+Transplex+new FedEx
11-May-99	0.14	0.08	50	4	22-18		Road egg 5/11	1	figrab	0.082	0.017	0.347	0.040	0.001	0.278	0.64	0.06	0.80					21 Air Cargo Rd+Transplex+new FedEx
11-May-99	0.14	0.08	50	4	22-18		Road egg 5/11 comp	1	comp	0.042	0.002	0.225	0.023	0.001	0.134	0.55	0.42	0.60	12.9	0.379	0.712		31 Air Cargo Rd+Transplex+new FedEx
20-Jun-99	0.21	0.03	48	1.44	22-18		Road egg 6/20	1	figrab	0.082	0.005	0.525	0.080	0.001	0.384	0.73	0.20	0.75					Air Cargo Rd+Transplex+new FedEx
2-Jul	0.3	0.11	103	11.3	22-18		Road egg 7/2	1	GRAB	6.44	0.032	0.001	0.200										Air Cargo Rd+Transplex+new FedEx
2-Jul	0.3	0.11	103	11.3	22-18		Road egg 7/2	2	GRAB	6.25	0.028	0.001	0.205										Air Cargo Rd+Transplex+new FedEx
2-Jul	0.3	0.11	103	11.3	22-18		Road egg 7/2 comp	1	COMP	0.035	0.009	0.209											Air Cargo Rd+Transplex+new FedEx
13-Jan-99	1.07	0.16	85	13.6	22-21		Avia egg 1/13	1	GRAB	7.2	0.051	0.001	0.428	0.013	0.001	0.227	0.26						total Avia rooftops
8-Mar	0.28	0.05	96	4.8	22-21		Avia egg 3/8	1	GRAB	0.016	0.001	0.099	0.008	0.001	0.052	0.54	0.53	6.53					total Avia rooftops
24-Mar	0.28	0.08	40	3.2	22-21		Avia egg 3/24	1	GRAB	0.022	0.001	0.141	0.016	0.001	0.128	0.74	0.91	4.48					total Avia rooftops
24-Mar	0.28	0.08	40	3.2	22-21		Avia egg 3/24	2	GRAB	0.029	0.001	0.379	0.019	0.001	0.207	0.64	0.55	3.17					total Avia rooftops
11-May-99	0.14	0.08	50	4	22-21		Avia egg 5/11	1	figrab	0.022	0.001	0.649	0.016	0.001	0.210	0.70	0.32						39 total Avia rooftops
11-May-99	0.14	0.08	50	4	22-21		Avia egg 5/11 comp	1	comp	0.028	0.001	0.300	0.017	0.001	0.188	0.61	0.63	4.85	<0.025	0.07			2 total Avia rooftops
20-Jun-99	0.21	0.03	48	1.44	22-21		Avia egg 6/20	1	figrab	0.062	0.001	0.449	0.051	0.001	0.388	0.82	0.86						total Avia rooftops
2-Jul	0.3	0.11	103	11.3	22-21		Avia egg 7/2	1	GRAB	6.06	0.028	0.001	0.251										total Avia rooftops
2-Jul	0.3	0.11	103	11.3	22-21		Avia egg 7/2	2	GRAB	7.06	0.042	0.001	0.422										total Avia rooftops
2-Jul	0.3	0.11	103	11.3	22-21		Avia egg 7/2 comp	1	COMP	0.030	0.001	0.254											total Avia rooftops

APPENDIX G OUTFALL INSPECTION SUMMARY

<p>1998 Dry Weather Inspection for Permitted Outfalls Conducted on 8/14/98 by Sest, Tobiasen, Diana Sages, Sarah Olson</p>				Visual Observations											
Outfall Name	Outfall #	Inspection point (1)	Depth of flow (2)	0	1	0	0	0	0	0	0	0	0	0	0
SDE4	002	manhole SDE4.47	14-Aug	-1"	0	1	0	0	0	0	0	0	0	0	0
SDS1	003	outfall	14-Aug	dripping	0	0	0	0	0	0	0	0	0	0	0
SDS2	004	outfall	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
SDS3	005	outfall	14-Aug	1" @ 08' on weir	0	1	0	0	0	0	0	0	0	0	0
SDN1	006	drain inlet	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
SDN2	007	manhole	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
SDN3	008	outfall	14-Aug	<0.5"	0	0	0	0	0	0	0	0	0	0	0
SDS4	009	outfall	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
SDW3	010	outfall	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
SDN4	011	outfall	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
Eng Yard	012	drain inlet	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
Taxi Yard	013	drain inlet	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0
Subbasin B	014	outfall	14-Aug	<0.5"	0	0	0	0	0	0	0	0	0	0	0
Subbasin D	015	outfall	14-Aug	no flow	no discharge	0	0	0	0	0	0	0	0	0	0

notes:
 1. Inspected visually from surface through inlets, or by pumped sample for outfalls with monitoring points requiring confined-space entry (SDE4, SDN1, SDN2, EY, TY)
 2. Monthly sampling sites visited on numerous other dates during the period, noted in remarks
 3. Depths of flow are approximate, unless registered by local monitoring equipment.

Other observations at non-permit locations:

S. 28th St outfall	n/a	outfall	14-Aug	-4"	0	0	0	0	0	0	0	0	0	0	0	optional location not inspected
DM Creek above SDS1	n/a	creek			0	0	0	0	0	0	0	0	0	0	0	optional location not inspected
DM Creek Weir at Golf Course	n/a	creek			0	0	0	0	0	0	0	0	0	0	0	optional location not inspected
DM Creek at SDS4	n/a	creek	14-Aug	-4"	0	0	0	0	0	0	0	0	0	0	0	optional location not inspected
L. Reba outlet	n/a	outlet	14-Aug	1.35' on staff gage	0	0	0	0	0	0	0	0	0	0	0	optional location not inspected

outfall	Total number of Kits Oct 98-April 99	October 3 1998	October 28 1998	October 27 1998	October 30 1998	November 4 1998	November 9 1998	November 11 1998	November 13 1998	November 17 1998	November 18 1998	November 19 1998	November 24 1998	November
SDE4	22	S *	S *	S *	S *	S *	S *	S *	S *	M (N)	S *	S *		
SDS1	6		S *											
SOS2	6						S *	S *						
SDS3	33	S *	S *	S * 1	S *+W		S *	S *						
SDS4	22						S *		M (N)		S *			
B	4				S *		S *							
D	6			M (N)			S *					S *		
SDW3	8				NA * 2 S *									
SDN3	17										S *			
SDM4	28	S *			S *		S *+W							
SDN2	11		M (N)		S *						M (N)		S *	
SDN1	18	S *			S *		S *	S *+W						
EY	4													
TY	3													
N.Cargo	2													

S = Sample
NA = sampled but not analyzed **W + = sample plus WET** **M = visited for set up or for maintenance** **(M) = information from log book**
Observations
1 10/27/98 SDS3 - suspended solids (3) and turbidity (3), sample results TSS = 95, Turbidity = 64
2 11/4/98 SDW3 - suspended solids (5) and turbidity (5) in grab sample
P = bypass occurred; no sample due to low water level (deM) = info from de-icing notes
*** = info from chain of custody**

	December 6 1998	December 10 1998	December 11 1998	December 13 1998	December 18 1998	December 17 1998	December 19 1998	December 20 1998	December 21 1998	December 22 1998	December 23 1998	December 24 1998
outfall												
SDE4	S * N.A.	M (N)										S * 3
SDS1					S *							
SDS2												
SDS3	S * N.A.	M (N)			S *	M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	S *
SDS4						M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	M (deN)
B												
D												
SDW3												
SDN3							M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	S *
SDN4	S * N.A.	S * N.A.					M (deN)	M (deN)	M (deN)	M (deN)	M (deN)	S *
SDN2												
SDN1	S * N.A.	M (N)										S *
EY												
TY												
N.Cargo												

S= Sample W += sample plus WET M = visited for set up or for maintenance (N)= Information from log book
 N.A. = sampled but not analyzed B = blank taken P = bypass occurred; no sample due to low water level (deN)= info from de-icing notes
 Observations: * = info from chain of custody

outfall	December 28 1998	December 28 1998	December 30 1998	January 9 1999	January 10 1999	January 14 1999	January 15 1999	January 20 1999	January 21 1999	January 28 1999	February 3 1999	February 8 1999	February 9 1999
SDE4				S *					S * W *				
SDS1													
SDS2													
SDS3			S *	S * W	S * W	S * W B *				S *		M (deN)	M (deN)
SDS4												M (deN)	M (deN)
B													
D							S *						
SDW3													
SDN3								S *				M (deN)	M (deN)
SDM4					S * W	S *	B *				S *	M (deN)	M (deN)
SDN2										S	N		
SDN1						S * W	B *						
EY													
TY													S *
N.Cargo													

S = Sample
 N.A. = sampled but not analyzed
 Observations
 W + = sample plus WET
 B = blank taken
 M = visited for set up or for maintenance
 P = bypass occurred; no sample due to low water level
 * = info from chain of custody
 (N) = information from log book
 (deN) = info from de-icing notes

outfall	February 9 1999	February 10 1999	February 11 1999	February 12 1999	February 13 1999	February 14 1999	February 16 1999	February 18 1999	February 22 1999	February 23 1999	March 11 1999	March 12 1999	March 15 1999
SDIE4							S	S	S		S	S * 4	M (N)
SDS1												S * 5	
SDS2													
SDS3	M (deN)	M (deN) S *	M (deN) S *	M (deN) S *	M (deN)			S *	S *		S *		
SDS4	S *	M (deN) M (deN)	M (deN) S *	M (deN) S *	M (deN)								
B													
D													
SDW3							S *	S *					M (N)
SDN3	M (deN)	M (deN) S *	M (deN) S *	M (deN) S *	M (deN)								
SDN4	M (deN)	M (deN) S *	M (deN) S *	M (deN) S *	M (deN)								
SDN2											P (N)		S *
SDN1													
EY													
TY													
N.Cargo													M (N)

S = Sample
 N.A. = sampled but not analyzed
 W + = sample plus WET
 B = blank taken
 M = visited for set up or for maintenance
 P = bypass occurred; no sample due to low water level
 (deN) = info from de-icing notes
 (N) = information from log book
 * = info from chain of custody

outfall	Mar: 25 1999	Mar: 26 1999	Mar 9 1999	Mar 12 1999	Apr 1 1999	Apr 2 1999	Apr 8 1999	Apr 19 1999	Apr 28 1999	Apr 28 1999	May 4 1999	May 9 1999	May 8 1999
SDE4	S *	S *			M (N)	M (N)	M (N)	M (N)			M (N)		
SDS1				M (N)	M (N)			M (N)	M (N)				
SDS2		S *		M (N)					M (N)			S *	
SDS3	S *					M (N)							
SDS4		S *		M (N)				M (N)	M (N)	M (N)	M (N)	S *	M (N)
B		S *						M (N)	M (N)			S *	
D		S *						M (N)				S *	
SDW3	S *			M (N)				M (N)					
SDN3													
SDN4		S *					M (N)						
SDN2							M (N)						
SDN1	S *						M (N)						
EY							M (N)	M (N)	M (N)	M (N)			
TY							M (N)			M (N)			
N.Cargo													

S = Sample
 N.A. = sampled but not analyzed
 W + = sample plus WET
 B = blank taken
 Observations
 M = visited for set up or for maintenance
 P = bypass occurred; no sample due to low water level
 (N) = Information from log book
 (det) = info from de-icing notes
 * = info from chain of custody